



2013  
NATIONAL  
REPORT  
FOR  
SCOTLAND

Paediatric Intensive  
Care Audit Network



JANUARY 2010 – DECEMBER 2012

## KEY

A	Cambridge University Hospitals NHS Foundation Trust
B	Brighton & Sussex University Hospitals NHS Trust
C	Cardiff & Vale University Health Board
D	Central Manchester University Hospitals NHS Foundation Trust
E	Great Ormond Street Hospital for Children NHS Trust
E1	PICU/NICU
E2	CCCU
F	Guy's & St. Thomas' NHS Foundation Trust
G	Hull & East Yorkshire Hospitals NHS Trust
H	King's College Hospital NHS Trust
I	Leeds Teaching Hospitals NHS Trust
J	The Lewisham Hospital NHS Trust (finished reporting in Aug 2010)
K	Newcastle upon Tyne Hospitals NHS Foundation Trust
K1/K3	Great North Children's Hospital
K2	Newcastle Freeman Hospital (In 2010 Newcastle General and Royal Victoria Infirmary PICUs merged within the Great North Children's Hospital)
L	University Hospital of North Staffordshire NHS Trust
M	Queens Medical Centre Nottingham University Hospitals NHS Trust
N	Oxford University Hospitals NHS Trust
O	Royal Brompton & Harefield NHS Foundation Trust
P	Royal Liverpool Children's NHS Trust
Q	Sheffield Children's NHS Foundation Trust
Q1	Sheffield Children's Hospital (NICU)
Q2	Sheffield Children's Hospital (PICU)
R	Southampton University Hospitals NHS Trust
S	South Tees Hospitals NHS Trust
T	St. George's Healthcare NHS Trust
U	Imperial College Healthcare NHS Trust (SMH)
V	Birmingham Children's Hospital NHS Trust
W	University Hospitals Bristol NHS Foundation Trust
X	University Hospitals of Leicester NHS Trust
X1	Leicester Glenfield Hospital
X2	Leicester Royal Infirmary
Y	NHS Lothian – University Hospitals Division
Z	Barts and the London NHS Trust
ZA	NHS Greater Glasgow and Clyde – Women and Children's Division
ZB	The Royal Group of Hospitals and Dental Hospitals HSS Trust
ZC	Our Lady's Hospital for Sick Children, Dublin
ZD	The Children's University Hospital, Dublin
ZE	Harley Street Clinic (non- NHS)

Published in the UK by the Paediatric Intensive Care Audit Network (PICANet). This work is copyright. Apart from any use as permitted under the Copyright, Designs and Patents Act 1988, no part may be reproduced by any process without permission from PICANet.

Requests and enquiries concerning reproduction rights should be directed to PICANet at:

PICANet- Division of Epidemiology and Biostatistics  
Leeds Institute of Genetics, Health and Therapeutics  
Room 8.49, Worsley Building  
University Of Leeds  
Leeds, LS2 9JT  
Telephone: 0113 343 8125  
E-mail: [picanet@leeds.ac.uk](mailto:picanet@leeds.ac.uk)

In all cases PICANet must be acknowledged as the source when reproducing or quoting any part of this publication. Please use the following format when citing this report:

Paediatric Intensive Care Audit Network National Report for Scotland 2010 - 2012 (published January 2014): Universities of Leeds and Leicester.

# CONTENTS

ACKNOWLEDGEMENTS		7
FOREWORD		8
EXECUTIVE SUMMARY		9
DATA INCLUDED		10
TABLE 1	ADMISSIONS BY AGE AND SEX, 2010 – 2012	12
FIGURE 1	ADMISSIONS BY AGE AND SEX, 2010 – 2012	12
TABLE 2	ADMISSIONS BY AGE (<1) AND SEX, 2010 – 2012	13
FIGURE 2	ADMISSIONS BY AGE (<1) AND SEX, 2010 – 2012	13
TABLE 3	ADMISSIONS BY AGE BY HEALTH ORGANISATION, 2010 – 2012	14
TABLE 4	ADMISSIONS BY AGE (<1) BY HEALTH ORGANISATION, 2010 – 2012	15
TABLE 5	ADMISSIONS BY AGE (16+) BY HEALTH ORGANISATION, 2010 – 2012	16
TABLE 6	ADMISSIONS BY MONTH AND AGE, 2010 – 2012	17
FIGURE 6	ADMISSIONS BY MONTH AND AGE, 2010 – 2012	17
TABLE 7	ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 – 2012	18
FIGURE 7	ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 – 2012	19
TABLE 8	RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 – 2012	20
FIGURE 8	RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 – 2012	20
TABLE 9	ADMISSIONS BY MONTH BY HEALTH ORGANISATION, 2010 – 2012	21
TABLE 10	ADMISSIONS BY HEALTH BOARD AND YEAR, 2010 – 2012	22
FIGURE 10	MAP SHOWING LOCAL HEALTH BOARD BOUNDARIES	23
TABLE 11	ADMISSIONS BY PREDICTED MORTALITY RISK GROUP BY HEALTH ORGANISATION, 2010 – 2012	24
TABLE 12	ADMISSIONS BY ADMISSION TYPE AND AGE, 2010 – 2012	25
FIGURE 12	ADMISSIONS BY ADMISSION TYPE, 2010 – 2012	25
TABLE 13	ADMISSIONS BY ADMISSION TYPE BY HEALTH ORGANISATION, 2010 – 2012	26
FIGURE 13	ADMISSIONS BY ADMISSION TYPE BY HEALTH ORGANISATION, 2010 – 2012	27
TABLE 14	ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	28
FIGURE 14	ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	29
TABLE 15	ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED – OTHER, ADMITTED FROM HOSPITAL) BY HEALTH ORGANISATION, 2010 – 2012	30
FIGURE 15	ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED – OTHER, ADMITTED FROM HOSPITAL) BY HEALTH ORGANISATION, 2010 – 2012	31
TABLE 16	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE, 2010 – 2012	32
FIGURE 16	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP, 2010 – 2012	32

TABLE 17	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2010 – 2012	33
FIGURE 17	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (AND AGE (16+ YEARS), 2010 – 2012	33
TABLE 18	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 - 2012	34
TABLE 19	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - FOLLOWING SURGERY) BY HEALTH ORGANISATION, 2010 – 2012	35
TABLE 20	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - FOLLOWING SURGERY) BY HEALTH ORGANISATION, 2010 – 2012	36
TABLE 21	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	37
TABLE 22	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	38
TABLE 26	RETRIEVALS BY TEAM TYPE AND AGE, 2010 – 2012	39
FIGURE 26	RETRIEVALS BY TEAM TYPE, 2010 – 2012	39
TABLE 27	NON-SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 – 2012	40
FIGURE 27	NON-SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 – 2012	40
TABLE 27A	SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 – 2012	41
FIGURE 27A	SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 – 2012	41
TABLE 28	RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 – 2012	42
FIGURE 28	RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 – 2012	42
TABLE 29	INTERVENTIONS RECEIVED BY HEALTH ORGANISATION, 2010 – 2012	43
TABLE 30	ADMISSIONS BY VENTILATION STATUS AND AGE, 2010 – 2012	44
TABLE 31	ADMISSIONS BY VENTILATION STATUS BY HEALTH ORGANISATION, 2010 – 2012	45
TABLE 32	BED DAYS BY AGE AND SEX, 2010 – 2012	46
FIGURE 32	BED DAYS BY AGE AND SEX, 2010 – 2012	46
TABLE 33	BED DAYS BY AGE BY HEALTH ORGANISATION, 2010 – 2012	47
TABLE 34	BED CENSUS BY MONTH, 2010 – 2012	48
FIGURE 34	BED CENSUS BY MONTH, 2010 – 2012	48
TABLE 35	BED CENSUS BY HEALTH ORGANISATION, 2010 – 2012	49
FIGURE 35A	BED CENSUS BY HEALTH ORGANISATION, 2010	49
FIGURE 35B	BED CENSUS BY HEALTH ORGANISATION, 2011	49
FIGURE 35C	BED CENSUS BY HEALTH ORGANISATION, 2012	49
TABLE 36	BED ACTIVITY BY MONTH, 2010 – 2012	50
FIGURE 36	BED ACTIVITY BY MONTH, 2010 – 2012	50
TABLE 37	BED ACTIVITY BY HEALTH ORGANISATION, 2010 – 2012	51
FIGURE 37A	BED ACTIVITY BY HEALTH ORGANISATION, 2010	51
FIGURE 37B	BED ACTIVITY BY HEALTH ORGANISATION, 2011	51
FIGURE 37C	BED ACTIVITY BY HEALTH ORGANISATION, 2012	51

TABLE 38	LENGTH OF STAY BY AGE BY HEALTH ORGANISATION, 2010 – 2012	52
TABLE 39	LENGTH OF STAY BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 – 2012	53
TABLE 40	ADMISSIONS BY LENGTH OF STAY BY HEALTH ORGANISATION, 2010 – 2012	54
TABLE 41	ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE, 2010 – 2012	55
TABLE 42	ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE (<1), 2010 – 2012	56
TABLE 43	ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX, 2010 – 2012	57
TABLE 44	ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX (AGE <1), 2010 – 2012	58
TABLE 45	ADMISSIONS BY UNIT DISCHARGE STATUS BY HEALTH ORGANISATION, 2010 – 2012	59
TABLE 46	ADMISSIONS BY UNIT DISCHARGE DESTINATION AND AGE, 2010 – 2012	60
TABLE 46A	VENTILATOR FREE DAYS, BY PIM2R GROUP, BY HEALTH ORGANISATION, 2010 – 2012	61
TABLE 46B	EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 – 2012	62
FIGURE 46B	EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 -2012	63
FIGURE 46C	RELATIVE RATES OF EMERGENCY READMISSION WITHIN 48 HOURS OF DISCHARGE, 2010 – 2012	64
TABLE 47	STANDARDISED MORTALITY RATIOS BY ORGANISATION, 2010	65
FIGURE 47A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010: UNADJUSTED	65
FIGURE 47B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010: PIM2R ADJUSTED	65
TABLE 48	STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2011	66
FIGURE 48A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2011: UNADJUSTED	66
FIGURE 48B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2011: PIM2R ADJUSTED	66
TABLE 49	STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2012	67
FIGURE 49A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2012: UNADJUSTED	67
FIGURE 49B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2012: PIM2R ADJUSTED	67
TABLE 50	STANDARDISED MORTALITY RATIOS COMBINED BY HEALTH ORGANISATION, 2010 – 2012	68
FIGURE 50A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010 – 2012: UNADJUSTED	68
FIGURE 50B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010 – 2012 PIM2R ADJUSTED	68
TABLE 51	CHILDREN BY FOLLOW-UP STATUS AND AGE, 2010 – 2012	69
TABLE 52	CHILDREN BY FOLLOW-UP STATUS AND AGE (<1 YEAR), 2010 – 2012	70

TABLE 53	CHILDREN BY FOLLOW-UP STATUS AND SEX, 2010 – 2012	71
TABLE 54	CHILDREN BY FOLLOW-UP STATUS AND SEX (AGE<1 YEAR), 2010 – 2012	72
TABLE 55	CHILDREN BY FOLLOW-UP STATUS BY HEALTH ORGANISATION OF LAST ADMISSION, 2010 – 2012	73
TABLE 56	READMISSIONS BY HEALTH ORGANISATION AND SOURCE OF PREVIOUS ADMISSION, 2010 – 2012	74
TABLE 57	NUMBER OF ADMISSIONS OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION OF FIRST ADMISSION, 2010 – 2012	75
TABLE 58	NUMBER OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION AND DIAGNOSTIC GROUP OF FIRST ADMISSION, 2010 – 2012	76
TABLE 59	INDIVIDUAL CHILD ADMISSIONS BY DIAGNOSTIC GROUP AND READMISSION STATUS, 2010 – 2012	77
TABLE 60	AGE SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS TO PAEDIATRIC INTENSIVE CARE, 2010 – 2012	78
TABLE 61	AGE-SEX SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF CHILDREN TO PAEDIATRIC INTENSIVE CARE BY HEALTH BOARD, 2010 – 2012	79
FIGURE 61	PREVALENCE (PER 100,000 PER YEAR), 2010 - 2012, WITH 95% CONFIDENCE INTERVALS	80

## ACKNOWLEDGEMENTS

The ongoing success of this international clinical audit is dependent on the hard work and commitment of a large number of individuals working within the paediatric intensive care community. We are very grateful to all the audit clerks, secretaries, nurses and doctors who support and contribute to the Paediatric Intensive Care Audit Network (PICANet) from their own paediatric intensive care units (PICUs).

PICANet was established in collaboration with the Paediatric Intensive Care Society (PICS) and their active support continues to be a key component of our successful progress. The PICANet Steering Group (SG) has patient, academic, clinical, government and NHS members all of whom are thanked for their continuing assistance and advice. Members of the Clinical Advisory Group (CAG) provide a formal interface between PICANet and clinical care teams and their valuable support and contribution is gratefully acknowledged.

We are also grateful for the support and commitment given by members of the PIC Families Group.

For the period of this report PICANet was funded by the National Clinical Audit & Patient Outcomes Programme, administered by the Healthcare Quality Improvement Partnership (HQIP), Welsh Health Specialised Services Committee Specialised Services, NHS Lothian/National Service Division NHS Scotland, the Royal Belfast Hospital for Sick Children, Our Lady's Children's Hospital, Crumlin and the Children's University Hospital, Temple Street from Dublin, Ireland and The Harley Street Clinic.

## FOREWORD

It is my pleasure to provide the Foreword to this, the fourth PICANet National Report for Scotland, covering January 2010 to December 2012. It includes data on all paediatric intensive care (PIC) admissions to units in the UK, of children under 16 years, who are normally resident in Scotland. The majority of care (over 95% of both admissions and bed days) was delivered by the Scottish National Paediatric Intensive Care Service in the 2 Paediatric Intensive Care Units in Glasgow and Edinburgh.

Consistent with previous reports, the prevalence of PIC admissions has remained at around 1.5 per 1000 Scottish children. With a median age of less than 2 years and median length of PIC stay ranging from around 1 day for older children to 4 days those under 1 year of age; it is not surprising that over half of the 24,099 bed days during the 3 years were for children in the first year of life. Predictable winter spikes in this activity, infants under 1 year with respiratory illness, continue to stretch available PIC resource to the limit, threatening elective surgical workload including the national major surgery programmes; Cardiac (Glasgow) and Scoliosis (Edinburgh). In attempt to address this, a review of Scottish PIC capacity by NHS Scotland National Services Division, employing PICANet data, is nearing completion and will be submitted to Scottish Government. The review will advocate an increase in the provision of paediatric intensive care beds in Scotland. It is anticipated that implementation will not commence before April 2015.

Crude mortality rate continues to be very low for Scottish children admitted to PICU (overall 2.1%). The unadjusted and adjusted SMRs for the Scottish PICUs are comfortably within the acceptable limits of the funnel plots. Notably, emergency readmission within 48 hours of discharge is reassuringly low at around 1.5% of cases.

NHS Scotland comprises 14 Health Boards, with wide variation in the size and density of catchment populations. Several of the island Health Boards have small Community Hospitals feeding into Rural General Hospitals with no in-patient paediatric facilities. Currently 4 Health Boards have Paediatric High Dependency Units, 2 of which are linked to the PICUs in Glasgow and Edinburgh. An effective, high quality PIC retrieval service is integral to the success of this model. From 1<sup>st</sup> April 2014 the nationally commissioned PIC Retrieval Service, which operates out of both PICUs in Glasgow and Edinburgh, will join with Neonatal and Adult specialist transport services and the Scottish Ambulance Service to form ScotSTAR, a single harmonised transport service, which will ensure a robust future for Paediatric Intensive Care Retrieval in Scotland.

I would like to thank the PICANet team for publishing such a high-quality and detailed report for the children of Scotland.

DAVID ROWNEY

CONSULTANT IN PAEDIATRIC INTENSIVE CARE AND RETRIEVAL

ROYAL HOSPITAL FOR SICK CHILDREN, EDINBURGH

## EXECUTIVE SUMMARY

This report provides information on all 4,159 children under 16 years admitted to paediatric intensive care in the United Kingdom, between 1 January 2010 and 31 December 2012, whose usual place of residence is Scotland.

- The majority of Scottish children were treated in Scottish paediatric intensive care units with fewer than 5% admitted to units outside Scotland.
- 51% of admissions received invasive ventilation.
- Admissions for respiratory conditions increased by almost 25% between 2010 and 2012.
- 24,099 bed days were provided for Scottish children treated in paediatric intensive care, over half of which were provided for children under one year of age.
- Crude mortality for Scottish children treated in paediatric intensive care was 2.1%, compared with 3.8% in the UK and Ireland in 2011.

## DATA INCLUDED

This report is based on children admitted to paediatric intensive care in the United Kingdom whose usual place of residence is Scotland. The data are presented for the three year period January 2010 – December 2012. All data are based on admissions aged 0 – 15 years unless clearly stated otherwise.

There are 28 participating NHS organisations (Health Boards, Trusts or other governing bodies) located in the United Kingdom, 27 of whom collected data for the entire reporting period. These, together with some non-NHS bodies, are referred to as Health Organisations.

This report should be read in conjunction with the National Report of the Paediatric Intensive Care Audit Network National Report January 2010 - December 2012 (published September 2013: Universities of Leeds and Leicester.), which may be accessed at [www.picanet.org.uk](http://www.picanet.org.uk).

### ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP

The primary reason for admission has been categorised into 13 diagnostic groups to enable a simple comparison between organisations. The classification is based on CT3 (The Read Codes). The groups are mutually exclusive:

- Infection excludes any respiratory or gastrointestinal infection but includes meningitis.
- Neurological disorders include neurovascular complications.
- Oncology includes neuro-oncology (brain tumours).
- Other includes those diagnoses not covered by the other 12 groups.

Read codes are five characters in length and can be made up of numbers, letters, or periods. The ordering of the individual characters does not indicate the hierarchy (e.g. patent ductus

arteriosus (P70..) is a subset of congenital abnormality of ductus arteriosus (Xa6aC)).

### ADMISSIONS BY LOCAL HEALTH BOARD

The number of admissions by Local Health Board (HB) was obtained by linking the validated home addresses of children admitted to PICU to HB via the National Statistics Postcode Directory (NSPD). Note that these are the new Boards (effective from Oct 2009).

### ADMISSIONS BY ADMISSION TYPE

We have used the following definitions for admission type:

- An admission that is *planned - following surgery* is one that the unit is aware of before the surgery begins or one that could have been delayed for 24 hours without risk (e.g. spinal surgery).
- An admission that is *unplanned - following surgery* is one that the unit was not aware of before surgery began and one that could not have been delayed without risk (e.g. bleeding tonsillectomy).
- A *planned - other* admission is any other planned admission that is not an emergency (e.g. liver biopsy).
- An *unplanned - other* admission is one that the unit was not expecting and is therefore an emergency admission (e.g. status epilepticus).

Surgery is defined as undergoing all or part of a procedure or anaesthesia for a procedure in an operating theatre or anaesthetic room. Patients admitted from the operating theatre where surgery is not the main reason for admission (e.g. a patient with a head injury who is admitted from theatre after insertion of an ICP monitor) are not included here. In such patients the main reason

for admission is head injury and thus the admission type would be *unplanned - other*.

## RETRIEVAL DATA

Data are collected on whether or not a child was retrieved / transferred into the PICU. We have used the following definitions:

- *Own team* identifies that the team from the admitting hospital collected the child from the referring hospital.
- *Other specialist team (PICU)* identifies that another PICU retrieval team transferred the child to the admitting unit.
- *Other specialist team (non PICU)* identifies that another transport team, not a PICU team (e.g. Accident and Emergency Department (A&E), theatre teams or neonatal teams), transferred the child to the admitting unit.
- *Non-specialist team* identifies that a non-PICU, non-specialist team transported the child to the admitting unit. (e.g. ward staff).

## VENTILATION STATUS

Length of ventilation has been calculated in days. Any ventilation episode during the period midnight to midnight was counted as one complete day (e.g. a child intubated and ventilated at 23.45 on 7 March and extubated at 02.30 on 8 March would count as two days of ventilation). Intubation and extubation times are not recorded in the PICANet dataset therefore more precise ventilation duration times are not available.

## STANDARDISED MORTALITY RATIOS

Tables and figures showing the standardised mortality ratios for all units have been reproduced from the National Report so that table and figure numbering is consistent across both reports. These tables include all patients admitted to PICU regardless of age. These ratios are calculated using the recalibrated PIM2, described in the 2013 Annual Report.

## ANONYMISATION

From this year onwards regional reports will be anonymised to suppress cell counts less than 5 to prevent the possibility of individuals being identified. In some cases this has led to whole tables or figures being suppressed and a number of other tables having data missing.

In future years data may be aggregated to prevent the presence of small numbers.

If you require access to the complete versions of the tables a request can be made to PICANet using the standard data request form available on the PICANet website.

TABLE 1 ADMISSIONS BY AGE AND SEX, 2010 - 2012

Age Years	SEX									
	Male		Female		Ambiguous		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
0	946	(57.6)	695	(42.4)	0	(0.0)	0	(0.0)	1641	(39.5)
1	310	(56.9)	235	(43.1)	0	(0.0)	0	(0.0)	545	(13.1)
2	152	(59.4)	104	(40.6)	0	(0.0)	0	(0.0)	256	(6.2)
3	141	(64.1)	79	(35.9)	0	(0.0)	0	(0.0)	220	(5.3)
4	123	(60.3)	81	(39.7)	0	(0.0)	0	(0.0)	204	(4.9)
5	73	(53.7)	63	(46.3)	0	(0.0)	0	(0.0)	136	(3.3)
6	69	(60.0)	46	(40.0)	0	(0.0)	0	(0.0)	115	(2.8)
7	51	(58.6)	36	(41.4)	0	(0.0)	0	(0.0)	87	(2.1)
8	53	(58.2)	38	(41.8)	0	(0.0)	0	(0.0)	91	(2.2)
9	63	(61.8)	39	(38.2)	0	(0.0)	0	(0.0)	102	(2.5)
10	55	(57.3)	41	(42.7)	0	(0.0)	0	(0.0)	96	(2.3)
11	62	(45.9)	73	(54.1)	0	(0.0)	0	(0.0)	135	(3.2)
12	62	(45.9)	73	(54.1)	0	(0.0)	0	(0.0)	135	(3.2)
13	57	(42.5)	77	(57.5)	0	(0.0)	0	(0.0)	134	(3.2)
14	56	(38.4)	90	(61.6)	0	(0.0)	0	(0.0)	146	(3.5)
15	45	(38.8)	71	(61.2)	0	(0.0)	0	(0.0)	116	(2.8)
<b>Grand Total</b>	<b>2318</b>	<b>(55.7)</b>	<b>1841</b>	<b>(44.3)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>4159</b>	<b>(100.0)</b>

FIGURE 1 ADMISSIONS BY AGE AND SEX, 2010 - 2012




TABLE 2 ADMISSIONS BY AGE (<1 YEAR) AND SEX, 2010 - 2012

Age Months	SEX									
	Male		Female		Ambiguous		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
0	251	(61.4)	158	(38.6)	0	(0.0)	0	(0.0)	409	(24.9)
1	131	(58.0)	95	(42.0)	0	(0.0)	0	(0.0)	226	(13.8)
2	79	(47.3)	88	(52.7)	0	(0.0)	0	(0.0)	167	(10.2)
3	90	(59.6)	61	(40.4)	0	(0.0)	0	(0.0)	151	(9.2)
4	64	(50.4)	63	(49.6)	0	(0.0)	0	(0.0)	127	(7.7)
5	57	(60.6)	37	(39.4)	0	(0.0)	0	(0.0)	94	(5.7)
6	51	(53.1)	45	(46.9)	0	(0.0)	0	(0.0)	96	(5.9)
7	53	(65.4)	28	(34.6)	0	(0.0)	0	(0.0)	81	(4.9)
8	46	(63.9)	26	(36.1)	0	(0.0)	0	(0.0)	72	(4.4)
9	41	(54.7)	34	(45.3)	0	(0.0)	0	(0.0)	75	(4.6)
10	42	(56.8)	32	(43.2)	0	(0.0)	0	(0.0)	74	(4.5)
11	41	(59.4)	28	(40.6)	0	(0.0)	0	(0.0)	69	(4.2)
<b>Grand Total</b>	<b>946</b>	<b>(57.6)</b>	<b>695</b>	<b>(42.4)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>1641</b>	<b>(100.0)</b>

FIGURE 2 ADMISSIONS BY AGE (<1 YEAR) AND SEX, 2010 - 2012




TABLE 3 ADMISSIONS BY AGE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>2010</b>										
D	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	**	(**)	**	(**)	0	(0.0)	5	(0.4)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
F	12	(92.3)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	**	(**)	**	(**)	0	(0.0)	5	(0.4)
I	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
K1K3	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	**	(**)	6	(0.4)
L	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
P	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	5	(50.0)	**	(**)	**	(**)	10	(0.7)
Y	118	(28.2)	120	(28.6)	51	(12.2)	130	(31.0)	419	(30.4)
ZA	395	(43.4)	270	(29.6)	149	(16.4)	97	(10.6)	911	(66.0)
<b>Total</b>	<b>539</b>	<b>(39.1)</b>	<b>401</b>	<b>(29.1)</b>	<b>209</b>	<b>(15.1)</b>	<b>231</b>	<b>(16.7)</b>	<b>1380</b>	<b>(100.0)</b>
<b>2011</b>										
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	9	(75.0)	**	(**)	**	(**)	0	(0.0)	12	(0.9)
F	6	(75.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	**	(**)	**	(**)	7	(0.5)
P	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	9	(60.0)	**	(**)	**	(**)	0	(0.0)	15	(1.1)
Y	148	(34.1)	105	(24.2)	51	(11.8)	130	(30.0)	434	(31.9)
ZA	386	(44.4)	280	(32.2)	125	(14.4)	79	(9.1)	870	(64.0)
<b>Total</b>	<b>566</b>	<b>(41.6)</b>	<b>394</b>	<b>(29.0)</b>	<b>186</b>	<b>(13.7)</b>	<b>213</b>	<b>(15.7)</b>	<b>1359</b>	<b>(100.0)</b>
<b>2012</b>										
D	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	5	(55.6)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	**	(**)	0	(0.0)	0	(0.0)	8	(0.6)
K1K3	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)
K2	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
N	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
S	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	**	(**)	0	(0.0)	5	(0.4)
X	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Y	124	(28.4)	101	(23.1)	72	(16.5)	140	(32.0)	437	(30.8)
ZA	399	(42.3)	310	(32.8)	156	(16.5)	79	(8.4)	944	(66.5)
<b>Total</b>	<b>536</b>	<b>(37.7)</b>	<b>430</b>	<b>(30.3)</b>	<b>232</b>	<b>(16.3)</b>	<b>222</b>	<b>(15.6)</b>	<b>1420</b>	<b>(100.0)</b>
<b>Grand</b>										
<b>Total</b>	<b>1641</b>	<b>(39.5)</b>	<b>1225</b>	<b>(29.5)</b>	<b>627</b>	<b>(15.1)</b>	<b>666</b>	<b>(16.0)</b>	<b>4159</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 4 ADMISSIONS BY AGE (<1) BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (MONTHS)									
	<1		1-2		3-5		6-11		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>2010</b>										
E1	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)
F	8	(66.7)	0	(0.0)	**	(**)	**	(**)	12	(2.2)
I	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
K1K3	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)
P	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Y	39	(33.1)	38	(32.2)	18	(15.3)	23	(19.5)	118	(21.9)
ZA	72	(18.2)	102	(25.8)	95	(24.1)	126	(31.9)	395	(73.3)
<b>Total</b>	<b>122</b>	<b>(22.6)</b>	<b>144</b>	<b>(26.7)</b>	<b>116</b>	<b>(21.5)</b>	<b>157</b>	<b>(29.1)</b>	<b>539</b>	<b>(100.0)</b>
<b>2011</b>										
D	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E1	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)
E2	0	(0.0)	**	(**)	**	(**)	**	(**)	9	(1.6)
F	**	(**)	0	(0.0)	**	(**)	0	(0.0)	6	(1.1)
I	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)
K2	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
P	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	5	(55.6)	0	(0.0)	**	(**)	**	(**)	9	(1.6)
Y	44	(29.7)	45	(30.4)	26	(17.6)	33	(22.3)	148	(26.1)
ZA	86	(22.3)	79	(20.5)	101	(26.2)	120	(31.1)	386	(68.2)
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>137</b>	<b>(24.2)</b>	<b>163</b>	<b>(28.8)</b>	<b>566</b>	<b>(100.0)</b>
<b>2012</b>										
D	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
F	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
I	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)
S	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Y	51	(41.1)	32	(25.8)	20	(16.1)	21	(16.9)	124	(23.1)
ZA	94	(23.6)	87	(21.8)	95	(23.8)	123	(30.8)	399	(74.4)
<b>Total</b>	<b>148</b>	<b>(27.6)</b>	<b>122</b>	<b>(22.8)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>536</b>	<b>(100.0)</b>
<b>Grand</b>										
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>1641</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

## TABLE 5 ADMISSIONS BY AGE (16+) BY HEALTH ORGANISATION, 2010 - 2012

Removed for anonymisation

As in all tables in this report, counts  $>0$  and  $< 5$  are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 6 ADMISSIONS BY MONTH AND AGE, 2010 - 2012

Year / Month	AGE GROUP (YEARS)								Total n	Total (%)
	<1 n	<1 (%)	1-4 n	1-4 (%)	5-10 n	5-10 (%)	11-15 n	11-15 (%)		
<b>2010</b>										
1	61	(47.3)	35	(27.1)	13	(10.1)	20	(15.5)	129	(9.3)
2	43	(45.7)	26	(27.7)	15	(16.0)	10	(10.6)	94	(6.8)
3	44	(39.6)	37	(33.3)	12	(10.8)	18	(16.2)	111	(8.0)
4	39	(31.5)	43	(34.7)	18	(14.5)	24	(19.4)	124	(9.0)
5	33	(32.4)	35	(34.3)	11	(10.8)	23	(22.5)	102	(7.4)
6	52	(40.0)	39	(30.0)	21	(16.2)	18	(13.8)	130	(9.4)
7	48	(40.3)	31	(26.1)	16	(13.4)	24	(20.2)	119	(8.6)
8	27	(29.7)	31	(34.1)	17	(18.7)	16	(17.6)	91	(6.6)
9	40	(33.9)	34	(28.8)	21	(17.8)	23	(19.5)	118	(8.6)
10	43	(36.8)	27	(23.1)	25	(21.4)	22	(18.8)	117	(8.5)
11	49	(41.5)	35	(29.7)	20	(16.9)	14	(11.9)	118	(8.6)
12	60	(47.2)	28	(22.0)	20	(15.7)	19	(15.0)	127	(9.2)
<b>Total</b>	<b>539</b>	<b>(39.1)</b>	<b>401</b>	<b>(29.1)</b>	<b>209</b>	<b>(15.1)</b>	<b>231</b>	<b>(16.7)</b>	<b>1380</b>	<b>(100.0)</b>
<b>2011</b>										
1	56	(42.7)	44	(33.6)	19	(14.5)	12	(9.2)	131	(9.6)
2	54	(45.8)	31	(26.3)	12	(10.2)	21	(17.8)	118	(8.7)
3	57	(45.2)	37	(29.4)	11	(8.7)	21	(16.7)	126	(9.3)
4	36	(35.6)	31	(30.7)	18	(17.8)	16	(15.8)	101	(7.4)
5	39	(36.4)	26	(24.3)	20	(18.7)	22	(20.6)	107	(7.9)
6	46	(35.9)	48	(37.5)	13	(10.2)	21	(16.4)	128	(9.4)
7	41	(37.3)	37	(33.6)	17	(15.5)	15	(13.6)	110	(8.1)
8	48	(38.4)	39	(31.2)	14	(11.2)	24	(19.2)	125	(9.2)
9	42	(41.2)	29	(28.4)	17	(16.7)	14	(13.7)	102	(7.5)
10	38	(41.8)	29	(31.9)	9	(9.9)	15	(16.5)	91	(6.7)
11	59	(52.7)	24	(21.4)	13	(11.6)	16	(14.3)	112	(8.2)
12	50	(46.3)	19	(17.6)	23	(21.3)	16	(14.8)	108	(7.9)
<b>Total</b>	<b>566</b>	<b>(41.6)</b>	<b>394</b>	<b>(29.0)</b>	<b>186</b>	<b>(13.7)</b>	<b>213</b>	<b>(15.7)</b>	<b>1359</b>	<b>(100.0)</b>
<b>2012</b>										
1	49	(41.2)	38	(31.9)	18	(15.1)	14	(11.8)	119	(8.4)
2	49	(40.8)	44	(36.7)	15	(12.5)	12	(10.0)	120	(8.5)
3	53	(38.1)	50	(36.0)	19	(13.7)	17	(12.2)	139	(9.8)
4	41	(39.0)	32	(30.5)	18	(17.1)	14	(13.3)	105	(7.4)
5	56	(46.3)	26	(21.5)	15	(12.4)	24	(19.8)	121	(8.5)
6	34	(30.4)	35	(31.3)	24	(21.4)	19	(17.0)	112	(7.9)
7	38	(31.7)	34	(28.3)	31	(25.8)	17	(14.2)	120	(8.5)
8	33	(28.2)	41	(35.0)	20	(17.1)	23	(19.7)	117	(8.2)
9	36	(31.9)	33	(29.2)	20	(17.7)	24	(21.2)	113	(8.0)
10	40	(33.6)	31	(26.1)	22	(18.5)	26	(21.8)	119	(8.4)
11	58	(47.9)	31	(25.6)	15	(12.4)	17	(14.0)	121	(8.5)
12	49	(43.0)	35	(30.7)	15	(13.2)	15	(13.2)	114	(8.0)
<b>Total</b>	<b>536</b>	<b>(37.7)</b>	<b>430</b>	<b>(30.3)</b>	<b>232</b>	<b>(16.3)</b>	<b>222</b>	<b>(15.6)</b>	<b>1420</b>	<b>(100.0)</b>
<b>Grand Total</b>	<b>1641</b>	<b>(39.5)</b>	<b>1225</b>	<b>(29.5)</b>	<b>627</b>	<b>(15.1)</b>	<b>666</b>	<b>(16.0)</b>	<b>4159</b>	<b>(100.0)</b>

FIGURE 6 ADMISSIONS BY MONTH AND AGE, 2010 - 2012




TABLE 7 ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 - 2012

Year / Month	DIAGNOSTIC GROUP																				Total
	Blood / lymphatic	Body wall and cavities	Cardiovascular	Endocrine / metabolic	Gastro - Intestinal	Infection	Multisystem	Musculo - skeletal	Neurological	Oncology	Other	Respiratory	Trauma	Unknown							
	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)							
<b>2010</b>																					
1	** (**)	** (**)	27 (20.9)	** (**)	6 (4.7)	23 (17.8)	0 (0.0)	8 (6.2)	14 (10.9)	** (**)	12 (9.3)	30 (23.3)	** (**)	0 (0.0)	<b>129 (9.3)</b>						
2	0 (0.0)	** (**)	16 (17.0)	** (**)	8 (8.5)	7 (7.4)	0 (0.0)	8 (8.5)	5 (5.3)	6 (6.4)	9 (9.6)	32 (34.0)	** (**)	0 (0.0)	<b>94 (6.8)</b>						
3	0 (0.0)	0 (0.0)	23 (20.7)	** (**)	5 (4.5)	17 (15.3)	** (**)	10 (9.0)	8 (7.2)	** (**)	9 (8.1)	32 (28.8)	0 (0.0)	0 (0.0)	<b>111 (8.0)</b>						
4	** (**)	** (**)	30 (24.2)	** (**)	7 (5.6)	** (**)	0 (0.0)	13 (10.5)	14 (11.3)	8 (6.5)	15 (12.1)	28 (22.6)	** (**)	0 (0.0)	<b>124 (9.0)</b>						
5	** (**)	0 (0.0)	22 (21.6)	** (**)	9 (8.8)	14 (13.7)	** (**)	9 (8.8)	10 (9.8)	** (**)	6 (5.9)	21 (20.6)	** (**)	0 (0.0)	<b>102 (7.4)</b>						
6	0 (0.0)	** (**)	35 (26.9)	** (**)	11 (8.5)	14 (10.8)	** (**)	10 (7.7)	5 (3.8)	6 (4.6)	12 (9.2)	32 (24.6)	** (**)	0 (0.0)	<b>130 (9.4)</b>						
7	** (**)	** (**)	29 (24.4)	** (**)	9 (7.6)	8 (6.7)	** (**)	13 (10.9)	6 (5.0)	** (**)	8 (6.7)	34 (28.6)	** (**)	** (**)	<b>119 (8.6)</b>						
8	** (**)	** (**)	30 (33.0)	5 (5.5)	** (**)	** (**)	** (**)	8 (8.8)	5 (5.5)	** (**)	8 (8.8)	16 (17.6)	** (**)	0 (0.0)	<b>91 (6.6)</b>						
9	** (**)	** (**)	30 (25.4)	** (**)	8 (6.8)	6 (5.1)	0 (0.0)	11 (9.3)	10 (8.5)	5 (4.2)	11 (9.3)	26 (22.0)	** (**)	0 (0.0)	<b>118 (8.6)</b>						
10	** (**)	** (**)	25 (21.4)	** (**)	6 (5.1)	9 (7.7)	0 (0.0)	15 (12.8)	10 (8.5)	** (**)	13 (11.1)	23 (19.7)	6 (5.1)	0 (0.0)	<b>117 (8.5)</b>						
11	** (**)	** (**)	23 (19.5)	** (**)	7 (5.9)	16 (13.6)	0 (0.0)	12 (10.2)	8 (6.8)	** (**)	12 (10.2)	28 (23.7)	** (**)	0 (0.0)	<b>118 (8.6)</b>						
12	** (**)	** (**)	25 (19.7)	** (**)	6 (4.7)	33 (26.0)	0 (0.0)	8 (6.3)	10 (7.9)	** (**)	8 (6.3)	27 (21.3)	** (**)	0 (0.0)	<b>127 (9.2)</b>						
<b>Total</b>	<b>11 (0.8)</b>	<b>16 (1.2)</b>	<b>315 (22.8)</b>	<b>33 (2.4)</b>	<b>** (**)</b>	<b>154 (11.2)</b>	<b>7 (0.5)</b>	<b>125 (9.1)</b>	<b>105 (7.6)</b>	<b>45 (3.3)</b>	<b>123 (8.9)</b>	<b>329 (23.8)</b>	<b>30 (2.2)</b>	<b>** (**)</b>	<b>1380 (100.0)</b>						
<b>2011</b>																					
1	** (**)	** (**)	24 (18.3)	** (**)	** (**)	23 (17.6)	0 (0.0)	12 (9.2)	12 (9.2)	5 (3.8)	14 (10.7)	31 (23.7)	** (**)	0 (0.0)	<b>131 (9.6)</b>						
2	0 (0.0)	** (**)	28 (23.7)	** (**)	** (**)	23 (19.5)	** (**)	10 (8.5)	11 (9.3)	** (**)	9 (7.6)	20 (16.9)	6 (5.1)	0 (0.0)	<b>118 (8.7)</b>						
3	** (**)	0 (0.0)	28 (22.2)	** (**)	6 (4.8)	11 (8.7)	0 (0.0)	11 (8.7)	10 (7.9)	7 (5.6)	6 (4.8)	43 (34.1)	0 (0.0)	0 (0.0)	<b>126 (9.3)</b>						
4	** (**)	0 (0.0)	21 (20.8)	** (**)	** (**)	14 (13.9)	0 (0.0)	11 (10.9)	9 (8.9)	** (**)	11 (10.9)	18 (17.8)	7 (6.9)	0 (0.0)	<b>101 (7.4)</b>						
5	** (**)	** (**)	29 (27.1)	** (**)	6 (5.6)	9 (8.4)	0 (0.0)	13 (12.1)	13 (12.1)	0 (0.0)	** (**)	25 (23.4)	** (**)	0 (0.0)	<b>107 (7.9)</b>						
6	** (**)	** (**)	20 (15.6)	** (**)	** (**)	5 (3.9)	0 (0.0)	13 (10.2)	18 (14.1)	** (**)	9 (7.0)	50 (39.1)	6 (4.7)	0 (0.0)	<b>128 (9.4)</b>						
7	0 (0.0)	** (**)	25 (22.7)	** (**)	6 (5.5)	5 (4.5)	0 (0.0)	13 (11.8)	13 (11.8)	** (**)	7 (6.4)	25 (22.7)	6 (5.5)	0 (0.0)	<b>110 (8.1)</b>						
8	0 (0.0)	** (**)	30 (24.0)	** (**)	** (**)	5 (4.0)	0 (0.0)	18 (14.4)	9 (7.2)	** (**)	13 (10.4)	41 (32.8)	** (**)	0 (0.0)	<b>125 (9.2)</b>						
9	** (**)	** (**)	23 (22.5)	** (**)	6 (5.9)	** (**)	0 (0.0)	10 (9.8)	10 (9.8)	** (**)	9 (8.8)	32 (31.4)	** (**)	0 (0.0)	<b>102 (7.5)</b>						
10	** (**)	** (**)	18 (19.8)	** (**)	6 (6.6)	** (**)	0 (0.0)	** (**)	7 (7.7)	** (**)	10 (11.0)	35 (38.5)	** (**)	0 (0.0)	<b>91 (6.7)</b>						
11	** (**)	** (**)	26 (23.2)	5 (4.5)	9 (8.0)	9 (8.0)	0 (0.0)	11 (9.8)	11 (9.8)	** (**)	8 (7.1)	30 (26.8)	0 (0.0)	0 (0.0)	<b>112 (8.2)</b>						
12	** (**)	0 (0.0)	19 (17.6)	** (**)	9 (8.3)	6 (5.6)	0 (0.0)	9 (8.3)	15 (13.9)	0 (0.0)	10 (9.3)	32 (29.6)	** (**)	0 (0.0)	<b>108 (7.9)</b>						
<b>Total</b>	<b>11 (0.8)</b>	<b>15 (1.1)</b>	<b>291 (21.4)</b>	<b>26 (1.9)</b>	<b>63 (4.6)</b>	<b>118 (8.7)</b>	<b>** (**)</b>	<b>135 (9.9)</b>	<b>138 (10.2)</b>	<b>33 (2.4)</b>	<b>** (**)</b>	<b>382 (28.1)</b>	<b>37 (2.7)</b>	<b>0 (0.0)</b>	<b>1359 (100.0)</b>						
<b>2012</b>																					
1	5 (4.2)	0 (0.0)	21 (17.6)	0 (0.0)	8 (6.7)	8 (6.7)	0 (0.0)	12 (10.1)	7 (5.9)	** (**)	10 (8.4)	40 (33.6)	** (**)	** (**)	<b>119 (8.4)</b>						
2	0 (0.0)	** (**)	28 (23.3)	** (**)	** (**)	5 (4.2)	** (**)	10 (8.3)	12 (10.0)	5 (4.2)	15 (12.5)	36 (30.0)	** (**)	** (**)	<b>120 (8.5)</b>						
3	0 (0.0)	0 (0.0)	32 (23.0)	** (**)	9 (6.5)	6 (4.3)	0 (0.0)	10 (7.2)	17 (12.2)	5 (3.6)	12 (8.6)	39 (28.1)	5 (3.6)	0 (0.0)	<b>139 (9.8)</b>						
4	0 (0.0)	** (**)	24 (22.9)	** (**)	10 (9.5)	7 (6.7)	** (**)	12 (11.4)	5 (4.8)	7 (6.7)	10 (9.5)	23 (21.9)	** (**)	0 (0.0)	<b>105 (7.4)</b>						
5	** (**)	** (**)	30 (24.8)	0 (0.0)	6 (5.0)	5 (4.1)	** (**)	15 (12.4)	6 (5.0)	6 (5.0)	15 (12.4)	26 (21.5)	** (**)	0 (0.0)	<b>121 (8.5)</b>						
6	0 (0.0)	0 (0.0)	18 (16.1)	** (**)	6 (5.4)	8 (7.1)	** (**)	13 (11.6)	18 (16.1)	5 (4.5)	6 (5.4)	31 (27.7)	** (**)	** (**)	<b>112 (7.9)</b>						
7	** (**)	** (**)	24 (20.0)	** (**)	** (**)	** (**)	** (**)	13 (10.8)	15 (12.5)	5 (4.2)	10 (8.3)	33 (27.5)	10 (8.3)	0 (0.0)	<b>120 (8.5)</b>						
8	** (**)	** (**)	23 (19.7)	** (**)	** (**)	5 (4.3)	** (**)	15 (12.8)	9 (7.7)	** (**)	13 (11.1)	34 (29.1)	** (**)	** (**)	<b>117 (8.2)</b>						
9	** (**)	** (**)	19 (16.8)	0 (0.0)	5 (4.4)	5 (4.4)	** (**)	14 (12.4)	14 (12.4)	7 (6.2)	11 (9.7)	23 (20.4)	8 (7.1)	** (**)	<b>113 (8.0)</b>						
10	** (**)	** (**)	20 (16.8)	5 (4.2)	6 (5.0)	8 (6.7)	0 (0.0)	14 (11.8)	14 (11.8)	5 (4.2)	7 (5.9)	30 (25.2)	5 (4.2)	0 (0.0)	<b>119 (8.4)</b>						
11	0 (0.0)	** (**)	24 (19.8)	0 (0.0)	5 (4.1)	11 (9.1)	0 (0.0)	12 (9.9)	8 (6.6)	5 (4.1)	9 (7.4)	42 (34.7)	** (**)	0 (0.0)	<b>121 (8.5)</b>						
12	** (**)	** (**)	19 (16.7)	** (**)	6 (5.3)	7 (6.1)	0 (0.0)	13 (11.4)	8 (7.0)	** (**)	7 (6.1)	48 (42.1)	** (**)	0 (0.0)	<b>114 (8.0)</b>						
<b>Total</b>	<b>14 (1.0)</b>	<b>16 (1.1)</b>	<b>282 (19.9)</b>	<b>18 (1.3)</b>	<b>72 (5.1)</b>	<b>** (**)</b>	<b>11 (0.8)</b>	<b>153 (10.8)</b>	<b>133 (9.4)</b>	<b>59 (4.2)</b>	<b>125 (8.8)</b>	<b>405 (28.5)</b>	<b>48 (3.4)</b>	<b>6 (0.4)</b>	<b>1420 (100.0)</b>						
<b>Grand Total</b>																					
<b>Total</b>	<b>36 (0.9)</b>	<b>47 (1.1)</b>	<b>888 (21.4)</b>	<b>77 (1.9)</b>	<b>** (**)</b>	<b>** (**)</b>	<b>** (**)</b>	<b>413 (9.9)</b>	<b>376 (9.0)</b>	<b>137 (3.3)</b>	<b>** (**)</b>	<b>1116 (26.8)</b>	<b>115 (2.8)</b>	<b>** (**)</b>	<b>4159 (100.0)</b>						

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 7 ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 - 2012




TABLE 8 RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 - 2012

Year / Month	AGE GROUP (YEARS)								Total	
	n	<1 (%)	n	1-4 (%)	n	5-10 (%)	n	11-15 (%)	n	(%)
<b>2010</b>										
1	17	(56.7)	10	(33.3)	**	(**)	**	(**)	30	(9.1)
2	18	(56.3)	10	(31.3)	**	(**)	**	(**)	32	(9.7)
3	8	(25.0)	15	(46.9)	8	(25.0)	**	(**)	**	(**)
4	7	(25.0)	15	(53.6)	**	(**)	**	(**)	28	(8.5)
5	6	(28.6)	11	(52.4)	**	(**)	**	(**)	21	(6.4)
6	13	(40.6)	11	(34.4)	5	(15.6)	**	(**)	**	(**)
7	14	(41.2)	10	(29.4)	**	(**)	6	(17.6)	**	(**)
8	**	(**)	7	(43.8)	5	(31.3)	0	(0.0)	**	(**)
9	5	(19.2)	12	(46.2)	6	(23.1)	**	(**)	**	(**)
10	8	(34.8)	8	(34.8)	5	(21.7)	**	(**)	**	(**)
11	11	(39.3)	12	(42.9)	**	(**)	**	(**)	28	(8.5)
12	12	(44.4)	7	(25.9)	**	(**)	6	(22.2)	**	(**)
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>128</b>	<b>(38.9)</b>	<b>50</b>	<b>(15.2)</b>	<b>28</b>	<b>(8.5)</b>	<b>**</b>	<b>(**)</b>
<b>2011</b>										
1	17	(54.8)	5	(16.1)	5	(16.1)	**	(**)	**	(**)
2	9	(45.0)	8	(40.0)	**	(**)	**	(**)	20	(5.2)
3	22	(51.2)	16	(37.2)	**	(**)	**	(**)	43	(11.3)
4	7	(38.9)	9	(50.0)	**	(**)	0	(0.0)	**	(**)
5	9	(36.0)	10	(40.0)	**	(**)	**	(**)	25	(6.5)
6	14	(28.0)	29	(58.0)	6	(12.0)	**	(**)	**	(**)
7	6	(24.0)	11	(44.0)	**	(**)	**	(**)	25	(6.5)
8	19	(46.3)	17	(41.5)	**	(**)	**	(**)	41	(10.7)
9	12	(37.5)	12	(37.5)	6	(18.8)	**	(**)	**	(**)
10	15	(42.9)	13	(37.1)	5	(14.3)	**	(**)	**	(**)
11	13	(43.3)	11	(36.7)	**	(**)	**	(**)	30	(7.9)
12	18	(56.3)	8	(25.0)	6	(18.8)	0	(0.0)	32	(8.4)
<b>Total</b>	<b>161</b>	<b>(42.1)</b>	<b>149</b>	<b>(39.0)</b>	<b>50</b>	<b>(13.1)</b>	<b>22</b>	<b>(5.8)</b>	<b>382</b>	<b>(100.0)</b>
<b>2012</b>										
1	19	(47.5)	19	(47.5)	**	(**)	0	(0.0)	**	(**)
2	15	(41.7)	15	(41.7)	**	(**)	**	(**)	36	(8.9)
3	18	(46.2)	12	(30.8)	5	(12.8)	**	(**)	**	(**)
4	9	(39.1)	8	(34.8)	5	(21.7)	**	(**)	**	(**)
5	12	(46.2)	9	(34.6)	**	(**)	**	(**)	26	(6.4)
6	10	(32.3)	13	(41.9)	6	(19.4)	**	(**)	**	(**)
7	10	(30.3)	17	(51.5)	6	(18.2)	0	(0.0)	33	(8.1)
8	11	(32.4)	14	(41.2)	7	(20.6)	**	(**)	**	(**)
9	5	(21.7)	10	(43.5)	5	(21.7)	**	(**)	**	(**)
10	13	(43.3)	12	(40.0)	**	(**)	**	(**)	30	(7.4)
11	25	(59.5)	12	(28.6)	5	(11.9)	0	(0.0)	42	(10.4)
12	25	(52.1)	15	(31.3)	5	(10.4)	**	(**)	**	(**)
<b>Total</b>	<b>172</b>	<b>(42.5)</b>	<b>156</b>	<b>(38.5)</b>	<b>53</b>	<b>(13.1)</b>	<b>24</b>	<b>(5.9)</b>	<b>405</b>	<b>(100.0)</b>
<b>Grand Total</b>	<b>**</b>	<b>(**)</b>	<b>433</b>	<b>(38.8)</b>	<b>153</b>	<b>(13.7)</b>	<b>74</b>	<b>(6.6)</b>	<b>**</b>	<b>(**)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 8 RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 - 2012




TABLE 9 ADMISSIONS BY MONTH, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	MONTH														Total												
	January	February	March	April	May	June	July	August	September	October	November	December	n	(%)													
	n	(%)																									
<b>2010</b>																											
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)									
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)									
E2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)									
F	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	13	(0.9)							
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)							
I	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)							
K1K3	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)							
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	6	(0.4)							
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)							
P	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)							
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)							
V	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	10	(0.7)							
Y	37	(8.8)	38	(9.1)	34	(8.1)	37	(8.8)	38	(9.1)	36	(8.6)	38	(9.1)	26	(6.2)	32	(7.6)	34	(8.1)	36	(8.6)	33	(7.9)	419	(30.4)	
ZA	88	(9.7)	52	(5.7)	74	(8.1)	81	(8.9)	60	(6.6)	91	(10.0)	75	(8.2)	63	(6.9)	80	(8.8)	79	(8.7)	77	(8.5)	91	(10.0)	911	(66.0)	
<b>Total</b>	<b>129</b>	<b>(9.3)</b>	<b>94</b>	<b>(6.8)</b>	<b>111</b>	<b>(8.0)</b>	<b>124</b>	<b>(9.0)</b>	<b>102</b>	<b>(7.4)</b>	<b>130</b>	<b>(9.4)</b>	<b>119</b>	<b>(8.6)</b>	<b>91</b>	<b>(6.6)</b>	<b>118</b>	<b>(8.6)</b>	<b>117</b>	<b>(8.5)</b>	<b>118</b>	<b>(8.6)</b>	<b>127</b>	<b>(9.2)</b>	<b>1380</b>	<b>(100.0)</b>	
<b>2011</b>																											
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	
E2	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	12	(0.9)	
F	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	8	(0.6)	
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	
I	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	
K1K3	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	
K2	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	7	(0.5)	
P	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	
V	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	15	(1.1)	
Y	44	(10.1)	39	(9.0)	44	(10.1)	32	(7.4)	32	(7.4)	50	(11.5)	37	(8.5)	34	(7.8)	30	(6.9)	29	(6.7)	33	(7.6)	30	(6.9)	434	(31.9)	
ZA	83	(9.5)	71	(8.2)	77	(8.9)	67	(7.7)	67	(7.7)	75	(8.6)	65	(7.5)	86	(9.9)	72	(8.3)	58	(6.7)	75	(8.6)	74	(8.5)	870	(64.0)	
<b>Total</b>	<b>131</b>	<b>(9.6)</b>	<b>118</b>	<b>(8.7)</b>	<b>126</b>	<b>(9.3)</b>	<b>101</b>	<b>(7.4)</b>	<b>107</b>	<b>(7.9)</b>	<b>128</b>	<b>(9.4)</b>	<b>110</b>	<b>(8.1)</b>	<b>125</b>	<b>(9.2)</b>	<b>102</b>	<b>(7.5)</b>	<b>91</b>	<b>(6.7)</b>	<b>112</b>	<b>(8.2)</b>	<b>108</b>	<b>(7.9)</b>	<b>1359</b>	<b>(100.0)</b>	
<b>2012</b>																											
D	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	
E2	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	
F	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	9	(0.6)	
I	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	8	(0.6)	
K1K3	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	
K2	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	
N	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	
S	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	
V	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.4)	
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	
Y	28	(6.4)	37	(8.5)	46	(10.5)	29	(6.6)	32	(7.3)	43	(9.8)	48	(11.0)	34	(7.8)	33	(7.6)	41	(9.4)	35	(8.0)	31	(7.1)	437	(30.8)	
ZA	87	(9.2)	82	(8.7)	90	(9.5)	66	(7.0)	86	(9.1)	69	(7.3)	66	(7.0)	80	(8.5)	77	(8.2)	76	(8.1)	84	(8.9)	81	(8.6)	944	(66.5)	
<b>Total</b>	<b>119</b>	<b>(8.4)</b>	<b>120</b>	<b>(8.5)</b>	<b>139</b>	<b>(9.8)</b>	<b>105</b>	<b>(7.4)</b>	<b>121</b>	<b>(8.5)</b>	<b>112</b>	<b>(7.9)</b>	<b>120</b>	<b>(8.5)</b>	<b>117</b>	<b>(8.2)</b>	<b>113</b>	<b>(8.0)</b>	<b>119</b>	<b>(8.4)</b>	<b>121</b>	<b>(8.5)</b>	<b>114</b>	<b>(8.0)</b>	<b>1420</b>	<b>(100.0)</b>	
<b>Grand</b>																											
<b>Total</b>	<b>379</b>	<b>(9.1)</b>	<b>332</b>	<b>(8.0)</b>	<b>376</b>	<b>(9.0)</b>	<b>330</b>	<b>(7.9)</b>	<b>330</b>	<b>(7.9)</b>	<b>370</b>	<b>(8.9)</b>	<b>349</b>	<b>(8.4)</b>	<b>333</b>	<b>(8.0)</b>	<b>333</b>	<b>(8.0)</b>	<b>327</b>	<b>(7.9)</b>	<b>351</b>	<b>(8.4)</b>	<b>349</b>	<b>(8.4)</b>	<b>4159</b>	<b>(100.0)</b>	

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 10 ADMISSIONS BY HEALTH BOARD AND YEAR, 2010 - 2012


Country/Health Board	2010		YEAR 2011		2012		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
<b>Scotland</b>								
Ayrshire & Arran	73	(5.3)	88	(6.5)	88	(6.2)	249	(6.0)
Borders	22	(1.6)	50	(3.7)	24	(1.7)	96	(2.3)
Dumfries and Galloway	18	(1.3)	33	(2.4)	38	(2.7)	89	(2.1)
Fife	96	(7.0)	88	(6.5)	82	(5.8)	266	(6.4)
Forth Valley	88	(6.4)	104	(7.7)	94	(6.6)	286	(6.9)
Grampian	82	(5.9)	71	(5.2)	72	(5.1)	225	(5.4)
Greater Glasgow & Clyde	463	(33.6)	398	(29.3)	462	(32.5)	1323	(31.8)
Highland	74	(5.4)	67	(4.9)	72	(5.1)	213	(5.1)
Lanarkshire	157	(11.4)	169	(12.4)	149	(10.5)	475	(11.4)
Lothian	229	(16.6)	214	(15.7)	247	(17.4)	690	(16.6)
Orkney	6	(0.4)	13	(1.0)	8	(0.6)	27	(0.6)
Shetland	**	(**)	**	(**)	9	(0.6)	16	(0.4)
Tayside	63	(4.6)	58	(4.3)	57	(4.0)	178	(4.3)
Western Isles	**	(**)	**	(**)	6	(0.4)	9	(0.2)
Missing	**	(**)	**	(**)	12	(0.8)	17	(0.4)
<b>Total</b>	<b>1380</b>	<b>(33.2)</b>	<b>1359</b>	<b>(32.7)</b>	<b>1420</b>	<b>(34.1)</b>	<b>4159</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 10 MAP SHOWING LOCAL HEALTH BOARD BOUNDARIES

- Scotland (Health Board)
- SA9 Ayrshire & Arran
- SB9 Borders
- SF9 Fife
- SJ9 Greater Glasgow & Clyde
- SK9 Highland
- SL9 Lanarkshire
- SN9 Grampian
- SR9 Orkney
- SS9 Lothian
- ST9 Tayside
- SV9 Forth Valley
- SW9 Western Isles
- SY9 Dumfries and Galloway
- SZ9 Shetland



© Crown Copyright/database right 2013 An Ordnance Survey/ONS supplied service

TABLE 11 ADMISSIONS BY PREDICTED MORTALITY RISK GROUP, BY HEALTH ORGANISATION, 2010 - 2012


Year / Organisation	PIM2 (RECALIBRATED) GROUP											
	<1%		1-<5%		5-<15%		15-<30%		30%+		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>2010</b>												
D	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	5	(0.4)
E2	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	**	(**)	11	(84.6)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(0.4)
I	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	6	(0.4)
L	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	10	(0.7)
Y	220	(52.5)	148	(35.3)	45	(10.7)	**	(**)	**	(**)	419	(30.4)
ZA	471	(51.7)	389	(42.7)	43	(4.7)	6	(0.7)	**	(**)	**	(**)
<b>Total</b>	<b>698</b>	<b>(50.6)</b>	<b>557</b>	<b>(40.4)</b>	<b>108</b>	<b>(7.8)</b>	<b>12</b>	<b>(0.9)</b>	<b>5</b>	<b>(0.4)</b>	<b>1380</b>	<b>(100.0)</b>
<b>2011</b>												
D	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	10	(83.3)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	**	(**)	6	(75.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K1K3	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	7	(0.5)
P	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	**	(**)	8	(53.3)	**	(**)	**	(**)	15	(1.1)
Y	213	(49.1)	175	(40.3)	44	(10.1)	**	(**)	**	(**)	434	(31.9)
ZA	413	(47.5)	404	(46.4)	41	(4.7)	7	(0.8)	5	(0.6)	870	(64.0)
<b>Total</b>	<b>631</b>	<b>(46.4)</b>	<b>604</b>	<b>(44.4)</b>	<b>104</b>	<b>(7.7)</b>	<b>12</b>	<b>(0.9)</b>	<b>8</b>	<b>(0.6)</b>	<b>1359</b>	<b>(100.0)</b>
<b>2012</b>												
D	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	5	(55.6)	**	(**)	0	(0.0)	0	(0.0)	9	(0.6)
I	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	8	(0.6)
K1K3	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
N	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
S	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	5	(0.4)
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Y	220	(50.3)	169	(38.7)	40	(9.2)	**	(**)	6	(1.4)	**	(**)
ZA	479	(50.7)	387	(41.0)	62	(6.6)	9	(1.0)	7	(0.7)	944	(66.5)
<b>Total</b>	<b>708</b>	<b>(49.9)</b>	<b>575</b>	<b>(40.5)</b>	<b>111</b>	<b>(7.8)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>1420</b>	<b>(100.0)</b>
<b>Grand</b>												
<b>Total</b>	<b>2037</b>	<b>(49.0)</b>	<b>1736</b>	<b>(41.7)</b>	<b>323</b>	<b>(7.8)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>4159</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 12 ADMISSIONS BY ADMISSION TYPE AND AGE, 2010 - 2012

Admission Type	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>Planned - following surgery</b>	696	(33.7)	582	(28.2)	323	(15.6)	464	(22.5)	<b>2065</b>	<b>(49.7)</b>
<b>Unplanned - following surgery</b>	89	(32.8)	93	(34.3)	56	(20.7)	33	(12.2)	<b>271</b>	<b>(6.5)</b>
<b>Planned - other</b>	74	(69.2)	16	(15.0)	12	(11.2)	5	(4.7)	<b>107</b>	<b>(2.6)</b>
<b>Unplanned - other</b>	782	(45.6)	533	(31.1)	236	(13.8)	163	(9.5)	<b>1714</b>	<b>(41.2)</b>
<b>Unknown</b>	0	(0.0)	**	(**)	0	(0.0)	**	(**)	<b>**</b>	<b>(**)</b>
<b>Total</b>	<b>1641</b>	<b>(39.5)</b>	<b>**</b>	<b>(**)</b>	<b>627</b>	<b>(15.1)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>

FIGURE 12 ADMISSIONS BY ADMISSION TYPE AND AGE, 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 13 ADMISSIONS BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	ADMISSION TYPE											
	Planned - following surgery		Unplanned - following surgery		Planned - other		Unplanned - other		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>2010</b>												
D	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	5	(0.4)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
F	9	(69.2)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	13	(0.9)
H	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.4)
I	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	6	(0.4)
L	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
P	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
R	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
V	6	(60.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	10	(0.7)
Y	197	(47.0)	33	(7.9)	6	(1.4)	183	(43.7)	0	(0.0)	419	(30.4)
ZA	465	(51.0)	58	(6.4)	23	(2.5)	364	(40.0)	**	(**)	**	(**)
<b>Total</b>	<b>687</b>	<b>(49.8)</b>	<b>94</b>	<b>(6.8)</b>	<b>36</b>	<b>(2.6)</b>	<b>562</b>	<b>(40.7)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>
<b>2011</b>												
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E2	5	(41.7)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	12	(0.9)
F	5	(62.5)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	8	(0.6)
H	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
K1K3	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	7	(0.5)
P	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	7	(46.7)	**	(**)	**	(**)	6	(40.0)	0	(0.0)	**	(**)
Y	196	(45.2)	14	(3.2)	7	(1.6)	217	(50.0)	0	(0.0)	434	(31.9)
ZA	427	(49.1)	69	(7.9)	20	(2.3)	354	(40.7)	0	(0.0)	870	(64.0)
<b>Total</b>	<b>649</b>	<b>(47.8)</b>	<b>85</b>	<b>(6.3)</b>	<b>37</b>	<b>(2.7)</b>	<b>588</b>	<b>(43.3)</b>	<b>0</b>	<b>(0.0)</b>	<b>1359</b>	<b>(100.0)</b>
<b>2012</b>												
D	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	7	(77.8)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
I	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	8	(0.6)
K1K3	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
N	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
S	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	5	(0.4)
X	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Y	220	(50.3)	22	(5.0)	10	(2.3)	185	(42.3)	0	(0.0)	437	(30.8)
ZA	488	(51.7)	68	(7.2)	19	(2.0)	368	(39.0)	**	(**)	**	(**)
<b>Total</b>	<b>729</b>	<b>(51.3)</b>	<b>92</b>	<b>(6.5)</b>	<b>34</b>	<b>(2.4)</b>	<b>564</b>	<b>(39.7)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>
<b>Grand Total</b>												
<b>Total</b>	<b>2065</b>	<b>(49.7)</b>	<b>271</b>	<b>(6.5)</b>	<b>107</b>	<b>(2.6)</b>	<b>1714</b>	<b>(41.2)</b>	<b>**</b>	<b>(**)</b>	<b>4159</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 13 ADMISSIONS BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012




TABLE 14 ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	ADMISSION SOURCE										Total	
	Same hospital		Other hospital		Clinic		Home		Unknown			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>2010</b>												
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Y	79	(43.2)	104	(56.8)	0	(0.0)	0	(0.0)	0	(0.0)	183	(32.6)
ZA	235	(64.6)	129	(35.4)	0	(0.0)	0	(0.0)	0	(0.0)	364	(64.8)
<b>Total</b>	<b>321</b>	<b>(57.1)</b>	<b>241</b>	<b>(42.9)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>562</b>	<b>(100.0)</b>
<b>2011</b>												
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
F	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.0)
Y	77	(35.5)	139	(64.1)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZA	211	(59.6)	143	(40.4)	0	(0.0)	0	(0.0)	0	(0.0)	354	(60.2)
<b>Total</b>	<b>297</b>	<b>(50.5)</b>	<b>289</b>	<b>(49.1)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>
<b>2012</b>												
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
S	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Y	85	(45.9)	100	(54.1)	0	(0.0)	0	(0.0)	0	(0.0)	185	(32.8)
ZA	256	(69.6)	111	(30.2)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
<b>Total</b>	<b>348</b>	<b>(61.7)</b>	<b>215</b>	<b>(38.1)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>
<b>Grand</b>												
<b>Total</b>	<b>966</b>	<b>(56.4)</b>	<b>745</b>	<b>(43.5)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>1714</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 14 ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2010 - 2012




TABLE 15 ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED -OTHER; ADMITTED FROM HOSPITAL), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Accident & emergency		HDU (step - up / step - down unit)		ICU / PICU / NICU		Other intermediate care area (not ICU / PICU / NICU)		CARE AREA Recovery only		Theatre and recovery		Ward		X-ray, endoscopy, CT scanner or similar		Unknown		Total			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>2010</b>																						
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Y	52	(28.4)	43	(23.5)	22	(12.0)	**	(**)	**	(**)	13	(7.1)	45	(24.6)	**	(**)	0	(0.0)	0	(0.0)	183	(32.6)
ZA	144	(39.6)	**	(**)	21	(5.8)	58	(15.9)	**	(**)	10	(2.7)	124	(34.1)	**	(**)	**	(**)	**	(**)	364	(64.8)
<b>Total</b>	<b>199</b>	<b>(35.4)</b>	<b>46</b>	<b>(8.2)</b>	<b>45</b>	<b>(8.0)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>177</b>	<b>(31.5)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>562</b>	<b>(100.0)</b>
<b>2011</b>																						
E1	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
I	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.0)
Y	70	(32.4)	38	(17.6)	24	(11.1)	5	(2.3)	**	(**)	9	(4.2)	68	(31.5)	**	(**)	0	(0.0)	0	(0.0)	216	(36.9)
ZA	147	(41.5)	**	(**)	16	(4.5)	68	(19.2)	0	(0.0)	11	(3.1)	107	(30.2)	**	(**)	**	(**)	**	(**)	354	(60.4)
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>47</b>	<b>(8.0)</b>	<b>73</b>	<b>(12.5)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>182</b>	<b>(31.1)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>586</b>	<b>(100.0)</b>
<b>2012</b>																						
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K1K3	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
S	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Y	66	(35.7)	47	(25.4)	22	(11.9)	**	(**)	0	(0.0)	11	(5.9)	35	(18.9)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	155	(42.2)	**	(**)	41	(11.2)	41	(11.2)	0	(0.0)	17	(4.6)	100	(27.2)	6	(1.6)	6	(1.6)	6	(1.6)	**	(**)
<b>Total</b>	<b>225</b>	<b>(40.0)</b>	<b>49</b>	<b>(8.7)</b>	<b>65</b>	<b>(11.5)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>6</b>	<b>(1.1)</b>	<b>6</b>	<b>(1.1)</b>	<b>563</b>	<b>(100.0)</b>
<b>Grand Total</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>157</b>	<b>(9.2)</b>	<b>180</b>	<b>(10.5)</b>	<b>5</b>	<b>(0.3)</b>	<b>74</b>	<b>(4.3)</b>	<b>**</b>	<b>(**)</b>	<b>14</b>	<b>(0.8)</b>	<b>9</b>	<b>(0.5)</b>	<b>9</b>	<b>(0.5)</b>	<b>1711</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 15 ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED -OTHER; ADMITTED FROM HOSPITAL), BY HEALTH ORGANISATION, 2010 - 2012





TABLE 16 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE, 2010 - 2012

Diagnostic Group	AGE GROUP (YEARS)								Total n (%)
	<1		1-4		5-10		11-15		
	n	(%)	n	(%)	n	(%)	n	(%)	
Blood / lymphatic	8	(22.2)	13	(36.1)	10	(27.8)	5	(13.9)	36 (0.9)
Body wall and cavities	33	(70.2)	7	(14.9)	5	(10.6)	**	(**)	** (**)
Cardiovascular	520	(58.6)	192	(21.6)	115	(13.0)	61	(6.9)	888 (21.4)
Endocrine / metabolic	12	(15.6)	25	(32.5)	21	(27.3)	19	(24.7)	77 (1.9)
Gastrointestinal	103	(46.6)	53	(24.0)	41	(18.6)	24	(10.9)	221 (5.3)
Infection	190	(54.3)	95	(27.1)	38	(10.9)	27	(7.7)	350 (8.4)
Multisystem	12	(63.2)	5	(26.3)	**	(**)	**	(**)	** (**)
Musculoskeletal	24	(5.8)	55	(13.3)	44	(10.7)	290	(70.2)	413 (9.9)
Neurological	89	(23.7)	139	(37.0)	75	(19.9)	73	(19.4)	376 (9.0)
Oncology	17	(12.4)	48	(35.0)	39	(28.5)	33	(24.1)	137 (3.3)
Respiratory	456	(40.9)	433	(38.8)	153	(13.7)	74	(6.6)	1116 (26.8)
Trauma	8	(7.0)	53	(46.1)	34	(29.6)	20	(17.4)	115 (2.8)
Other	167	(46.8)	105	(29.4)	49	(13.7)	36	(10.1)	357 (8.6)
Unknown	**	(**)	**	(**)	**	(**)	**	(**)	7 (0.2)
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>627</b>	<b>(15.1)</b>	<b>666</b>	<b>(16.0)</b>	<b>**</b> <b>(**)</b>

FIGURE 16 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP, 2010 - 2012




As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 17 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2010 - 2012

Removed for anonymisation

FIGURE 17 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 18 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	DIAGNOSTIC GROUP																		Total															
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multi- system		Musculo - skeletal		Neuro -logical			Oncology		Respiratory		Trauma		Other		Unknown						
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		n	(%)	n	(%)	n	(%)	n	(%)	n	(%)					
<b>2010</b>																																		
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.4)
E2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
F	0	(0.0)	0	(0.0)	13	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	13	(0.9)		
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	5	(0.4)		
I	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
K1K3	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(0.4)		
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
P	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
R	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	10	(0.7)		
Y	**	(**)	6	(1.4)	8	(1.9)	15	(3.6)	21	(5.0)	38	(9.1)	**	(**)	112	(26.7)	37	(8.8)	13	(3.1)	140	(33.4)	16	(3.8)	8	(1.9)	**	(**)	419	(30.4)				
ZA	7	(0.8)	9	(1.0)	284	(31.2)	18	(2.0)	59	(6.5)	115	(12.6)	6	(0.7)	11	(1.2)	63	(6.9)	30	(3.3)	184	(20.2)	13	(1.4)	112	(12.3)	0	(0.0)	911	(66.0)				
<b>Total</b>	<b>11</b>	<b>(0.8)</b>	<b>16</b>	<b>(1.2)</b>	<b>315</b>	<b>(22.8)</b>	<b>33</b>	<b>(2.4)</b>	<b>86</b>	<b>(6.2)</b>	<b>154</b>	<b>(11.2)</b>	<b>**</b>	<b>(**)</b>	<b>125</b>	<b>(9.1)</b>	<b>105</b>	<b>(7.6)</b>	<b>45</b>	<b>(3.3)</b>	<b>329</b>	<b>(23.8)</b>	<b>30</b>	<b>(2.2)</b>	<b>123</b>	<b>(8.9)</b>	<b>**</b>	<b>(**)</b>	<b>1380</b>	<b>(100.0)</b>				
<b>2011</b>																																		
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)		
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	8	(66.7)	0	(0.0)	0	(0.0)	0	(0.0)	12	(0.9)		
F	0	(0.0)	0	(0.0)	6	(75.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)				
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)				
I	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
K1K3	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
K2	0	(0.0)	0	(0.0)	7	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(0.5)		
P	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	**	(**)	0	(0.0)	12	(80.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	15	(1.1)		
Y	**	(**)	9	(2.1)	9	(2.1)	6	(1.4)	21	(4.8)	34	(7.8)	**	(**)	103	(23.7)	56	(12.9)	16	(3.7)	142	(32.7)	23	(5.3)	13	(3.0)	0	(0.0)	434	(31.9)				
ZA	8	(0.9)	6	(0.7)	253	(29.1)	18	(2.1)	39	(4.5)	83	(9.5)	0	(0.0)	31	(3.6)	81	(9.3)	17	(2.0)	229	(26.3)	14	(1.6)	91	(10.5)	0	(0.0)	870	(64.0)				
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>15</b>	<b>(1.1)</b>	<b>291</b>	<b>(21.4)</b>	<b>26</b>	<b>(1.9)</b>	<b>63</b>	<b>(4.6)</b>	<b>118</b>	<b>(8.7)</b>	<b>**</b>	<b>(**)</b>	<b>135</b>	<b>(9.9)</b>	<b>138</b>	<b>(10.2)</b>	<b>33</b>	<b>(2.4)</b>	<b>382</b>	<b>(28.1)</b>	<b>37</b>	<b>(2.7)</b>	<b>109</b>	<b>(8.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>				
<b>2012</b>																																		
D	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)		
E1	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)				
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
F	0	(0.0)	0	(0.0)	9	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	9	(0.6)		
I	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	8	(0.6)		
K1K3	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
N	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
S	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.4)		
X	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
Y	7	(1.6)	9	(2.1)	14	(3.2)	7	(1.6)	26	(5.9)	31	(7.1)	8	(1.8)	115	(26.3)	46	(10.5)	18	(4.1)	118	(27.0)	25	(5.7)	13	(3.0)	0	(0.0)	437	(30.8)				
ZA	6	(0.6)	7	(0.7)	248	(26.3)	10	(1.1)	43	(4.6)	47	(5.0)	**	(**)	37	(3.9)	84	(8.9)	39	(4.1)	281	(29.8)	23	(2.4)	110	(11.7)	6	(0.6)	**	(**)				
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>16</b>	<b>(1.1)</b>	<b>282</b>	<b>(19.9)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>78</b>	<b>(5.5)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>133</b>	<b>(9.4)</b>	<b>**</b>	<b>(**)</b>	<b>405</b>	<b>(28.5)</b>	<b>48</b>	<b>(3.4)</b>	<b>125</b>	<b>(8.8)</b>	<b>6</b>	<b>(0.4)</b>	<b>1420</b>	<b>(100.0)</b>				
<b>Grand Total</b>																																		
<b>Total</b>	<b>36</b>	<b>(0.9)</b>	<b>47</b>	<b>(1.1)</b>	<b>888</b>	<b>(21.4)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>350</b>	<b>(8.4)</b>	<b>19</b>	<b>(0.5)</b>	<b>**</b>	<b>(**)</b>	<b>376</b>	<b>(9.0)</b>	<b>**</b>	<b>(**)</b>	<b>1116</b>	<b>(26.8)</b>	<b>115</b>	<b>(2.8)</b>	<b>357</b>	<b>(8.6)</b>	<b>**</b>	<b>(**)</b>	<b>4159</b>	<b>(100.0)</b>				

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 19 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - FOLLOWING SURGERY), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	DIAGNOSTIC GROUP																				Total																	
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology			Respiratory		Trauma		Other		Unknown										
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		n	(%)	n	(%)	n	(%)	n	(%)									
<b>2010</b>																																						
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)						
F	0	(0.0)	0	(0.0)	9	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	9	(1.3)				
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)				
I	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)				
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	6	(0.9)		
Y	0	(0.0)	**	(**)	**	(**)	**	(**)	5	(2.5)	5	(2.5)	**	(**)	111	(56.3)	16	(8.1)	10	(5.1)	41	(20.8)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	197	(28.7)				
ZA	**	(**)	5	(1.1)	216	(46.5)	**	(**)	35	(7.5)	5	(1.1)	6	(1.3)	8	(1.7)	15	(3.2)	17	(3.7)	62	(13.3)	**	(**)	91	(19.6)	0	(0.0)	0	(0.0)	0	(0.0)	465	(67.7)				
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>231</b>	<b>(33.6)</b>	<b>**</b>	<b>(**)</b>	<b>44</b>	<b>(6.4)</b>	<b>10</b>	<b>(1.5)</b>	<b>**</b>	<b>(**)</b>	<b>119</b>	<b>(17.3)</b>	<b>33</b>	<b>(4.8)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>96</b>	<b>(14.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>687</b>	<b>(100.0)</b>				
<b>2011</b>																																						
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)				
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.8)		
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	5	(0.8)		
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)		
I	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
K1K3	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	0	(0.0)	0	(0.0)	7	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(1.1)
Y	0	(0.0)	**	(**)	0	(0.0)	**	(**)	14	(7.1)	**	(**)	0	(0.0)	100	(51.0)	22	(11.2)	11	(5.6)	37	(18.9)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	196	(30.2)		
ZA	**	(**)	**	(**)	196	(45.9)	**	(**)	20	(4.7)	14	(3.3)	0	(0.0)	26	(6.1)	12	(2.8)	13	(3.0)	71	(16.6)	**	(**)	61	(14.3)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	427	(65.8)		
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>6</b>	<b>(0.9)</b>	<b>212</b>	<b>(32.7)</b>	<b>5</b>	<b>(0.8)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>34</b>	<b>(5.2)</b>	<b>24</b>	<b>(3.7)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>8</b>	<b>(1.2)</b>	<b>69</b>	<b>(10.6)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>649</b>	<b>(100.0)</b>				
<b>2012</b>																																						
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)		
E1	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
F	0	(0.0)	0	(0.0)	7	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(1.0)
I	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
N	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
Y	0	(0.0)	**	(**)	**	(**)	0	(0.0)	15	(6.8)	**	(**)	**	(**)	115	(52.3)	18	(8.2)	9	(4.1)	37	(16.8)	12	(5.5)	6	(2.7)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	220	(30.2)		
ZA	**	(**)	7	(1.4)	184	(37.7)	0	(0.0)	24	(4.9)	**	(**)	**	(**)	30	(6.1)	24	(4.9)	30	(6.1)	86	(17.6)	7	(1.4)	85	(17.4)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	488	(66.9)		
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>198</b>	<b>(27.2)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>5</b>	<b>(0.7)</b>	<b>5</b>	<b>(0.7)</b>	<b>**</b>	<b>(**)</b>	<b>42</b>	<b>(5.8)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>19</b>	<b>(2.6)</b>	<b>93</b>	<b>(12.8)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>729</b>	<b>(100.0)</b>				
<b>Grand Total</b>																																						
<b>Total</b>	<b>7</b>	<b>(0.3)</b>	<b>**</b>	<b>(**)</b>	<b>641</b>	<b>(31.0)</b>	<b>9</b>	<b>(0.4)</b>	<b>121</b>	<b>(5.9)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>392</b>	<b>(19.0)</b>	<b>109</b>	<b>(5.3)</b>	<b>92</b>	<b>(4.5)</b>	<b>338</b>	<b>(16.4)</b>	<b>**</b>	<b>(**)</b>	<b>258</b>	<b>(12.5)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>2065</b>	<b>(100.0)</b>						

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 20 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - FOLLOWING SURGERY), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	DIAGNOSTIC GROUP																						Total															
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory			Trauma		Other		Unknown										
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		n	(%)	n	(%)	n	(%)									
<b>2010</b>																																						
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)						
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)				
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)				
Y	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	6	(18.2)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	12	(36.4)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)				
ZA	**	(**)	**	(**)	**	(**)	0	(0.0)	14	(24.1)	11	(19.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	18	(31.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)				
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>7</b>	<b>(7.4)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>30</b>	<b>(31.9)</b>	<b>6</b>	<b>(6.4)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>94</b>	<b>(100.0)</b>				
<b>2011</b>																																						
P	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
Y	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	14	(16.5)		
ZA	**	(**)	**	(**)	11	(15.9)	**	(**)	15	(21.7)	5	(7.2)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	21	(30.4)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	69	(81.2)		
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>11</b>	<b>(12.9)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>5</b>	<b>(5.9)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>7</b>	<b>(8.2)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>85</b>	<b>(100.0)</b>		
<b>2012</b>																																						
I	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Y	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	22	(23.9)		
ZA	0	(0.0)	0	(0.0)	5	(7.4)	0	(0.0)	11	(16.2)	6	(8.8)	0	(0.0)	**	(**)	10	(14.7)	**	(**)	**	(**)	22	(32.4)	**	(**)	**	(**)	5	(7.4)	**	(**)	**	(**)	68	(73.9)		
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>8</b>	<b>(8.7)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>5</b>	<b>(7.4)</b>	<b>**</b>	<b>(**)</b>	<b>92</b>	<b>(100.0)</b>		
<b>Grand</b>																																						
<b>Total</b>	<b>7</b>	<b>(2.6)</b>	<b>6</b>	<b>(2.2)</b>	<b>26</b>	<b>(9.6)</b>	<b>5</b>	<b>(1.8)</b>	<b>53</b>	<b>(19.6)</b>	<b>28</b>	<b>(10.3)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>20</b>	<b>(7.4)</b>	<b>11</b>	<b>(4.1)</b>	<b>**</b>	<b>(**)</b>	<b>79</b>	<b>(29.2)</b>	<b>14</b>	<b>(5.2)</b>	<b>**</b>	<b>(**)</b>	<b>16</b>	<b>(5.9)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>271</b>	<b>(100.0)</b>		

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 21 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - OTHER), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		DIAGNOSTIC GROUP Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown		Total											
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)										
<b>2010</b>																																								
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
E2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Y	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(16.7)
ZA	0	(0.0)	**	(**)	10	(43.5)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(26.1)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	23	(63.9)		
<b>Total</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>5</b>	<b>(13.9)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>9</b>	<b>(25.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>36</b>	<b>(100.0)</b>				
<b>2011</b>																																								
E2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Y	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(18.9)
ZA	0	(0.0)	0	(0.0)	9	(45.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	5	(25.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	20	(54.1)
<b>Total</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>15</b>	<b>(40.5)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>5</b>	<b>(13.5)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>13</b>	<b>(35.1)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>37</b>	<b>(100.0)</b>				
<b>2012</b>																																								
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
I	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Y	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	7	(70.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	10	(29.4)
ZA	0	(0.0)	0	(0.0)	13	(68.4)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	5	(26.3)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	19	(55.9)
<b>Total</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>16</b>	<b>(47.1)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>34</b>	<b>(100.0)</b>				
<b>Grand Total</b>	<b>0</b>	<b>(0.0)</b>	<b>7</b>	<b>(6.5)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>107</b>	<b>(100.0)</b>						


As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.



TABLE 26 RETRIEVALS BY TEAM TYPE AND AGE, 2010 - 2012

Retrieval Team	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>Own team</b>	260	(42.8)	199	(32.7)	85	(14.0)	64	(10.5)	<b>608</b>	<b>(73.8)</b>
<b>Other specialist PIC team</b>	46	(70.8)	13	(20.0)	5	(7.7)	**	(**)	<b>**</b>	<b>(**)</b>
<b>Other specialist non-PIC team</b>	70	(81.4)	11	(12.8)	5	(5.8)	0	(0.0)	<b>86</b>	<b>(10.4)</b>
<b>Non-specialist team</b>	5	(26.3)	**	(**)	**	(**)	7	(36.8)	<b>19</b>	<b>(2.3)</b>
<b>Unknown</b>	22	(47.8)	14	(30.4)	**	(**)	7	(15.2)	<b>**</b>	<b>(**)</b>
<b>Total</b>	<b>403</b>	<b>(48.9)</b>	<b>**</b>	<b>(**)</b>	<b>101</b>	<b>(12.3)</b>	<b>**</b>	<b>(**)</b>	<b>824</b>	<b>(100.0)</b>

FIGURE 26 RETRIEVALS BY TEAM TYPE, 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

## TABLE 27 NON - SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 - 2012

Removed for anonymisation

## FIGURE 27 NON - SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 - 2012


Removed for anonymisation

As in all tables in this report, counts  $>0$  and  $< 5$  are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 27(a) SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 - 2012

Diagnostic Group	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Blood / lymphatic	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)
Body wall and cavities	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Cardiovascular	39	(73.6)	**	(**)	7	(13.2)	**	(**)	53	(7.9)
Endocrine / metabolic	**	(**)	5	(20.8)	7	(29.2)	8	(33.3)	**	(**)
Gastrointestinal	6	(60.0)	**	(**)	0	(0.0)	**	(**)	10	(1.5)
Infection	66	(55.0)	35	(29.2)	12	(10.0)	7	(5.8)	120	(17.8)
Multisystem	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Musculoskeletal	**	(**)	**	(**)	**	(**)	0	(0.0)	5	(0.7)
Neurological	32	(30.2)	46	(43.4)	15	(14.2)	13	(12.3)	106	(15.8)
Oncology	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)
Respiratory	136	(48.2)	95	(33.7)	32	(11.3)	19	(6.7)	282	(41.9)
Trauma	**	(**)	14	(48.3)	6	(20.7)	6	(20.7)	**	(**)
Other	9	(29.0)	8	(25.8)	9	(29.0)	5	(16.1)	31	(4.6)
Unknown	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
<b>Total</b>	<b>306</b>	<b>(45.5)</b>	<b>212</b>	<b>(31.5)</b>	<b>90</b>	<b>(13.4)</b>	<b>65</b>	<b>(9.7)</b>	<b>673</b>	<b>(100.0)</b>

FIGURE 27(a) SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 28 RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 - 2012

Removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 28 RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 - 2012




TABLE 29 INTERVENTIONS RECEIVED BY HEALTH ORGANISATIONS, 2010 - 2012

Year / Organisation	Admissions	INTERVENTIONS															
		Invasive Ventilation		Non-Invasive Ventilation		Tracheostomy		ECMO		IV Vasoactive Drugs		LVAD		ICP Device		Renal Support	
		n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>2010</b>																	
D	**	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
E1	5	5	(100.0)	0	(0.0)	1	(20.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
E2	**	2	(100.0)	0	(0.0)	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
F	13	12	(92.3)	0	(0.0)	1	(7.7)	0	(0.0)	13	(100.0)	0	(0.0)	0	(0.0)	1	(7.7)
H	5	4	(80.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
I	**	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
K1K3	**	2	(100.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
K2	6	6	(100.0)	0	(0.0)	1	(16.7)	0	(0.0)	6	(100.0)	2	(33.3)	0	(0.0)	1	(16.7)
L	**	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
P	**	2	(100.0)	1	(50.0)	0	(0.0)	0	(0.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)
R	**	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
V	10	9	(90.0)	4	(40.0)	0	(0.0)	0	(0.0)	6	(60.0)	0	(0.0)	0	(0.0)	1	(10.0)
Y	419	187	(44.6)	46	(11.0)	5	(1.2)	0	(0.0)	28	(6.7)	0	(0.0)	10	(2.4)	5	(1.2)
ZA	911	487	(53.5)	51	(5.6)	15	(1.6)	12	(1.3)	307	(33.7)	4	(0.4)	0	(0.0)	28	(3.1)
<b>Total</b>	<b>1380</b>	<b>718</b>	<b>(52.0)</b>	<b>103</b>	<b>(7.5)</b>	<b>25</b>	<b>(1.8)</b>	<b>12</b>	<b>(0.9)</b>	<b>362</b>	<b>(26.2)</b>	<b>6</b>	<b>(0.4)</b>	<b>10</b>	<b>(0.7)</b>	<b>36</b>	<b>(2.6)</b>
<b>2011</b>																	
D	**	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
E1	**	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
E2	12	10	(83.3)	2	(16.7)	0	(0.0)	0	(0.0)	3	(25.0)	0	(0.0)	0	(0.0)	0	(0.0)
F	8	7	(87.5)	0	(0.0)	0	(0.0)	0	(0.0)	8	(100.0)	0	(0.0)	0	(0.0)	2	(25.0)
H	**	2	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
I	**	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)
K1K3	**	2	(66.7)	1	(33.3)	0	(0.0)	0	(0.0)	2	(66.7)	0	(0.0)	0	(0.0)	2	(66.7)
K2	7	5	(71.4)	0	(0.0)	0	(0.0)	2	(28.6)	6	(85.7)	3	(42.9)	0	(0.0)	1	(14.3)
P	**	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
V	15	14	(93.3)	7	(46.7)	0	(0.0)	0	(0.0)	14	(93.3)	0	(0.0)	0	(0.0)	1	(6.7)
Y	434	221	(50.9)	51	(11.8)	8	(1.8)	0	(0.0)	24	(5.5)	0	(0.0)	20	(4.6)	3	(0.7)
ZA	870	437	(50.2)	115	(13.2)	9	(1.0)	13	(1.5)	264	(30.3)	1	(0.1)	2	(0.2)	25	(2.9)
<b>Total</b>	<b>1359</b>	<b>701</b>	<b>(51.6)</b>	<b>176</b>	<b>(13.0)</b>	<b>17</b>	<b>(1.3)</b>	<b>15</b>	<b>(1.1)</b>	<b>322</b>	<b>(23.7)</b>	<b>4</b>	<b>(0.3)</b>	<b>22</b>	<b>(1.6)</b>	<b>34</b>	<b>(2.5)</b>
<b>2012</b>																	
D	**	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)
E1	**	2	(66.7)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
E2	**	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
F	9	7	(77.8)	0	(0.0)	0	(0.0)	0	(0.0)	8	(88.9)	0	(0.0)	0	(0.0)	1	(11.1)
I	8	5	(62.5)	1	(12.5)	0	(0.0)	0	(0.0)	2	(25.0)	0	(0.0)	0	(0.0)	0	(0.0)
K1K3	**	2	(66.7)	1	(33.3)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
K2	**	3	(75.0)	0	(0.0)	2	(50.0)	2	(50.0)	4	(100.0)	1	(25.0)	0	(0.0)	1	(25.0)
N	**	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
S	**	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
V	5	5	(100.0)	2	(40.0)	0	(0.0)	0	(0.0)	2	(40.0)	0	(0.0)	0	(0.0)	1	(20.0)
X	**	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
Y	437	201	(46.0)	63	(14.4)	11	(2.5)	0	(0.0)	43	(9.8)	0	(0.0)	14	(3.2)	2	(0.5)
ZA	944	455	(48.2)	175	(18.5)	6	(0.6)	9	(1.0)	249	(26.4)	3	(0.3)	13	(1.4)	14	(1.5)
<b>Total</b>	<b>1420</b>	<b>685</b>	<b>(48.2)</b>	<b>242</b>	<b>(17.0)</b>	<b>19</b>	<b>(1.3)</b>	<b>11</b>	<b>(0.8)</b>	<b>311</b>	<b>(21.9)</b>	<b>4</b>	<b>(0.3)</b>	<b>27</b>	<b>(1.9)</b>	<b>19</b>	<b>(1.3)</b>
<b>Grand Total</b>																	
<b>Total</b>	<b>4159</b>	<b>2104</b>	<b>(50.6)</b>	<b>521</b>	<b>(12.5)</b>	<b>61</b>	<b>(1.5)</b>	<b>38</b>	<b>(0.9)</b>	<b>995</b>	<b>(23.9)</b>	<b>14</b>	<b>(0.3)</b>	<b>59</b>	<b>(1.4)</b>	<b>89</b>	<b>(2.1)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 30 ADMISSIONS BY VENTILATION STATUS AND AGE, 2010 - 2012

Ventilation Status	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>Invasive only</b>	821	(47.0)	522	(29.9)	242	(13.8)	163	(9.3)	<b>1748</b>	<b>(42.0)</b>
<b>Non-invasive only</b>	93	(56.4)	33	(20.0)	15	(9.1)	24	(14.5)	<b>165</b>	<b>(4.0)</b>
<b>Both</b>	242	(68.0)	48	(13.5)	24	(6.7)	42	(11.8)	<b>356</b>	<b>(8.6)</b>
<b>Neither</b>	482	(25.6)	621	(33.0)	344	(18.3)	434	(23.1)	<b>1881</b>	<b>(45.2)</b>
<b>Unknown</b>	**	(**)	**	(**)	**	(**)	**	(**)	<b>9</b>	<b>(0.2)</b>
<b>Total</b>	**	(**)	**	(**)	**	(**)	**	(**)	<b>4159</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
 Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 31 ADMISSIONS BY VENTILATION STATUS BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	VENTILATION STATUS											
	Invasive only		Non-invasive only		Both		Neither		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>2010</b>												
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	5	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.4)
E2	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	12	(92.3)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	5	(0.4)
I	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
K1K3	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(0.4)
L	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
P	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	6	(60.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	10	(0.7)
Y	163	(38.9)	22	(5.3)	24	(5.7)	210	(50.1)	0	(0.0)	419	(30.4)
ZA	461	(50.6)	25	(2.7)	26	(2.9)	398	(43.7)	**	(**)	**	(**)
<b>Total</b>	<b>663</b>	<b>(48.0)</b>	<b>**</b>	<b>(**)</b>	<b>55</b>	<b>(4.0)</b>	<b>613</b>	<b>(44.4)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>
<b>2011</b>												
D	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	8	(66.7)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	12	(0.9)
F	7	(87.5)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
K1K3	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
K2	5	(71.4)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
P	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
V	7	(46.7)	0	(0.0)	7	(46.7)	**	(**)	0	(0.0)	**	(**)
Y	184	(42.4)	14	(3.2)	37	(8.5)	199	(45.9)	0	(0.0)	434	(31.9)
ZA	348	(40.0)	26	(3.0)	89	(10.2)	407	(46.8)	0	(0.0)	870	(64.0)
<b>Total</b>	<b>565</b>	<b>(41.6)</b>	<b>40</b>	<b>(2.9)</b>	<b>136</b>	<b>(10.0)</b>	<b>618</b>	<b>(45.5)</b>	<b>0</b>	<b>(0.0)</b>	<b>1359</b>	<b>(100.0)</b>
<b>2012</b>												
D	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	7	(77.8)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
I	5	(62.5)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	8	(0.6)
K1K3	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
N	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
S	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	5	(0.4)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Y	163	(37.3)	25	(5.7)	38	(8.7)	211	(48.3)	0	(0.0)	437	(30.8)
ZA	331	(35.1)	51	(5.4)	124	(13.1)	430	(45.6)	8	(0.8)	944	(66.5)
<b>Total</b>	<b>520</b>	<b>(36.6)</b>	<b>**</b>	<b>(**)</b>	<b>165</b>	<b>(11.6)</b>	<b>650</b>	<b>(45.8)</b>	<b>8</b>	<b>(0.6)</b>	<b>**</b>	<b>(**)</b>
<b>Grand</b>												
<b>Total</b>	<b>1748</b>	<b>(42.0)</b>	<b>**</b>	<b>(**)</b>	<b>356</b>	<b>(8.6)</b>	<b>1881</b>	<b>(45.2)</b>	<b>**</b>	<b>(**)</b>	<b>4159</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 32 BED DAYS BY AGE AND SEX, 2010 - 2012

Age Years	SEX									
	Male		Female		Ambiguous		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
0	7991	(62.1)	4869	(37.9)	0	(0.0)	0	(0.0)	12860	(53.4)
1	1580	(45.9)	1866	(54.1)	0	(0.0)	0	(0.0)	3446	(14.3)
2	608	(61.3)	384	(38.7)	0	(0.0)	0	(0.0)	992	(4.1)
3	504	(64.3)	280	(35.7)	0	(0.0)	0	(0.0)	784	(3.3)
4	557	(61.8)	345	(38.2)	0	(0.0)	0	(0.0)	902	(3.7)
5	285	(51.4)	270	(48.6)	0	(0.0)	0	(0.0)	555	(2.3)
6	235	(54.3)	198	(45.7)	0	(0.0)	0	(0.0)	433	(1.8)
7	201	(55.2)	163	(44.8)	0	(0.0)	0	(0.0)	364	(1.5)
8	173	(60.5)	113	(39.5)	0	(0.0)	0	(0.0)	286	(1.2)
9	254	(53.2)	223	(46.8)	0	(0.0)	0	(0.0)	477	(2.0)
10	302	(66.8)	150	(33.2)	0	(0.0)	0	(0.0)	452	(1.9)
11	227	(49.5)	232	(50.5)	0	(0.0)	0	(0.0)	459	(1.9)
12	214	(50.2)	212	(49.8)	0	(0.0)	0	(0.0)	426	(1.8)
13	258	(41.3)	366	(58.7)	0	(0.0)	0	(0.0)	624	(2.6)
14	351	(58.7)	247	(41.3)	0	(0.0)	0	(0.0)	598	(2.5)
15	142	(32.2)	299	(67.8)	0	(0.0)	0	(0.0)	441	(1.8)
<b>Total</b>	<b>13882</b>	<b>(57.6)</b>	<b>10217</b>	<b>(42.4)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>24099</b>	<b>(100.0)</b>

FIGURE 32 BED DAYS BY AGE AND SEX, 2010 - 2012




TABLE 33 BED DAYS BY AGE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (YEARS)								Total	
	<1	1-4	5-10	11-15	n	(%)	n	(%)		
<b>2010</b>										
D	0	(0.0)	8	(100.0)	0	(0.0)	0	(0.0)	8	(0.1)
E1	6	(37.5)	9	(56.3)	1	(6.3)	0	(0.0)	16	(0.2)
E2	0	(0.0)	0	(0.0)	13	(100.0)	0	(0.0)	13	(0.2)
F	51	(89.5)	6	(10.5)	0	(0.0)	0	(0.0)	57	(0.8)
H	0	(0.0)	7	(41.2)	10	(58.8)	0	(0.0)	17	(0.2)
I	3	(60.0)	0	(0.0)	2	(40.0)	0	(0.0)	5	(0.1)
K1K3	22	(84.6)	4	(15.4)	0	(0.0)	0	(0.0)	26	(0.4)
K2	76	(82.6)	0	(0.0)	0	(0.0)	16	(17.4)	92	(1.3)
L	0	(0.0)	0	(0.0)	2	(100.0)	0	(0.0)	2	(0.0)
P	14	(87.5)	0	(0.0)	0	(0.0)	2	(12.5)	16	(0.2)
R	3	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	3	(0.0)
V	55	(47.4)	37	(31.9)	3	(2.6)	21	(18.1)	116	(1.7)
Y	798	(41.6)	497	(25.9)	164	(8.5)	460	(24.0)	1919	(27.7)
ZA	2649	(57.2)	1143	(24.7)	501	(10.8)	336	(7.3)	4629	(66.9)
<b>Total</b>	<b>3677</b>	<b>(53.1)</b>	<b>1711</b>	<b>(24.7)</b>	<b>696</b>	<b>(10.1)</b>	<b>835</b>	<b>(12.1)</b>	<b>6919</b>	<b>(100.0)</b>
<b>2011</b>										
D	4	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	4	(0.0)
E1	18	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	18	(0.2)
E2	110	(90.2)	10	(8.2)	2	(1.6)	0	(0.0)	122	(1.3)
F	25	(86.2)	4	(13.8)	0	(0.0)	0	(0.0)	29	(0.3)
H	0	(0.0)	4	(44.4)	4	(44.4)	1	(11.1)	9	(0.1)
I	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(0.1)
K1K3	0	(0.0)	0	(0.0)	41	(100.0)	0	(0.0)	41	(0.4)
K2	104	(71.2)	0	(0.0)	35	(24.0)	7	(4.8)	146	(1.5)
P	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	2	(0.0)
V	75	(68.2)	31	(28.2)	4	(3.6)	0	(0.0)	110	(1.2)
Y	1470	(47.6)	976	(31.6)	214	(6.9)	426	(13.8)	3086	(32.5)
ZA	3541	(59.9)	1492	(25.2)	534	(9.0)	344	(5.8)	5911	(62.3)
<b>Total</b>	<b>5355</b>	<b>(56.5)</b>	<b>2517</b>	<b>(26.5)</b>	<b>834</b>	<b>(8.8)</b>	<b>778</b>	<b>(8.2)</b>	<b>9484</b>	<b>(100.0)</b>
<b>2012</b>										
D	3	(75.0)	1	(25.0)	0	(0.0)	0	(0.0)	4	(0.1)
E1	0	(0.0)	11	(84.6)	0	(0.0)	2	(15.4)	13	(0.2)
E2	5	(62.5)	3	(37.5)	0	(0.0)	0	(0.0)	8	(0.1)
F	13	(44.8)	16	(55.2)	0	(0.0)	0	(0.0)	29	(0.4)
I	10	(50.0)	10	(50.0)	0	(0.0)	0	(0.0)	20	(0.3)
K1K3	0	(0.0)	14	(77.8)	2	(11.1)	2	(11.1)	18	(0.2)
K2	0	(0.0)	57	(73.1)	21	(26.9)	0	(0.0)	78	(1.0)
N	0	(0.0)	2	(100.0)	0	(0.0)	0	(0.0)	2	(0.0)
S	5	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.1)
V	36	(69.2)	5	(9.6)	11	(21.2)	0	(0.0)	52	(0.7)
X	0	(0.0)	0	(0.0)	0	(0.0)	7	(100.0)	7	(0.1)
Y	851	(36.8)	465	(20.1)	415	(17.9)	582	(25.2)	2313	(30.1)
ZA	2905	(56.4)	1312	(25.5)	588	(11.4)	342	(6.6)	5147	(66.9)
<b>Total</b>	<b>3828</b>	<b>(49.7)</b>	<b>1896</b>	<b>(24.6)</b>	<b>1037</b>	<b>(13.5)</b>	<b>935</b>	<b>(12.1)</b>	<b>7696</b>	<b>(100.0)</b>
<b>Grand</b>										
<b>Total</b>	<b>12860</b>	<b>(53.4)</b>	<b>6124</b>	<b>(25.4)</b>	<b>2567</b>	<b>(10.7)</b>	<b>2548</b>	<b>(10.6)</b>	<b>24099</b>	<b>(100.0)</b>

TABLE 34 BED CENSUS OF CHILDREN BY MONTH, 2010-2012

Year / Month	NUMBER IN PICU	
	Median	IQR
<b>2010</b>		
1	21	20-23
2	19	15-22.5
3	21	18-23
4	14	12-16
5	16	13-19
6	16	13-17
7	14	13-16
8	12	10-15
9	13	11-15
10	16	12-17
11	14	12-17
12	18	16-20
<b>2011</b>		
1	23	21-24
2	21	20-22
3	22	19-23
4	22	20-24
5	19	16-22
6	21	19-25
7	17	16-20
8	20	18-22
9	19	17-21
10	24	21-26
11	27	24-28
12	21	19-24
<b>2012</b>		
1	22	20-25
2	22	21-25
3	22	21-24
4	23	20-24
5	19	17-20
6	17	14-19
7	12	11-16
8	17	15-19
9	20	17-20
10	18	17-21
11	20	17-22
12	17	15-19

FIGURE 34 BED CENSUS BY MONTH, 2010-2012




TABLE 35 BED CENSUS OF CHILDREN BY HEALTH ORGANISATION, 2010-2012

Year / Organisation	NUMBER IN PICU	
	Median	IQR
<b>2010</b>		
D	0	0-0
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K1K3	0	0-0
K2	0	0-0
L	0	0-0
N	0	0-0
P	0	0-0
R	0	0-0
S	0	0-0
V	0	0-1
X	0	0-0
Y	5	3-6
ZA	11	8-14
<b>2011</b>		
D	0	0-0
E1	0	0-0
E2	0	0-1
F	0	0-0
H	0	0-0
I	0	0-0
K1K3	0	0-0
K2	0	0-0
L	0	0-0
N	0	0-0
P	0	0-0
R	0	0-0
S	0	0-0
V	0	0-0
X	0	0-0
Y	6	5-8
ZA	14	12-16
<b>2012</b>		
D	0	0-0
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K1K3	0	0-0
K2	0	0-1
L	0	0-0
N	0	0-0
P	0	0-0
R	0	0-0
S	0	0-0
V	0	0-0
X	0	0-0
Y	7	5-8
ZA	12	10-14

FIGURE 35a BED CENSUS BY HEALTH ORGANISATION, 2010




FIGURE 35b BED CENSUS BY HEALTH ORGANISATION, 2011




FIGURE 35c BED CENSUS BY HEALTH ORGANISATION, 2012




TABLE 36 BED ACTIVITY OF CHILDREN BY MONTH, 2010-2012

Year / Month	BED ACTIVITY (DAYS)	
	Median	IQR
<b>2010</b>		
1	26	23-28
2	23	18.5-25.5
3	23	21-29
4	19	16-22
5	20	16-23
6	20	17-22
7	19	16-21
8	15	13-18
9	17	14-19
10	19	15-22
11	18	14-23
12	22	20-25
<b>2011</b>		
1	27	25-29
2	26	22.5-28
3	26	22-28
4	25	24-27
5	22	19-25
6	26	24-29
7	21	19-23
8	25	21-26
9	22	21-24
10	27	25-29
11	30	28-33
12	24	23-27
<b>2012</b>		
1	27	23-29
2	27	25-29
3	27	25-29
4	26	23-28
5	23	20-25
6	21	18-23
7	17	14-19
8	21	19-24
9	23	21-25
10	22	20-25
11	24	21-28
12	21	19-22

FIGURE 36 BED ACTIVITY BY MONTH, 2010-2012




TABLE 37 BED ACTIVITY OF CHILDREN BY HEALTH ORGANISATION, 2010-2012

Year / Organisation	NUMBER IN PICU	
	Median	IQR
<b>2010</b>		
D	0	0-0
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K1K3	0	0-0
K2	0	0-1
L	0	0-0
N	0	0-0
P	0	0-0
R	0	0-0
S	0	0-0
V	0	0-1
X	0	0-0
Y	6	5-7
ZA	13	10-16
<b>2011</b>		
D	0	0-0
E1	0	0-0
E2	0	0-1
F	0	0-0
H	0	0-0
I	0	0-0
K1K3	0	0-0
K2	0	0-0
L	0	0-0
N	0	0-0
P	0	0-0
R	0	0-0
S	0	0-0
V	0	0-1
X	0	0-0
Y	8	6-9
ZA	16	14-18
<b>2012</b>		
D	0	0-0
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K1K3	0	0-0
K2	0	0-1
L	0	0-0
N	0	0-0
P	0	0-0
R	0	0-0
S	0	0-0
V	0	0-0
X	0	0-0
Y	8	7-9
ZA	15	12-17

FIGURE 37a BED ACTIVITY BY HEALTH ORGANISATION, 2010




FIGURE 37b BED ACTIVITY BY HEALTH ORGANISATION, 2011




FIGURE 37c BED ACTIVITY BY HEALTH ORGANISATION, 2012




TABLE 38 LENGTH OF STAY BY AGE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (YEARS)							
	<1		1-4		5-10		11-15	
	Median	IQR	Median	IQR	Median	IQR	Median	IQR
<b>2010</b>								
D	0	0-0	7	7.0-7.0	0	0-0	0	0-0
E1	1.2	0.9-1.4	7.9	7.9-7.9	0.5	0.5-0.5	0	0-0
E2	0	0-0	0	0-0	5.2	4.5-5.9	0	0-0
F	2.4	1.4-4.3	4.9	4.9-4.9	0	0-0	0	0-0
H	0	0-0	2.4	1.8-2.9	0.9	0.9-4.7	0	0-0
I	2	2.0-2.0	0	0-0	0.7	0.7-0.7	0	0-0
K1K3	21.5	21.5-21.5	3.6	3.6-3.6	0	0-0	0	0-0
K2	18	9.0-27.0	0	0-0	0	0-0	6.7	2.7-10.7
L	0	0-0	0	0-0	1.3	1.3-1.3	0	0-0
P	12.9	12.9-12.9	0	0-0	0	0-0	1.4	1.4-1.4
R	2.3	2.3-2.3	0	0-0	0	0-0	0	0-0
V	3.2	1.0-47.8	0.9	0.8-3.9	1.7	1.7-1.7	20.2	20.2-20.2
Y	3.7	1.2-7.8	0.9	0.7-4.1	1	0.7-3.9	0.9	0.8-2.7
ZA	2.8	0.9-6.2	1	0.7-2.8	1	0.8-1.9	1	0.7-2.8
<b>2011</b>								
D	2.9	2.9-2.9	0	0-0	0	0-0	0	0-0
E1	8	0.8-15.1	0	0-0	0	0-0	0	0-0
E2	8.1	5.4-19.1	4	2.9-5.0	0.6	0.6-0.6	0	0-0
F	3.4	1.8-3.9	0.8	0.6-1.0	0	0-0	0	0-0
H	0	0-0	3	3.0-3.0	0.9	0.8-0.9	0.5	0.5-0.5
I	2.2	1.2-3.2	0	0-0	0	0-0	0	0-0
K1K3	0	0-0	0	0-0	4.1	1.9-31.9	0	0-0
K2	50.9	33.0-68.9	0	0-0	16.5	5.2-27.8	0.9	0.9-2.3
P	0.4	0.4-0.4	0	0-0	0	0-0	0	0-0
V	6.7	6.4-8.1	2.1	1.4-12.2	1.1	0.1-2.2	0	0-0
Y	3.9	1.5-7.5	1.3	0.8-4.9	1.9	0.8-3.6	0.9	0.8-1.7
ZA	2.9	1.0-6.8	1	0.8-3.8	1	0.7-2.4	0.9	0.7-2.0
<b>2012</b>								
D	1.9	1.9-1.9	0.8	0.8-0.8	0	0-0	0	0-0
E1	0	0-0	4.3	1.9-6.7	0	0-0	0.8	0.8-0.8
E2	4.2	4.2-4.2	1.9	1.9-1.9	0	0-0	0	0-0
F	1.5	0.7-3.6	2.1	1.2-2.2	0	0-0	0	0-0
I	1.1	0.5-1.7	1.4	0.7-2.5	0	0-0	0	0-0
K1K3	0	0-0	12.6	12.6-12.6	1.6	1.6-1.6	0.7	0.7-0.7
K2	0	0-0	27.5	3.8-51.3	9.7	3.2-16.3	0	0-0
N	0	0-0	1	1.0-1.0	0	0-0	0	0-0
S	3.9	3.9-3.9	0	0-0	0	0-0	0	0-0
V	17	2.9-31.1	1.7	0.9-2.4	9.7	9.7-9.7	0	0-0
X	0	0-0	0	0-0	0	0-0	5.8	5.8-5.8
Y	4.1	1.2-7.4	1.5	0.8-4.9	1.2	0.7-3.8	0.9	0.8-2.0
ZA	2.8	1.0-6.5	1	0.8-2.7	1	0.8-2.3	0.9	0.8-3.2

TABLE 39 LENGTH OF STAY BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 - 2012

Organisation	DIAGNOSTIC GROUP																												
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown		
	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med
D	0	0-0	0	0-0	0.8	0.8-0.8	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	7	7.0-7.0	0	0-0	2.4	1.9-2.9	0	0-0	
E1	0	0-0	0	0-0	0	0-0	0.8	0.8-0.8	0	0-0	0	0-0	0	0-0	0.5	0.5-0.5	1.2	0.9-7.9	0	0-0	4.1	1.1-10.9	0	0-0	1.9	1.9-1.9	0	0-0	
E2	0	0-0	0	0-0	2.8	1.9-4.2	0	0-0	0	0-0	0	0-0	0	0-0	6.3	4.5-8.1	0	0-0	0	0-0	6.9	5.4-19.1	0	0-0	0	0-0	0	0-0	
F	0	0-0	0	0-0	2.1	1.1-4.3	0	0-0	0	0-0	3.2	3.2-3.2	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0.6	0.6-0.6	0	0-0	
H	0	0-0	0	0-0	0.5	0.5-0.5	0	0-0	3.9	1.8-6.0	0	0-0	0	0-0	0	0-0	1.9	0.9-2.9	0.9	0.9-0.9	0	0-0	0	0-0	2	0.9-3.8	0	0-0	
I	0	0-0	0	0-0	0.9	0.9-0.9	3.2	3.2-3.2	1.4	0.7-1.8	0	0-0	0	0-0	0	0-0	0.4	0.4-0.4	0	0-0	2	0.4-3.1	0	0-0	0	0-0	0	0-0	
K1K3	1.9	1.9-1.9	21.5	21.5-21.5	0	0-0	0	0-0	31.9	31.9-31.9	0	0-0	0	0-0	0	0-0	1.1	0.7-1.6	0	0-0	8.3	4.1-12.6	3.6	3.6-3.6	0	0-0	0	0-0	
K2	0	0-0	0	0-0	10.7	2.7-30.4	0	0-0	5.8	5.8-5.8	12.3	12.3-12.3	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	
L	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	1.3	1.3-1.3	0	0-0	0	0-0	0	0-0	
N	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	1	1.0-1.0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	
P	0	0-0	0	0-0	1.4	1.4-1.4	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0.4	0.4-0.4	0	0-0	12.9	12.9-12.9	0	0-0	0	0-0	0	0-0	
R	0	0-0	0	0-0	2.3	2.3-2.3	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	
S	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	3.9	3.9-3.9	0	0-0	0	0-0	0	0-0	
V	26	0.1-31.1	0	0-0	2.9	1.5-8.1	22.1	22.1-22.1	0.8	0.8-6.6	0	0-0	0	0-0	0	0-0	0	0-0	2.4	0.9-20.2	0	0-0	0	0-0	2.8	1.7-3.9	0	0-0	
X	0	0-0	0	0-0	5.8	5.8-5.8	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	
Y	0.8	0.6-1.9	7	3.1-10.5	2	0.8-5.6	1.2	0.8-6.6	2.3	1.5-4.7	3.9	1.4-7.0	2.9	0.8-7.6	0.9	0.8-1.4	1.4	0.8-3.1	1.5	0.8-2.5	2.7	0.9-6.6	2	0.9-3.5	1.7	0.8-3.5	1	1.0-1.0	
ZA	2.6	0.9-6.8	1.1	0.8-5.7	2.8	1.0-5.9	1.2	0.8-1.9	0.9	0.7-1.9	3.6	1.3-7.7	0.7	0.7-0.9	1	0.8-1.7	0.9	0.6-1.9	0.9	0.7-2.0	1.8	0.8-5.4	1	0.6-2.5	0.9	0.8-1.0	1.5	0.9-5.7	

TABLE 40 ADMISSIONS BY LENGTH OF STAY BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	LOS GROUP												Unknown	Total		
	<1h	1h to <4h	4h to <12h	12h to <24h	1d to <3d	3d to <7d	7d+	n	(%)	n	(%)	n			(%)	
<b>2010</b>																
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
E1	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.4)	5 (0.4)
E2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
F	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	7 (53.8)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	13 (0.9)	13 (0.9)
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.4)	5 (0.4)
I	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
K1K3	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
K2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	6 (0.4)	6 (0.4)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
P	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
V	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	10 (0.7)	10 (0.7)
Y	0 (0.0)	6 (1.4)	19 (4.5)	162 (38.7)	92 (22.0)	82 (19.6)	58 (13.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	419 (30.4)	419 (30.4)
ZA	** (**)	17 (1.9)	48 (5.3)	302 (33.2)	255 (28.0)	163 (17.9)	125 (13.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
<b>Total</b>	<b>** (**)</b>	<b>23 (1.7)</b>	<b>** (**)</b>	<b>472 (34.2)</b>	<b>365 (26.4)</b>	<b>257 (18.6)</b>	<b>194 (14.1)</b>	<b>0 (0.0)</b>	<b>1380 (100.0)</b>	<b>1380 (100.0)</b>						
<b>2011</b>																
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
E1	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
E2	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	5 (41.7)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	12 (0.9)	12 (0.9)
F	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	8 (0.6)	8 (0.6)
H	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
I	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
K1K3	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
K2	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	7 (0.5)	7 (0.5)
P	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
V	0 (0.0)	** (**)	0 (0.0)	** (**)	5 (33.3)	** (**)	5 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	15 (1.1)	15 (1.1)
Y	** (**)	** (**)	20 (4.6)	151 (34.8)	102 (23.5)	86 (19.8)	71 (16.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	434 (31.9)	434 (31.9)
ZA	** (**)	13 (1.5)	44 (5.1)	297 (34.1)	210 (24.1)	149 (17.1)	156 (17.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
<b>Total</b>	<b>** (**)</b>	<b>17 (1.3)</b>	<b>** (**)</b>	<b>459 (33.8)</b>	<b>325 (23.9)</b>	<b>248 (18.2)</b>	<b>242 (17.8)</b>	<b>0 (0.0)</b>	<b>1359 (100.0)</b>	<b>1359 (100.0)</b>						
<b>2012</b>																
D	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
E1	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
E2	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
F	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	9 (0.6)	9 (0.6)
I	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	8 (0.6)	8 (0.6)
K1K3	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
K2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
N	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
S	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
V	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.4)	5 (0.4)
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
Y	0 (0.0)	5 (1.1)	13 (3.0)	178 (40.7)	92 (21.1)	80 (18.3)	69 (15.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	437 (30.8)	437 (30.8)
ZA	** (**)	11 (1.2)	45 (4.8)	319 (33.8)	259 (27.4)	176 (18.6)	133 (14.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	944 (66.5)	944 (66.5)
<b>Total</b>	<b>** (**)</b>	<b>16 (1.1)</b>	<b>** (**)</b>	<b>506 (35.6)</b>	<b>365 (25.7)</b>	<b>265 (18.7)</b>	<b>207 (14.6)</b>	<b>0 (0.0)</b>	<b>1420 (100.0)</b>	<b>1420 (100.0)</b>						
<b>Grand</b>																
<b>Total</b>	<b>** (**)</b>	<b>56 (1.3)</b>	<b>194 (4.7)</b>	<b>1437 (34.6)</b>	<b>1055 (25.4)</b>	<b>770 (18.5)</b>	<b>643 (15.5)</b>	<b>0 (0.0)</b>	<b>4159 (100.0)</b>	<b>4159 (100.0)</b>						

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
 Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 41 ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE, 2010 - 2012

Discharge Status	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>Alive</b>	1596	(39.2)	1203	(29.5)	613	(15.1)	660	(16.2)	<b>4072</b>	<b>(97.9)</b>
<b>Dead</b>	45	(51.7)	22	(25.3)	14	(16.1)	6	(6.9)	<b>87</b>	<b>(2.1)</b>
<b>Total</b>	<b>1641</b>	<b>(39.5)</b>	<b>1225</b>	<b>(29.5)</b>	<b>627</b>	<b>(15.1)</b>	<b>666</b>	<b>(16.0)</b>	<b>4159</b>	<b>(100.0)</b>

TABLE 42 ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE (<1 YEARS), 2010 - 2012

Discharge Status	AGE GROUP (MONTHS)									
	<1		1-2		3-5		6-11		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>Alive</b>	387	(24.2)	382	(23.9)	366	(22.9)	461	(28.9)	<b>1596</b>	<b>(97.3)</b>
<b>Dead</b>	22	(48.9)	11	(24.4)	6	(13.3)	6	(13.3)	<b>45</b>	<b>(2.7)</b>
<b>Total</b>	<b>409</b>	<b>(24.9)</b>	<b>393</b>	<b>(23.9)</b>	<b>372</b>	<b>(22.7)</b>	<b>467</b>	<b>(28.5)</b>	<b>1641</b>	<b>(100.0)</b>

TABLE 43 ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX, 2010 - 2012

Discharge Status	SEX									
	Male		Female		Ambiguous		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>Alive</b>	2271	(55.8)	1801	(44.2)	0	(0.0)	0	(0.0)	<b>4072</b>	<b>(97.9)</b>
<b>Dead</b>	47	(54.0)	40	(46.0)	0	(0.0)	0	(0.0)	<b>87</b>	<b>(2.1)</b>
<b>Total</b>	<b>2318</b>	<b>(55.7)</b>	<b>1841</b>	<b>(44.3)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>4159</b>	<b>(100.0)</b>

TABLE 44 ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX (<1 YEAR), 2010 - 2012

Discharge Status	Sex									
	Male		Female		Ambiguous		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>Alive</b>	919	(57.6)	677	(42.4)	0	(0.0)	0	(0.0)	<b>1596</b>	<b>(97.3)</b>
<b>Dead</b>	27	(60.0)	18	(40.0)	0	(0.0)	0	(0.0)	<b>45</b>	<b>(2.7)</b>
<b>Total</b>	<b>946</b>	<b>(57.6)</b>	<b>695</b>	<b>(42.4)</b>	<b>0</b>	<b>(0.0)</b>	<b>0</b>	<b>(0.0)</b>	<b>1641</b>	<b>(100.0)</b>

TABLE 45 ADMISSIONS BY UNIT DISCHARGE STATUS, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	DISCHARGE STATUS							
	Alive		Dead		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
<b>2010</b>								
D	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E1	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.4)
E2	**	(**)	0	(0.0)	0	(0.0)	**	(**)
F	12	(92.3)	**	(**)	0	(0.0)	**	(**)
H	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.4)
I	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K1K3	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	6	(100.0)	0	(0.0)	0	(0.0)	6	(0.4)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	**	(**)	0	(0.0)	0	(0.0)	**	(**)
R	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	8	(80.0)	**	(**)	0	(0.0)	**	(**)
Y	407	(97.1)	12	(2.9)	0	(0.0)	419	(30.4)
ZA	897	(98.5)	14	(1.5)	0	(0.0)	911	(66.0)
<b>Total</b>	<b>1351</b>	<b>(97.9)</b>	<b>29</b>	<b>(2.1)</b>	<b>0</b>	<b>(0.0)</b>	<b>1380</b>	<b>(100.0)</b>
<b>2011</b>								
D	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	12	(100.0)	0	(0.0)	0	(0.0)	12	(0.9)
F	7	(87.5)	**	(**)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K1K3	**	(**)	**	(**)	0	(0.0)	**	(**)
K2	6	(85.7)	**	(**)	0	(0.0)	**	(**)
P	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	14	(93.3)	**	(**)	0	(0.0)	**	(**)
Y	424	(97.7)	10	(2.3)	0	(0.0)	434	(31.9)
ZA	859	(98.7)	11	(1.3)	0	(0.0)	870	(64.0)
<b>Total</b>	<b>1334</b>	<b>(98.2)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>
<b>2012</b>								
D	**	(**)	**	(**)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	0	(0.0)	**	(**)
F	8	(88.9)	**	(**)	0	(0.0)	**	(**)
I	7	(87.5)	**	(**)	0	(0.0)	**	(**)
K1K3	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	**	(**)	0	(0.0)	**	(**)
N	**	(**)	0	(0.0)	0	(0.0)	**	(**)
S	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	0	(0.0)	5	(0.4)
X	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Y	428	(97.9)	9	(2.1)	0	(0.0)	437	(30.8)
ZA	926	(98.1)	18	(1.9)	0	(0.0)	944	(66.5)
<b>Total</b>	<b>1387</b>	<b>(97.7)</b>	<b>**</b>	<b>(**)</b>	<b>0</b>	<b>(0.0)</b>	<b>**</b>	<b>(**)</b>
<b>Grand Total</b>								
<b>Total</b>	<b>4072</b>	<b>(97.9)</b>	<b>87</b>	<b>(2.1)</b>	<b>0</b>	<b>(0.0)</b>	<b>4159</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 46 ADMISSIONS BY UNIT DISCHARGE DESTINATION AND AGE, 2010 - 2012

Discharge Destination	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
<b>Normal residence</b>	**	(**)	19	(45.2)	15	(35.7)	5	(11.9)	**	(**)
<b>Hospice</b>	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)
<b>Same hospital</b>	1516	(38.9)	1153	(29.6)	585	(15.0)	642	(16.5)	<b>3896</b>	<b>(95.7)</b>
<b>Other hospital</b>	75	(58.6)	28	(21.9)	12	(9.4)	13	(10.2)	<b>128</b>	<b>(3.1)</b>
<b>Total</b>	<b>1596</b>	<b>(39.2)</b>	<b>**</b>	<b>(**)</b>	<b>**</b>	<b>(**)</b>	<b>660</b>	<b>(16.2)</b>	<b>**</b>	<b>(**)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
 Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 46a VENTILATOR FREE DAYS, BY PIM2r GROUP, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	PIM2r GROUP										Total	
	<1%		1 - <5%		5 - <15%		15 - <30%		30%+		Med	IQR
	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR
<b>2010</b>												
D			21.0	(21-21)							21.0	(21-21)
E1	26.0	(26-26)	27.0	(26-27)			21.0	(21-21)			26.0	(26-27)
E2			21.5	(21-22)							21.5	(21-22)
F			24.5	(24-25)	26.0	(24-27)					26.0	(24-27)
H			26.0	(25-28)	24.0	(22-26)					26.0	(25-26)
I	28.0	(28-28)									28.0	(28-28)
K1K3			27.0	(27-27)	18.0	(18-18)					22.5	(18-27)
K2	26.0	(26-26)	23.0	(23-23)	12.0	(0-24)	9.0	(9-9)			23.0	(9-24)
L	28.0	(28-28)									28.0	(28-28)
P			21.5	(16-27)							21.5	(16-27)
R			26.0	(26-26)							26.0	(26-26)
V	27.0	(26-28)	27.0	(0-27)	19.0	(7-26)			1.0	(1-1)	25.5	(1-27)
Y	28.0	(28-28)	26.0	(23-28)	22.0	(18-25)	11.5	(0-26)	0.0	(0-0)	28.0	(25-28)
ZA	28.0	(27-28)	27.0	(25-27)	26.0	(23-27)	23.0	(9-25)	12.0	(0-24)	27.0	(26-28)
<b>Total</b>	<b>28.0</b>	<b>(27-28)</b>	<b>27.0</b>	<b>(24-28)</b>	<b>24.0</b>	<b>(19-26)</b>	<b>21.5</b>	<b>(5-25)</b>	<b>0.0</b>	<b>(0-1)</b>	<b>27.0</b>	<b>(25-28)</b>
<b>2011</b>												
D			28.0	(28-28)							28.0	(28-28)
E1			19.5	(13-26)							19.5	(13-26)
E2	27.5	(27-28)	20.5	(13-26)							22.5	(17-27)
F			27.0	(27-27)	25.0	(0-26)					26.0	(12-27)
H			28.0	(27-28)	26.0	(26-26)					27.5	(27-28)
I	28.0	(28-28)			25.0	(25-25)					26.5	(25-28)
K1K3			14.0	(0-28)	0.0	(0-0)					0.0	(0-28)
K2	28.0	(28-28)	26.5	(26-27)	14.0	(0-28)	10.0	(6-14)			26.0	(6-28)
P	28.0	(28-28)									28.0	(28-28)
V			25.0	(10-28)	26.0	(24-27)	8.0	(0-16)	19.5	(17-22)	24.0	(17-27)
Y	28.0	(28-28)	25.0	(22-28)	22.0	(19-25)	0.0	(0-0)	0.0	(0-0)	27.0	(24-28)
ZA	28.0	(28-28)	26.0	(23-27)	23.0	(13-27)	23.0	(19-24)	16.0	(6-23)	27.0	(25-28)
<b>Total</b>	<b>28.0</b>	<b>(28-28)</b>	<b>26.0</b>	<b>(23-27)</b>	<b>23.5</b>	<b>(19-26)</b>	<b>17.5</b>	<b>(9-23)</b>	<b>16.5</b>	<b>(3-23)</b>	<b>27.0</b>	<b>(24-28)</b>
<b>2012</b>												
D	28.0	(28-28)			0.0	(0-0)					14.0	(0-28)
E1	24.5	(21-28)	26.0	(26-26)							26.0	(21-28)
E2	26.0	(26-26)	26.0	(26-26)							26.0	(26-26)
F	28.0	(28-28)	27.0	(27-27)	27.0	(0-27)					27.0	(27-27)
I	28.0	(28-28)	26.5	(26-28)	13.5	(0-27)					27.0	(26-28)
K1K3			27.5	(27-28)	17.0	(17-17)					27.0	(17-28)
K2			11.0	(0-28)	27.0	(27-27)					19.0	(6-28)
N	28.0	(28-28)									28.0	(28-28)
S			24.0	(24-24)							24.0	(24-24)
V	27.0	(27-27)	22.0	(18-26)	27.0	(27-27)			0.0	(0-0)	26.0	(18-27)
X									0.0	(0-0)	0.0	(0-0)
Y	28.0	(28-28)	25.0	(21-28)	22.5	(19-26)	26.0	(26-26)	0.0	(0-0)	28.0	(24-28)
ZA	28.0	(28-28)	26.0	(24-28)	25.5	(16-27)	22.0	(13-25)	0.0	(0-0)	28.0	(25-28)
<b>Total</b>	<b>28.0</b>	<b>(28-28)</b>	<b>26.0</b>	<b>(24-28)</b>	<b>24.0</b>	<b>(17-27)</b>	<b>25.0</b>	<b>(13-25)</b>	<b>0.0</b>	<b>(0-0)</b>	<b>28.0</b>	<b>(25-28)</b>
<b>Grand Total</b>	<b>28.0</b>	<b>(28-28)</b>	<b>26.0</b>	<b>(24-28)</b>	<b>24.0</b>	<b>(18-26)</b>	<b>22.0</b>	<b>(9-25)</b>	<b>0.0</b>	<b>(0-10)</b>	<b>27.0</b>	<b>(25-28)</b>

\* A blank cell means that there are no cases in that cell; a zero means that there are and their median VFD is zero.

TABLE 46b EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Planned - following surgery			Unplanned - following surgery			ADMISSION TYPE Planned - other			Unplanned - other			Unknown		Total			
	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)
<b>2010</b>																		
D	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
E1	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	5	0	(0.0)
E2	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)
F	9	0	(0.0)	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	13	0	(0.0)
H	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	5	0	(0.0)
I	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)
K1K3	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
K2	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	6	0	(0.0)
L	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
P	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
R	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
V	6	**	(**)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	10	**	(**)
Y	197	**	(**)	33	**	(**)	6	0	(0.0)	183	**	(**)	0	0	(0.0)	419	5	(1.2)
ZA	465	5	(1.1)	58	0	(0.0)	23	0	(0.0)	364	5	(1.4)	0	0	(0.0)	910	10	(1.1)
<b>Total</b>	<b>688</b>	<b>7</b>	<b>(1.0)</b>	<b>94</b>	<b>**</b>	<b>(**)</b>	<b>39</b>	<b>0</b>	<b>(0.0)</b>	<b>559</b>	<b>8</b>	<b>(1.4)</b>	<b>0</b>	<b>0</b>	<b>(0.0)</b>	<b>1380</b>	<b>16</b>	<b>(1.2)</b>
<b>2011</b>																		
D	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)
E1	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
E2	5	0	(0.0)	0	0	(0.0)	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	12	0	(0.0)
F	5	0	(0.0)	0	0	(0.0)	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	8	0	(0.0)
H	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)
I	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
K1K3	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
K2	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	7	0	(0.0)
P	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)
V	7	**	(**)	**	**	(0.0)	**	**	(0.0)	6	0	(0.0)	0	0	(0.0)	**	**	(**)
Y	196	**	(**)	14	0	(0.0)	7	**	(**)	217	5	(2.3)	0	0	(0.0)	434	7	(1.6)
ZA	427	8	(1.9)	69	**	(**)	20	**	(**)	354	9	(2.5)	0	0	(0.0)	**	**	(2.5)
<b>Total</b>	<b>650</b>	<b>10</b>	<b>(1.5)</b>	<b>85</b>	<b>**</b>	<b>(**)</b>	<b>37</b>	<b>**</b>	<b>(**)</b>	<b>588</b>	<b>14</b>	<b>(2.4)</b>	<b>0</b>	<b>0</b>	<b>(0.0)</b>	<b>1360</b>	<b>30</b>	<b>(2.2)</b>
<b>2012</b>																		
D	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
E1	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)
E2	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)
F	7	0	(0.0)	0	0	(0.0)	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	9	0	(0.0)
I	**	**	(0.0)	**	**	(0.0)	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	8	0	(0.0)
K1K3	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
K2	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
N	**	**	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)
S	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
V	**	**	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	5	0	(0.0)
X2	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(0.0)	0	0	(0.0)	**	**	(0.0)
Y	220	**	(**)	22	**	(**)	10	0	(0.0)	185	5	(2.7)	0	0	(0.0)	437	7	(1.6)
ZA	488	6	(1.2)	68	**	(**)	19	**	(**)	368	5	(1.4)	0	0	(0.0)	944	13	(1.4)
<b>Total</b>	<b>729</b>	<b>7</b>	<b>(1.0)</b>	<b>92</b>	<b>**</b>	<b>(**)</b>	<b>34</b>	<b>**</b>	<b>(**)</b>	<b>564</b>	<b>10</b>	<b>(1.8)</b>	<b>0</b>	<b>0</b>	<b>(0.0)</b>	<b>1419</b>	<b>20</b>	<b>(1.4)</b>
<b>Grand Total</b>	<b>2067</b>	<b>24</b>	<b>(1.2)</b>	<b>271</b>	<b>7</b>	<b>(2.6)</b>	<b>110</b>	<b>**</b>	<b>(**)</b>	<b>1711</b>	<b>32</b>	<b>(1.9)</b>	<b>0</b>	<b>0</b>	<b>(0.0)</b>	<b>4159</b>	<b>66</b>	<b>(1.6)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 46b EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012





FIGURE 46c RELATIVE RATES OF EMERGENCY READMISSION WITHIN 48 HOURS OF DISCHARGE, 2010 - 2012



This chart shows the relative re-admission rate for all admissions except Organisation ZD

TABLE 47 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2010

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	580	0.70	0.40	1.13	1.03	0.59	1.65
B	482	0.00	0.00	0.19	0.00	0.00	0.72
C	263	1.06	0.54	1.87	0.84	0.43	1.49
D	719	1.49	1.08	1.99	1.41	1.02	1.89
E1	943	1.75	1.36	2.21	1.20	0.93	1.52
E2	771	0.76	0.48	1.13	0.72	0.46	1.07
F	1,116	0.96	0.69	1.29	0.90	0.66	1.21
G	40	1.27	0.16	4.31	0.54	0.07	1.81
H	589	1.25	0.85	1.78	1.12	0.76	1.59
I	719	1.06	0.72	1.50	1.14	0.77	1.61
J	78	0.33	0.01	1.77	0.96	0.02	5.18
K1K3	575	0.84	0.51	1.30	1.09	0.66	1.69
K2	359	1.06	0.60	1.73	1.07	0.60	1.74
L	333	0.76	0.37	1.39	0.99	0.48	1.80
M	373	1.16	0.68	1.83	0.79	0.46	1.25
N	247	1.85	1.11	2.87	1.53	0.92	2.37
O	675	0.45	0.23	0.79	0.81	0.42	1.41
P	1,162	1.51	1.18	1.90	1.38	1.08	1.73
Q	518	0.98	0.60	1.50	0.80	0.49	1.22
R	925	0.72	0.47	1.04	0.79	0.52	1.15
S	211	0.12	0.00	0.66	0.20	0.01	1.12
T	490	0.93	0.56	1.46	0.93	0.56	1.46
U	332	1.61	1.01	2.42	0.98	0.61	1.48
V	1,270	1.46	1.15	1.83	1.00	0.79	1.25
W	672	1.02	0.68	1.47	0.86	0.57	1.24
X	707	0.58	0.33	0.93	0.70	0.40	1.13
Y	471	0.70	0.38	1.19	1.16	0.62	1.96
Z	435	0.47	0.20	0.91	1.05	0.46	2.06
ZA	935	0.41	0.23	0.67	1.01	0.56	1.65
ZB	449	0.79	0.44	1.32	0.90	0.49	1.49
ZC	990	1.34	1.00	1.74	1.09	0.82	1.41
ZD	489	1.09	0.68	1.65	1.00	0.63	1.52
ZE	119	0.43	0.05	1.51	1.15	0.14	4.05

FIGURE 47a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010: UNADJUSTED





FIGURE 47b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010: PIM2r ADJUSTED



\*J - The Lewisham Hospital NHS Trust stopped submitting data in August 2010.

TABLE 48 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2011

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	612	0.45	0.22	0.79	0.81	0.41	1.44
B	147	0.00	0.00	0.62	0.00	0.00	1.69
C	262	1.42	0.81	2.30	1.23	0.70	2.00
D	736	1.49	1.09	1.98	1.28	0.93	1.70
E1	990	2.11	1.70	2.59	1.39	1.12	1.71
E2	789	0.79	0.51	1.15	0.85	0.55	1.24
F	1158	0.84	0.60	1.14	0.82	0.58	1.11
G	23	4.33	1.23	9.65	1.98	0.56	4.41
H	580	1.20	0.80	1.72	0.86	0.58	1.23
I	799	1.25	0.90	1.68	1.34	0.96	1.81
K1K3	587	1.10	0.72	1.60	1.15	0.76	1.67
K2	320	1.01	0.54	1.70	1.03	0.55	1.74
L	329	0.60	0.26	1.18	0.63	0.27	1.23
M	355	0.70	0.34	1.27	0.71	0.34	1.29
N	238	1.15	0.58	2.02	0.76	0.39	1.34
O	611	0.33	0.14	0.64	0.51	0.22	1.00
P	1095	1.34	1.03	1.72	1.10	0.84	1.41
Q	620	0.68	0.40	1.08	0.62	0.37	0.99
R	976	0.61	0.39	0.90	0.74	0.48	1.09
S	256	0.49	0.16	1.12	0.76	0.25	1.76
T	501	0.65	0.35	1.09	0.59	0.32	1.00
U	293	1.36	0.78	2.17	1.01	0.58	1.61
V	1269	1.43	1.13	1.79	1.00	0.79	1.24
W	681	1.31	0.93	1.80	1.00	0.71	1.38
X	697	0.75	0.47	1.14	0.86	0.54	1.31
Y	473	0.53	0.25	0.96	1.03	0.50	1.87
Z	420	0.53	0.24	1.00	0.84	0.39	1.58
ZA	899	0.33	0.17	0.58	0.73	0.38	1.27
ZB	440	1.02	0.61	1.59	1.20	0.72	1.87
ZC	1020	1.29	0.97	1.68	1.22	0.92	1.58
ZD	520	1.43	0.98	2.02	1.31	0.89	1.85
ZE	455	0.44	0.19	0.85	1.13	0.49	2.20

FIGURE 48a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2011: UNADJUSTED




FIGURE 48b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2011: PIM2r ADJUSTED




TABLE 49 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2012

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	636	0.62	0.35	1.01	1.10	0.62	1.79
B	203	0.13	0.00	0.71	0.50	0.01	2.73
C	319	0.65	0.28	1.27	0.59	0.26	1.15
D	773	1.52	1.12	2.01	1.34	0.98	1.77
E1	942	1.77	1.38	2.24	1.17	0.91	1.48
E2	829	1.01	0.69	1.41	1.12	0.77	1.57
F	1218	0.88	0.63	1.18	0.92	0.66	1.24
G	20	0.00	0.00	4.39	0.00	0.00	4.20
H	659	1.15	0.77	1.63	0.96	0.65	1.37
I	835	1.19	0.85	1.62	1.24	0.88	1.68
K1K3	547	0.81	0.48	1.29	0.96	0.56	1.53
K2	309	1.01	0.53	1.74	0.87	0.45	1.49
L	321	0.49	0.18	1.05	0.49	0.18	1.05
M	456	1.20	0.75	1.81	1.14	0.71	1.73
N	551	0.95	0.58	1.45	1.31	0.80	2.00
O	566	0.55	0.29	0.96	0.77	0.40	1.34
P	1163	1.23	0.93	1.59	0.99	0.75	1.28
Q	508	0.92	0.55	1.45	0.87	0.52	1.36
R	903	0.66	0.42	0.99	0.64	0.41	0.95
S	169	0.31	0.04	1.10	0.43	0.05	1.52
T	527	0.69	0.38	1.15	0.72	0.40	1.20
U	341	1.76	1.13	2.60	1.01	0.65	1.49
V	1428	1.24	0.97	1.57	0.92	0.72	1.16
W	680	1.38	0.97	1.89	1.09	0.77	1.49
X	830	1.29	0.93	1.73	1.29	0.93	1.74
Y	493	0.58	0.29	1.03	0.81	0.41	1.44
Z	353	0.37	0.12	0.85	0.55	0.18	1.27
ZA	963	0.49	0.29	0.77	0.80	0.48	1.26
ZB	447	0.93	0.54	1.50	1.03	0.59	1.65
ZC	1096	1.21	0.91	1.58	1.21	0.90	1.58
ZD	512	0.92	0.55	1.43	0.97	0.58	1.52
ZE	442	0.47	0.20	0.92	1.35	0.59	2.64

FIGURE 49a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2012: UNADJUSTED




FIGURE 49b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2012: PIM2r ADJUSTED




TABLE 50 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2010-2012

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	1,828	<b>0.59</b>	0.42	0.79	<b>0.98</b>	0.71	1.32
B	832	<b>0.03</b>	0.00	0.17	<b>0.11</b>	0.00	0.60
C	844	<b>1.03</b>	0.71	1.42	<b>0.88</b>	0.61	1.22
D	2,228	<b>1.50</b>	1.26	1.77	<b>1.34</b>	1.12	1.58
E1	2,875	<b>1.89</b>	1.65	2.15	<b>1.26</b>	1.10	1.43
E2	2,389	<b>0.85</b>	0.68	1.06	<b>0.89</b>	0.71	1.10
F	3,492	<b>0.89</b>	0.74	1.06	<b>0.88</b>	0.73	1.04
G	83	<b>1.84</b>	0.69	3.84	<b>0.91</b>	0.34	1.91
H	1,828	<b>1.20</b>	0.96	1.47	<b>0.97</b>	0.78	1.19
I	2,353	<b>1.17</b>	0.96	1.40	<b>1.24</b>	1.02	1.49
J*	78	<b>0.33</b>	0.01	1.77	<b>0.96</b>	0.02	5.18
K1K3	1,709	<b>0.92</b>	0.71	1.18	<b>1.08</b>	0.83	1.37
K2	988	<b>1.03</b>	0.74	1.39	<b>0.99</b>	0.71	1.34
L	983	<b>0.62</b>	0.40	0.92	<b>0.68</b>	0.44	1.01
M	1,184	<b>1.03</b>	0.77	1.36	<b>0.89</b>	0.66	1.17
N	1,036	<b>1.20</b>	0.90	1.58	<b>1.18</b>	0.88	1.55
O	1,852	<b>0.44</b>	0.30	0.62	<b>0.70</b>	0.48	0.98
P	3,420	<b>1.36</b>	1.18	1.57	<b>1.15</b>	0.99	1.33
Q	1,646	<b>0.85</b>	0.64	1.10	<b>0.75</b>	0.57	0.98
R	2,804	<b>0.66</b>	0.52	0.83	<b>0.72</b>	0.57	0.90
S	636	<b>0.32</b>	0.14	0.63	<b>0.50</b>	0.21	0.97
T	1,518	<b>0.76</b>	0.55	1.01	<b>0.74</b>	0.54	0.99
U	966	<b>1.58</b>	1.22	2.02	<b>1.00</b>	0.77	1.27
V	3,967	<b>1.37</b>	1.20	1.56	<b>0.97</b>	0.85	1.11
W	2,033	<b>1.24</b>	1.01	1.50	<b>0.99</b>	0.81	1.19
X	2,234	<b>0.89</b>	0.71	1.11	<b>0.99</b>	0.79	1.23
Y	1,437	<b>0.60</b>	0.42	0.84	<b>0.98</b>	0.68	1.37
Z	1,208	<b>0.46</b>	0.29	0.70	<b>0.80</b>	0.50	1.21
ZA	2,797	<b>0.41</b>	0.30	0.55	<b>0.84</b>	0.61	1.12
ZB	1,336	<b>0.92</b>	0.68	1.21	<b>1.04</b>	0.77	1.37
ZC	3,106	<b>1.28</b>	1.09	1.49	<b>1.17</b>	0.99	1.36
ZD	1,521	<b>1.16</b>	0.90	1.45	<b>1.11</b>	0.87	1.39
ZE	1,016	<b>0.45</b>	0.27	0.71	<b>1.22</b>	0.72	1.92

FIGURE 50a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010-2012: UNADJUSTED





FIGURE 50b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010-2012: PIM2r ADJUSTED



\*J - The Lewisham Hospital NHS Trust stopped submitting data in August 2010.

## TABLE 51 CHILDREN BY FOLLOW-UP STATUS AND AGE, 2010 - 2012

Table removed for anonymisation

This table (and 52 -55) now report numbers of children rather than admissions.

The total is the number of children discharged alive from their final PICU admission other than to normal residence.  
In future 30 day follow up will be requested for children discharged to normal residence.

As in all tables in this report, counts  $>0$  and  $< 5$  are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

## TABLE 52 CHILDREN BY FOLLOW-UP STATUS AND AGE (<1 YEAR), 2010 - 2012

Table removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

## TABLE 53 CHILDREN BY FOLLOW-UP STATUS AND SEX, 2010 - 2012

Table removed for anonymisation

As in all tables in this report, counts  $>0$  and  $< 5$  are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

## TABLE 54 CHILDREN BY FOLLOW-UP STATUS AND SEX (AGE <1 YEAR), 2010 - 2012

Table removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 55 CHILDREN BY FOLLOW-UP STATUS, BY HEALTH ORGANISATION OF LAST ADMISSION, 2010 - 2012

Table removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 56 RE-ADMISSIONS BY HEALTH ORGANISATION AND SOURCE OF PREVIOUS ADMISSION, 2010 - 2012

Organisation	SOURCE OF PREVIOUS ADMISSION						Total	
	Same Organisation		Other Organisation		No Previous Admission		n	(%)
	n	(%)	n	(%)	n	(%)	n	(%)
D	0	(0.0)	0	(0.0)	**	(**)	**	(**)
E1	**	(**)	**	(**)	5	(50.0)	10	(0.2)
E2	**	(**)	6	(37.5)	7	(43.8)	**	(**)
F	7	(23.3)	0	(0.0)	23	(76.7)	30	(0.7)
H	**	(**)	0	(0.0)	7	(77.8)	**	(**)
I	**	(**)	0	(0.0)	10	(83.3)	**	(**)
K1K3	**	(**)	**	(**)	5	(62.5)	8	(0.2)
K2	**	(**)	6	(35.3)	7	(41.2)	**	(**)
L	0	(0.0)	0	(0.0)	**	(**)	**	(**)
N	0	(0.0)	0	(0.0)	**	(**)	**	(**)
P	0	(0.0)	0	(0.0)	**	(**)	**	(**)
R	0	(0.0)	0	(0.0)	**	(**)	**	(**)
S	0	(0.0)	0	(0.0)	**	(**)	**	(**)
V	9	(30.0)	0	(0.0)	21	(70.0)	30	(0.7)
X	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Y	149	(11.6)	22	(1.7)	1119	(86.7)	1290	(31.0)
ZA	589	(21.6)	35	(1.3)	2101	(77.1)	2725	(65.5)
<b>Total</b>	<b>768</b>	<b>(18.5)</b>	<b>74</b>	<b>(1.8)</b>	<b>3317</b>	<b>(79.8)</b>	<b>4159</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 57 NUMBER OF ADMISSIONS OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION OF FIRST ADMISSION, 2010 - 2012

Organisation	NUMBER OF ADMISSIONS													
	1 n (%)	2 n (%)	3 n (%)	4 n (%)	5 n (%)	6 n (%)	7 n (%)	8+ n (%)	Total n (%)					
D	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
E1	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.2)					
E2	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	7 (0.2)					
F	18 (78.3)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	23 (0.7)					
H	5 (71.4)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
I	7 (77.8)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
K1K3	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.2)					
K2	6 (85.7)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
L	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
N	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
P	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
R	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
S	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
V	13 (61.9)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	21 (0.6)					
X	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
Y	982 (87.8)	94 (8.4)	30 (2.7)	6 (0.5)	** (**)	** (**)	** (**)	** (**)	1119 (33.8)					
ZA	1708 (81.4)	265 (12.6)	82 (3.9)	26 (1.2)	8 (0.4)	** (**)	5 (0.2)	** (**)	2098 (63.3)					
<b>Total</b>	<b>2764 (83.4)</b>	<b>370 (11.2)</b>	<b>121 (3.7)</b>	<b>** (**)</b>	<b>3313 (100.0)</b>									

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 58 NUMBER OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION AND DIAGNOSTIC GROUP OF FIRST ADMISSION, 2010 - 2012

Organisation	DIAGNOSTIC GROUP																		Total											
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological			Oncology		Respiratory		Trauma		Other		Missing		
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	
<b>D</b>	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
<b>E1</b>	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	5	(0.2)
<b>E2</b>	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	7	(0.2)
<b>F</b>	0	(0.0)	0	(0.0)	21	(91.3)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
<b>H</b>	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	7	(0.2)
<b>I</b>	0	(0.0)	0	(0.0)	**	(**)	**	(**)	5	(55.6)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
<b>K1K3</b>	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	5	(0.2)
<b>K2</b>	0	(0.0)	0	(0.0)	6	(85.7)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
<b>L</b>	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
<b>N</b>	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
<b>P</b>	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
<b>R</b>	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
<b>S</b>	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
<b>V</b>	**	(**)	0	(0.0)	13	(61.9)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	21	(0.6)
<b>X</b>	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
<b>Y</b>	9	(0.8)	21	(1.9)	27	(2.4)	28	(2.5)	50	(4.5)	81	(7.2)	8	(0.7)	313	(28.0)	120	(10.7)	43	(3.8)	330	(29.5)	57	(5.1)	32	(2.9)	0	(0.0)	1119	(33.8)
<b>ZA</b>	16	(0.8)	16	(0.8)	613	(29.2)	36	(1.7)	115	(5.5)	207	(9.9)	6	(0.3)	63	(3.0)	183	(8.7)	70	(3.3)	500	(23.8)	43	(2.0)	225	(10.7)	0	(0.0)	2098	(63.3)
<b>Total</b>	**	(**)	**	(**)	690	(20.8)	67	(2.0)	174	(5.3)	**	(**)	14	(0.4)	379	(11.4)	311	(9.4)	116	(3.5)	**	(**)	**	(**)	264	(8.0)	0	(0.0)	3313	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 59 INDIVIDUAL CHILD ADMISSIONS BY DIAGNOSTIC GROUP AND READMISSION STATUS, 2010 - 2012

Diagnostic Group	NUMBER OF ADMISSIONS						Total	
	Single		Multiple (1 organisation)		Multiple (2+ organisations)		n	(%)
	n	(%)	n	(%)	n	(%)		
Blood / lymphatic	22	(81.5)	**	(**)	**	(**)	27	(0.8)
Body wall and cavities	29	(76.3)	8	(21.1)	**	(**)	**	(**)
Cardiovascular	536	(77.7)	134	(19.4)	20	(2.9)	690	(20.8)
Endocrine / metabolic	58	(86.6)	7	(10.4)	**	(**)	**	(**)
Gastrointestinal	139	(79.9)	35	(20.1)	0	(0.0)	174	(5.3)
Infection	253	(87.2)	35	(12.1)	**	(**)	**	(**)
Multisystem	9	(64.3)	5	(35.7)	0	(0.0)	14	(0.4)
Musculoskeletal	351	(92.6)	22	(5.8)	6	(1.6)	379	(11.4)
Neurological	262	(84.2)	45	(14.5)	**	(**)	**	(**)
Oncology	91	(78.4)	25	(21.6)	0	(0.0)	116	(3.5)
Other	205	(77.7)	58	(22.0)	**	(**)	**	(**)
Respiratory	711	(84.9)	111	(13.3)	15	(1.8)	837	(25.3)
Trauma	94	(93.1)	7	(6.9)	0	(0.0)	101	(3.0)
Unknown	**	(**)	**	(**)	0	(0.0)	5	(0.2)
<b>Total</b>	<b>**</b>	<b>(**)</b>	<b>497</b>	<b>(15.0)</b>	<b>52</b>	<b>(1.6)</b>	<b>3313</b>	<b>(100.0)</b>

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality  
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 60 AGE SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF CHILDREN TO PAEDIATRIC INTENSIVE CARE, 2010-2012


Sex	Age Group (Years)	Population	PREVALENCE RATES									2010-12 (95% CI)		
			2010 (95% CI)			2011 (95% CI)			2012 (95% CI)			Rate	Lower	Upper
			Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper			
Male	<1 year	30100	1013	900	1126	1080	963	1197	1050	935	1165	<b>1048</b>	<b>981</b>	<b>1114</b>
	1-4 years	121700	187	163	212	195	170	220	215	189	241	<b>199</b>	<b>184</b>	<b>213</b>
	5-10 years	167000	74	61	87	65	53	78	79	66	93	<b>73</b>	<b>65</b>	<b>80</b>
	11-15 years	148400	72	58	86	61	49	74	57	45	69	<b>63</b>	<b>56</b>	<b>71</b>
Female	<1 year	28700	815	711	919	840	734	945	767	666	868	<b>807</b>	<b>747</b>	<b>867</b>
	1-4 years	116900	148	126	170	134	113	155	145	123	166	<b>142</b>	<b>130</b>	<b>155</b>
	5-10 years	159900	54	42	65	48	37	59	63	50	75	<b>55</b>	<b>48</b>	<b>62</b>
	11-15 years	140300	88	73	104	87	72	102	98	82	115	<b>91</b>	<b>82</b>	<b>100</b>
<b>Total</b>		<b>913000</b>	<b>151</b>	<b>143</b>	<b>159</b>	<b>149</b>	<b>141</b>	<b>157</b>	<b>156</b>	<b>148</b>	<b>164</b>	<b>152</b>	<b>147</b>	<b>156</b>

Populations for calculation of prevalence are taken from the General Register Office for Scotland .  
 mid-2011 estimates; <http://www.gro-scotland.gov.uk/statistics/theme/population/estimates/mid-year/index.html>

TABLE 61 AGE-SEX SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF CHILDREN TO PAEDIATRIC INTENSIVE CARE BY HEALTH BOARD, 2010-2012

Country /Health Board	Population	PREVALENCE												
		2010 (95% CI)			2011 (95% CI)			2012 (95% CI)			2010 - 2012 (95% CI)			
		Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper	
<b>Scotland</b>														
Ayrshire & Arran	63000	119	91	146	142	113	172	143	113	173	<b>135</b>	<b>118</b>	<b>151</b>	
Borders	19700	117	68	165	275	200	351	127	76	178	<b>173</b>	<b>138</b>	<b>207</b>	
Fife	65000	147	117	176	134	106	162	125	98	152	<b>135</b>	<b>119</b>	<b>152</b>	
Greater Glasgow & Clyde	208700	217	197	237	187	168	205	217	197	237	<b>207</b>	<b>196</b>	<b>218</b>	
Highland	53000	146	113	180	131	99	162	143	110	175	<b>140</b>	<b>121</b>	<b>159</b>	
Lanarkshire	105400	152	129	176	164	139	188	144	121	167	<b>153</b>	<b>140</b>	<b>167</b>	
Grampian	96700	84	66	103	73	56	90	73	57	90	<b>77</b>	<b>67</b>	<b>87</b>	
Orkney	3300	179	36	322	416	191	640	260	82	438	<b>285</b>	<b>178</b>	<b>392</b>	
Lothian	142900	155	135	175	143	124	163	166	145	187	<b>155</b>	<b>143</b>	<b>166</b>	
Tayside	68600	93	70	116	85	63	107	85	63	106	<b>88</b>	<b>75</b>	<b>101</b>	
Forth Valley	53900	169	134	204	202	163	240	182	145	219	<b>184</b>	<b>163</b>	<b>205</b>	
Western Isles	4400	43	0	102	22	0	66	174	35	314	<b>80</b>	<b>27</b>	<b>133</b>	
Dumfries & Galloway	24200	77	42	113	145	95	194	165	112	217	<b>129</b>	<b>102</b>	<b>156</b>	
Shetland	4200	99	1	196	85	0	182	231	79	382	<b>138</b>	<b>70</b>	<b>206</b>	
<b>Total</b>	<b>913000</b>	<b>151</b>	<b>143</b>	<b>159</b>	<b>149</b>	<b>141</b>	<b>157</b>	<b>156</b>	<b>148</b>	<b>164</b>	<b>152</b>	<b>147</b>	<b>156</b>	

FIGURE 61 PREVALENCE (PER 100,000 PER YEAR) 2010-2012, WITH 95% CONFIDENCE INTERVALS



UNIVERSITY OF LEEDS

ROGER PARSLow  
PHIL McSHANE  
THOMAS FLEMING  
LEE NORMAN  
JODIE BATCHELOR

PICANet

DIVISION OF EPIDEMIOLOGY & BIostatISTICS  
THE LEEDS INSTITUTE OF GENETICS  
HEALTH AND THERAPEUTICS  
UNIVERSITY OF LEEDS  
WORSLEY BUILDING  
LEEDS  
LS2 9LN

R.C.PARSLow@LEEDS.AC.UK  
0113 343 4856

UNIVERSITY OF LEICESTER

ELIZABETH DRAPER  
CAROLINE LAMMING  
CAROLINE LOVETT  
MARTIN PERKINS

PICANet

DEPARTMENT OF HEALTH SCIENCES  
UNIVERSITY OF LEICESTER  
22-28 PRINCESS ROAD WEST  
LEICESTER  
LE1 6TP

MSN@LEICESTER.AC.UK  
0116 252 5414

[www.PICANet.org.uk](http://www.PICANet.org.uk)  
[PICANet@leeds.ac.uk](mailto:PICANet@leeds.ac.uk)