



2013
NATIONAL
REPORT
FOR
WALES

Paediatric Intensive
Care Audit Network



JANUARY 2010 – DECEMBER 2012



University of
Leicester



UNIVERSITY OF LEEDS

KEY

A	Cambridge University Hospitals NHS Foundation Trust
B	Brighton & Sussex University Hospitals NHS Trust
C	Cardiff & Vale University Health Board
D	Central Manchester University Hospitals NHS Foundation Trust
E	Great Ormond Street Hospital for Children NHS Trust
E1	PICU/NICU
E2	CCCU
F	Guy's & St. Thomas' NHS Foundation Trust
G	Hull & East Yorkshire Hospitals NHS Trust
H	King's College Hospital NHS Trust
I	Leeds Teaching Hospitals NHS Trust
J	The Lewisham Hospital NHS Trust (finished reporting in Aug 2010)
K	Newcastle upon Tyne Hospitals NHS Foundation Trust
K1/K3	Great North Children's Hospital
K2	Newcastle Freeman Hospital (In 2010 Newcastle General and Royal Victoria Infirmary PICUs merged within the Great North Children's Hospital)
L	University Hospital of North Staffordshire NHS Trust
M	Queens Medical Centre Nottingham University Hospitals NHS Trust
N	Oxford University Hospitals NHS Trust
O	Royal Brompton & Harefield NHS Foundation Trust
P	Royal Liverpool Children's NHS Trust
Q	Sheffield Children's NHS Foundation Trust
Q1	Sheffield Children's Hospital (NICU)
Q2	Sheffield Children's Hospital (PICU)
R	Southampton University Hospitals NHS Trust
S	South Tees Hospitals NHS Trust
T	St. George's Healthcare NHS Trust
U	Imperial College Healthcare NHS Trust (SMH)
V	Birmingham Children's Hospital NHS Trust
W	University Hospitals Bristol NHS Foundation Trust
X	University Hospitals of Leicester NHS Trust
X1	Leicester Glenfield Hospital
X2	Leicester Royal Infirmary
Y	NHS Lothian – University Hospitals Division
Z	Barts and the London NHS Trust
ZA	NHS Greater Glasgow and Clyde – Women and Children's Division
ZB	The Royal Group of Hospitals and Dental Hospitals HSS Trust
ZC	Our Lady's Hospital for Sick Children, Dublin
ZD	The Children's University Hospital, Dublin
ZE	Harley Street Clinic (non- NHS)

Published in the UK by the Paediatric Intensive Care Audit Network (PICANet). This work is copyright. Apart from any use as permitted under the Copyright, Designs and Patents Act 1988, no part may be reproduced by any process without permission from PICANet.

Requests and enquiries concerning reproduction rights should be directed to PICANet at:

PICANet- Division of Epidemiology and Biostatistics
Leeds Institute of Genetics, Health and Therapeutics
Room 8.49, Worsley Building
University Of Leeds
Leeds, LS2 9JT
Telephone: 0113 343 8125
E-mail: picanet@leeds.ac.uk

In all cases PICANet must be acknowledged as the source when reproducing or quoting any part of this publication. Please use the following format when citing this report:

Paediatric Intensive Care Audit Network National Report for Wales 2010 - 2012 (published February 2014): Universities of Leeds and Leicester.

CONTENTS

ACKNOWLEDGEMENTS	7
FOREWORD	8
EXECUTIVE SUMMARY	9
DATA INCLUDED	10
TABLE 1 ADMISSIONS BY AGE AND SEX, 2010 – 2012	12
FIGURE 1 ADMISSIONS BY AGE AND SEX, 2010 – 2012	12
TABLE 2 ADMISSIONS BY AGE (<1) AND SEX, 2010 – 2012	13
FIGURE 2 ADMISSIONS BY AGE (<1) AND SEX, 2010 – 2012	13
TABLE 3 ADMISSIONS BY AGE BY HEALTH ORGANISATION, 2010 – 2012	14
TABLE 4 ADMISSIONS BY AGE (<1) BY HEALTH ORGANISATION, 2010 – 2012	15
TABLE 5 ADMISSIONS BY AGE (16+) BY HEALTH ORGANISATION, 2010 – 2012	16
TABLE 6 ADMISSIONS BY MONTH AND AGE, 2010 – 2012	17
FIGURE 6 ADMISSIONS BY MONTH AND AGE, 2010 – 2012	17
TABLE 7 ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 – 2012	18
FIGURE 7 ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 – 2012	19
TABLE 8 RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 – 2012	20
FIGURE 8 RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 – 2012	20
TABLE 9 ADMISSIONS BY MONTH BY HEALTH ORGANISATION, 2010 – 2012	21
TABLE 10 ADMISSIONS BY HEALTH BOARD AND YEAR, 2010 – 2012	22
FIGURE 10 MAP SHOWING LOCAL HEALTH BOARD BOUNDARIES	23
TABLE 11 ADMISSIONS BY PREDICTED MORTALITY RISK GROUP BY HEALTH ORGANISATION, 2010 – 2012	24
TABLE 12 ADMISSIONS BY ADMISSION TYPE AND AGE, 2010 – 2012	25
FIGURE 12 ADMISSIONS BY ADMISSION TYPE, 2010 – 2012	25
TABLE 13 ADMISSIONS BY ADMISSION TYPE BY HEALTH ORGANISATION, 2010 – 2012	26
FIGURE 13 ADMISSIONS BY ADMISSION TYPE BY HEALTH ORGANISATION, 2010 – 2012	27
TABLE 14 ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	28
FIGURE 14 ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	29
TABLE 15 ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED – OTHER, ADMITTED FROM HOSPITAL) BY HEALTH ORGANISATION, 2010 – 2012	30
FIGURE 15 ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED – OTHER, ADMITTED FROM HOSPITAL) BY HEALTH ORGANISATION, 2010 – 2012	31
TABLE 16 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE, 2010 – 2012	32
FIGURE 16 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP, 2010 – 2012	32

TABLE 17	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2010 – 2012	33
FIGURE 17	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (AND AGE (16+ YEARS), 2010 – 2012	33
TABLE 18	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 - 2012	34
TABLE 19	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - FOLLOWING SURGERY) BY HEALTH ORGANISATION, 2010 – 2012	35
TABLE 20	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - FOLLOWING SURGERY) BY HEALTH ORGANISATION, 2010 – 2012	36
TABLE 21	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	37
TABLE 22	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	38
TABLE 26	RETRIEVALS BY TEAM TYPE AND AGE, 2010 – 2012	39
FIGURE 26	RETRIEVALS BY TEAM TYPE, 2010 – 2012	39
TABLE 27	NON-SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 – 2012	40
FIGURE 27	NON-SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 – 2012	40
TABLE 27A	SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 – 2012	41
FIGURE 27A	SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 – 2012	41
TABLE 28	RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 – 2012	42
FIGURE 28	RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 – 2012	42
TABLE 29	INTERVENTIONS RECEIVED BY HEALTH ORGANISATION, 2010 – 2012	43
TABLE 30	ADMISSIONS BY VENTILATION STATUS AND AGE, 2010 – 2012	44
TABLE 31	ADMISSIONS BY VENTILATION STATUS BY HEALTH ORGANISATION, 2010 – 2012	45
TABLE 32	BED DAYS BY AGE AND SEX, 2010 – 2012	46
FIGURE 32	BED DAYS BY AGE AND SEX, 2010 – 2012	46
TABLE 33	BED DAYS BY AGE BY HEALTH ORGANISATION, 2010 – 2012	47
TABLE 34	BED CENSUS BY MONTH, 2010 – 2012	48
FIGURE 34	BED CENSUS BY MONTH, 2010 – 2012	48
TABLE 35	BED CENSUS BY HEALTH ORGANISATION, 2010 – 2012	49
FIGURE 35A	BED CENSUS BY HEALTH ORGANISATION, 2010	49
FIGURE 35B	BED CENSUS BY HEALTH ORGANISATION, 2011	49
FIGURE 35C	BED CENSUS BY HEALTH ORGANISATION, 2012	49
TABLE 36	BED ACTIVITY BY MONTH, 2010 – 2012	50
FIGURE 36	BED ACTIVITY BY MONTH, 2010 – 2012	50
TABLE 37	BED ACTIVITY BY HEALTH ORGANISATION, 2010 – 2012	51
FIGURE 37A	BED ACTIVITY BY HEALTH ORGANISATION, 2010	51
FIGURE 37B	BED ACTIVITY BY HEALTH ORGANISATION, 2011	51
FIGURE 37C	BED ACTIVITY BY HEALTH ORGANISATION, 2012	51

TABLE 38	LENGTH OF STAY BY AGE BY HEALTH ORGANISATION, 2010 – 2012	52
TABLE 39	LENGTH OF STAY BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 – 2012	53
TABLE 40	ADMISSIONS BY LENGTH OF STAY BY HEALTH ORGANISATION, 2010 – 2012	54
TABLE 41	ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE, 2010 – 2012	55
TABLE 42	ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE (<1), 2010 – 2012	56
TABLE 43	ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX, 2010 – 2012	57
TABLE 44	ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX (AGE <1), 2010 – 2012	58
TABLE 45	ADMISSIONS BY UNIT DISCHARGE STATUS BY HEALTH ORGANISATION, 2010 – 2012	59
TABLE 46	ADMISSIONS BY UNIT DISCHARGE DESTINATION AND AGE, 2010 – 2012	60
TABLE 46A	VENTILATOR FREE DAYS, BY PIM2R GROUP, BY HEALTH ORGANISATION, 2010 – 2012	61
TABLE 46B	EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 – 2012	62
FIGURE 46B	EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 -2012	63
FIGURE 46C	RELATIVE RATES OF EMERGENCY READMISSION WITHIN 48 HOURS OF DISCHARGE, 2010 – 2012	64
TABLE 47	STANDARDISED MORTALITY RATIOS BY ORGANISATION, 2010	65
FIGURE 47A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010: UNADJUSTED	65
FIGURE 47B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010: PIM2R ADJUSTED	65
TABLE 48	STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2011	66
FIGURE 48A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2011: UNADJUSTED	66
FIGURE 48B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2011: PIM2R ADJUSTED	66
TABLE 49	STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2012	67
FIGURE 49A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2012: UNADJUSTED	67
FIGURE 49B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2012: PIM2R ADJUSTED	67
TABLE 50	STANDARDISED MORTALITY RATIOS COMBINED BY HEALTH ORGANISATION, 2010 – 2012	68
FIGURE 50A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010 – 2012: UNADJUSTED	68
FIGURE 50B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010 – 2012 PIM2R ADJUSTED	68
TABLE 51	CHILDREN BY FOLLOW-UP STATUS AND AGE, 2010 – 2012	69
TABLE 52	CHILDREN BY FOLLOW-UP STATUS AND AGE (<1 YEAR), 2010 – 2012	70

TABLE 53	CHILDREN BY FOLLOW-UP STATUS AND SEX, 2010 – 2012	71
TABLE 54	CHILDREN BY FOLLOW-UP STATUS AND SEX (AGE<1 YEAR), 2010 – 2012	72
TABLE 55	CHILDREN BY FOLLOW-UP STATUS BY HEALTH ORGANISATION OF LAST ADMISSION, 2010 – 2012	73
TABLE 56	READMISSIONS BY HEALTH ORGANISATION AND SOURCE OF PREVIOUS ADMISSION, 2010 – 2012	74
TABLE 57	NUMBER OF ADMISSIONS OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION OF FIRST ADMISSION, 2010 – 2012	75
TABLE 58	NUMBER OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION AND DIAGNOSTIC GROUP OF FIRST ADMISSION, 2010 – 2012	76
TABLE 59	INDIVIDUAL CHILD ADMISSIONS BY DIAGNOSTIC GROUP AND READMISSION STATUS, 2010 – 2012	77
TABLE 60	AGE SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS TO PAEDIATRIC INTENSIVE CARE, 2010 – 2012	78
TABLE 61	AGE-SEX SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF CHILDREN TO PAEDIATRIC INTENSIVE CARE BY HEALTH BOARD, 2010 – 2012	79
FIGURE 61	PREVALENCE (PER 100,000 PER YEAR), 2010 - 2012, WITH 95% CONFIDENCE INTERVALS	80

ACKNOWLEDGEMENTS

The ongoing success of this international clinical audit is dependent on the hard work and commitment of a large number of individuals working within the paediatric intensive care community. We are very grateful to all the audit clerks, secretaries, nurses and doctors who support and contribute to the Paediatric Intensive Care Audit Network (PICANet) from their own paediatric intensive care units (PICUs).

PICANet was established in collaboration with the Paediatric Intensive Care Society (PICS) and their active support continues to be a key component of our successful progress. The PICANet Steering Group (SG) has patient, academic, clinical, government and NHS members all of whom are thanked for their continuing assistance and advice. Members of the Clinical Advisory Group (CAG) provide a formal interface between PICANet and clinical care teams and their valuable support and contribution is gratefully acknowledged.

We are also grateful for the support and commitment given by members of the PIC Families Group.

For the period of this report PICANet was funded by the National Clinical Audit & Patient Outcomes Programme, administered by the Healthcare Quality Improvement Partnership (HQIP), Welsh Health Specialised Services Committee Specialised Services, NHS Lothian/National Service Division NHS Scotland, the Royal Belfast Hospital for Sick Children, Our Lady's Children's Hospital, Crumlin and the Children's University Hospital, Temple Street from Dublin, Ireland and The Harley Street Clinic.

FOREWORD

The 2013 PICANet report for Wales offers a comprehensive overview of the demand for, and outcome from, critical illness in Welsh Children. The data are reliable thanks to the efforts of clinicians and clerical staff in all the PICUs providing a service for Welsh Children, and have been collated and presented in a user-friendly format by the PICANet team.

The data show that 84% of admissions are ventilated, which suggests that Welsh Children are admitted to PICU only when they require level 2 and 3 critical care, and not for high dependency (level 1) care. This suggests that the regional hospitals in Wales are providing high dependency care for our population of children.

It remains striking that the majority of Welsh children receiving critical care do so in England (principally Bristol and Liverpool). The proportion of unplanned admissions in Liverpool and Cardiff illustrate their main role in managing acutely critically ill children in Wales, with the higher proportion of planned post-operative admissions in Bristol reflecting the predominance of cardiac surgery provided for the children of South and Mid-Wales.

It is encouraging that mortality rates remain low, and the risk-adjusted mortality rates remain well within accepted limits. It is also reassuring that unplanned readmissions within 48 hours of discharge are low in all units.

I am sure this report will be useful to all stakeholders, and provide evidence of the high quality of critical care offered to the children of Wales.

ALLAN WARDHAUGH

CONSULTANT PAEDIATRIC INTENSIVIST

CLINICAL DIRECTOR CHILD HEALTH

CARDIFF AND VALE UHB

EXECUTIVE SUMMARY

This report provides information on all children admitted to paediatric intensive care in England and Wales whose usual place of residence is Wales (no Welsh children were admitted to PICUs in Scotland or Ireland).

The format has changed since the last report, in keeping with the Annual Report and so have some of the contents; tables 23-25 have been dropped and new outcome measures added, ventilator free days (Table 46a) and emergency readmissions within 2 days of discharge (Table 46b).

- Unplanned admissions accounted for 60% of all admissions.
- 84% of admissions received invasive ventilation.
- 10,070 bed days were provided for Welsh children treated in paediatric intensive care, 59% of which were received by patients under one year of age.
- Data are presented on 1794 paediatric intensive care admissions over the three year period 1 January 2010 – 31 December 2012.
- The number of admissions per year has remained almost constant over the period.
- Nearly half (48%) of admissions are under one year of age and the male to female ratio is 1.33:1.
- Less than half of paediatric intensive care admissions for Welsh children are to Cardiff & Vale University Health Board (44%). The vast majority of the remaining children (44% of the total) are admitted to the Royal Liverpool Children's NHS Trust or the University Hospitals Bristol NHS Foundation Trust.
- Prevalence for admission varies between Health Boards from 92-118 per 100,000 per year, reduced compared to previous years although this may be partly due to the increased size of the new Health Boards.

DATA INCLUDED

This report is based on children admitted to paediatric intensive care in England and Wales whose usual place of residence is Wales (no Welsh children were admitted to PICUs in Scotland or Ireland). The data are presented for the three year period January 2010 – December 2012. All data are based on admissions aged 0 – 15 years unless clearly stated otherwise.

There are 28 participating NHS organisations (Health Boards, Trusts or other governing bodies) located in the United Kingdom, 27 of whom collected data for the entire reporting period. These, together with some non-NHS bodies, are referred to as Health Organisations.

This report should be read in conjunction with the National Report of the Paediatric Intensive Care Audit Network National Report January 2010 - December 2012 (published September 2013: Universities of Leeds and Leicester.), which may be accessed at www.picanet.org.uk.

ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP

The primary reason for admission has been categorised into 13 diagnostic groups to enable a simple comparison between organisations. The classification is based on CT3 (The Read Codes). The groups are mutually exclusive:

- Infection excludes any respiratory or gastrointestinal infection but includes meningitis.
- Neurological disorders include neurovascular complications.
- Oncology includes neuro-oncology (brain tumours).
- Other includes those diagnoses not covered by the other 12 groups.

Read codes are five characters in length and can be made up of numbers, letters, or periods. The ordering of the individual characters does not

indicate the hierarchy (e.g. patent ductus arteriosus (P70..) is a subset of congenital abnormality of ductus arteriosus (Xa6aC)).

ADMISSIONS BY LOCAL HEALTH BOARD

The number of admissions by Local Health Board (HB) was obtained by linking the validated home addresses of children admitted to PICU to HB via the National Statistics Postcode Directory (NSPD). Note that these are the new Boards (effective from Oct 2009).

ADMISSIONS BY ADMISSION TYPE

We have used the following definitions for admission type:

- An admission that is *planned - following surgery* is one that the unit is aware of before the surgery begins or one that could have been delayed for 24 hours without risk (e.g. spinal surgery).
- An admission that is *unplanned - following surgery* is one that the unit was not aware of before surgery began and one that could not have been delayed without risk (e.g. bleeding tonsillectomy).
- A *planned - other* admission is any other planned admission that is not an emergency (e.g. liver biopsy).
- An *unplanned - other* admission is one that the unit was not expecting and is therefore an emergency admission (e.g. status epilepticus).

Surgery is defined as undergoing all or part of a procedure or anaesthesia for a procedure in an operating theatre or anaesthetic room. Patients admitted from the operating theatre where

surgery is not the main reason for admission (e.g. a patient with a head injury who is admitted from theatre after insertion of an ICP monitor) are not included here. In such patients the main reason for admission is head injury and thus the admission type would be *unplanned - other*.

RETRIEVAL DATA

Data are collected on whether or not a child was retrieved / transferred into the PICU. We have used the following definitions:

- *Own team* identifies that the team from the admitting hospital collected the child from the referring hospital.
- *Other specialist team (PICU)* identifies that another PICU retrieval team transferred the child to the admitting unit.
- *Other specialist team (non PICU)* identifies that another transport team, not a PICU team (e.g. Accident and Emergency Department (A&E), theatre teams or neonatal teams), transferred the child to the admitting unit.
- *Non-specialist team* identifies that a non-PICU, non-specialist team transported the child to the admitting unit. (e.g. ward staff).

VENTILATION STATUS

Length of ventilation has been calculated in days. Any ventilation episode during the period midnight to midnight was counted as one complete day (e.g. a child intubated and ventilated at 23.45 on 7 March and extubated at 02.30 on 8 March would count as two days of ventilation). Intubation and extubation times are

not recorded in the PICANet dataset therefore more precise ventilation duration times are not available.

STANDARDISED MORTALITY RATIOS

Tables and figures showing the standardised mortality ratios for all units have been reproduced from the National Report so that table and figure numbering is consistent across both reports. These tables include all patients admitted to PICU regardless of age. These ratios are calculated using the recalibrated PIM2, described in the 2013 Annual Report.

ANONYMISATION

From this year onwards regional reports will be anonymised to suppress cell counts less than 5 to prevent the possibility of individuals being identified. In some cases this has lead to whole tables or figures being suppressed and a number of other tables having data missing.

In future years data may be aggregated to prevent the presence of small numbers.

If you require access to the complete versions of the tables a request can be made to PICANet using the standard data request form available on the PICANet website.

TABLE 1 ADMISSIONS BY AGE AND SEX, 2010 - 2012

Age Years	SEX				n	%	Total	
	Male	Female	Ambiguous	Unknown				
	n	(%)	n	(%)	n	(%)	n	(%)
0	501	(58.5)	355	(41.5)	0	(0.0)	0	(0.0)
1	87	(50.0)	87	(50.0)	0	(0.0)	0	(0.0)
2	73	(67.0)	36	(33.0)	0	(0.0)	0	(0.0)
3	55	(62.5)	33	(37.5)	0	(0.0)	0	(0.0)
4	43	(51.2)	41	(48.8)	0	(0.0)	0	(0.0)
5	27	(51.9)	25	(48.1)	0	(0.0)	0	(0.0)
6	32	(68.1)	15	(31.9)	0	(0.0)	0	(0.0)
7	27	(62.8)	16	(37.2)	0	(0.0)	0	(0.0)
8	23	(67.6)	11	(32.4)	0	(0.0)	0	(0.0)
9	19	(59.4)	13	(40.6)	0	(0.0)	0	(0.0)
10	20	(62.5)	12	(37.5)	0	(0.0)	0	(0.0)
11	13	(40.6)	19	(59.4)	0	(0.0)	0	(0.0)
12	16	(51.6)	15	(48.4)	0	(0.0)	0	(0.0)
13	36	(54.5)	30	(45.5)	0	(0.0)	0	(0.0)
14	25	(43.9)	32	(56.1)	0	(0.0)	0	(0.0)
15	27	(47.4)	30	(52.6)	0	(0.0)	0	(0.0)
Grand Total	1024	(57.1)	770	(42.9)	0	(0.0)	1794	(100.0)

FIGURE 1 ADMISSIONS BY AGE AND SEX, 2010 - 2012




TABLE 2 ADMISSIONS BY AGE (<1 YEAR) AND SEX, 2010 - 2012

Age Months	SEX				Total
	Male n (%)	Female n (%)	Ambiguous n (%)	Unknown n (%)	
0	174 (59.8)	117 (40.2)	0 (0.0)	0 (0.0)	291 (34.0)
1	74 (55.6)	59 (44.4)	0 (0.0)	0 (0.0)	133 (15.5)
2	50 (61.7)	31 (38.3)	0 (0.0)	0 (0.0)	81 (9.5)
3	33 (58.9)	23 (41.1)	0 (0.0)	0 (0.0)	56 (6.5)
4	30 (53.6)	26 (46.4)	0 (0.0)	0 (0.0)	56 (6.5)
5	28 (56.0)	22 (44.0)	0 (0.0)	0 (0.0)	50 (5.8)
6	21 (56.8)	16 (43.2)	0 (0.0)	0 (0.0)	37 (4.3)
7	23 (59.0)	16 (41.0)	0 (0.0)	0 (0.0)	39 (4.6)
8	17 (53.1)	15 (46.9)	0 (0.0)	0 (0.0)	32 (3.7)
9	13 (56.5)	10 (43.5)	0 (0.0)	0 (0.0)	23 (2.7)
10	18 (60.0)	12 (40.0)	0 (0.0)	0 (0.0)	30 (3.5)
11	20 (71.4)	8 (28.6)	0 (0.0)	0 (0.0)	28 (3.3)
Grand Total	501 (58.5)	355 (41.5)	0 (0.0)	0 (0.0)	856 (100.0)

FIGURE 2 ADMISSIONS BY AGE (<1 YEAR) AND SEX, 2010 - 2012




TABLE 3 ADMISSIONS BY AGE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (YEARS)					Total		
	<1	1-4	5-10	11-15				
2010	n	(%)	n	(%)	n	(%)	n	(%)
B	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
C	83	(32.8)	83	(32.8)	35	(13.8)	52	(20.6)
D	**	(**)	**	(**)	**	(**)	0	(0.0)
E1	**	(**)	**	(**)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	0	(0.0)	**	(**)
F	**	(**)	**	(**)	0	(0.0)	0	(0.0)
I	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
L	0	(0.0)	**	(**)	0	(0.0)	**	(**)
M	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
O	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
P	79	(54.1)	32	(21.9)	15	(10.3)	20	(13.7)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
U	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
V	12	(52.2)	**	(**)	5	(21.7)	**	(**)
W	80	(58.0)	33	(23.9)	15	(10.9)	10	(7.2)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
Total	271	(45.2)	165	(27.5)	**	(**)	**	(**)
2011							600	(100.0)
C	85	(32.9)	71	(27.5)	45	(17.4)	57	(22.1)
D	5	(62.5)	0	(0.0)	**	(**)	**	(**)
E1	**	(**)	**	(**)	0	(0.0)	0	(0.0)
E2	**	(**)	0	(0.0)	**	(**)	0	(0.0)
F	**	(**)	0	(0.0)	**	(**)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
P	70	(53.0)	31	(23.5)	13	(9.8)	18	(13.6)
R	**	(**)	0	(0.0)	**	(**)	0	(0.0)
V	7	(29.2)	10	(41.7)	6	(25.0)	**	(**)
W	92	(63.0)	34	(23.3)	15	(10.3)	5	(3.4)
X	**	(**)	**	(**)	0	(0.0)	0	(0.0)
Total	271	(45.9)	151	(25.5)	**	(**)	**	(**)
2012							591	(100.0)
C	128	(43.0)	87	(29.2)	42	(14.1)	41	(13.8)
D	**	(**)	**	(**)	0	(0.0)	**	(**)
E1	**	(**)	**	(**)	**	(**)	0	(0.0)
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)
F	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
H	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
I	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)
L	**	(**)	0	(0.0)	**	(**)	**	(**)
N	**	(**)	0	(0.0)	**	(**)	0	(0.0)
O	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	62	(54.9)	16	(14.2)	24	(21.2)	11	(9.7)
R	**	(**)	**	(**)	0	(0.0)	0	(0.0)
V	18	(54.5)	7	(21.2)	**	(**)	6	(18.2)
W	87	(68.5)	24	(18.9)	11	(8.7)	5	(3.9)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
Total	314	(52.1)	139	(23.1)	84	(13.9)	66	(10.9)
Grand							603	(100.0)
Total	856	(47.7)	455	(25.4)	240	(13.4)	243	(13.5)
							1794	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 4 ADMISSIONS BY AGE (<1) BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (MONTHS)					Total			
	<1	1-2	3-5	6-11					
2010	n	(%)	n	(%)	n	(%)	n	(%)	
C	11	(13.3)	31	(37.3)	15	(18.1)	26	(31.3)	83 (30.6)
D	0	(0.0)	**	(**)	0	(0.0)	**	(**)	** (**)
E1	**	(**)	**	(**)	0	(0.0)	**	(**)	** (**)
E2	**	(**)	0	(0.0)	0	(0.0)	**	(**)	** (**)
F	**	(**)	**	(**)	0	(0.0)	0	(0.0)	** (**)
P	42	(53.2)	21	(26.6)	9	(11.4)	7	(8.9)	79 (29.2)
U	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	** (**)
V	**	(**)	**	(**)	**	(**)	**	(**)	12 (4.4)
W	29	(36.3)	10	(12.5)	19	(23.8)	22	(27.5)	80 (29.5)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	** (**)
Total	90	(33.2)	68	(25.1)	**	(**)	66	(24.4)	** (**)
2011									
C	19	(22.4)	18	(21.2)	25	(29.4)	23	(27.1)	85 (31.4)
D	**	(**)	0	(0.0)	**	(**)	**	(**)	5 (1.8)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	** (**)
E2	**	(**)	0	(0.0)	**	(**)	**	(**)	** (**)
F	**	(**)	**	(**)	0	(0.0)	0	(0.0)	** (**)
P	29	(41.4)	17	(24.3)	8	(11.4)	16	(22.9)	70 (25.8)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	** (**)
V	**	(**)	0	(0.0)	**	(**)	**	(**)	7 (2.6)
W	42	(45.7)	15	(16.3)	23	(25.0)	12	(13.0)	92 (33.9)
X	**	(**)	**	(**)	0	(0.0)	0	(0.0)	** (**)
Total	101	(37.3)	54	(19.9)	61	(22.5)	55	(20.3)	271 (100.0)
2012									
C	29	(22.7)	45	(35.2)	21	(16.4)	33	(25.8)	128 (40.8)
D	0	(0.0)	**	(**)	0	(0.0)	**	(**)	** (**)
E1	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	** (**)
E2	0	(0.0)	**	(**)	0	(0.0)	**	(**)	** (**)
H	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	** (**)
L	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	** (**)
N	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	** (**)
O	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	** (**)
P	20	(32.3)	20	(32.3)	12	(19.4)	10	(16.1)	62 (19.7)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	** (**)
V	13	(72.2)	0	(0.0)	**	(**)	**	(**)	18 (5.7)
W	34	(39.1)	21	(24.1)	20	(23.0)	12	(13.8)	87 (27.7)
X	**	(**)	**	(**)	0	(0.0)	0	(0.0)	** (**)
Total	100	(31.8)	92	(29.3)	**	(**)	68	(21.7)	** (**)
Grand Total	291	(34.0)	214	(25.0)	162	(18.9)	189	(22.1)	856 (100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 5 ADMISSIONS BY AGE (16+) BY HEALTH ORGANISATION, 2010 - 2012

Removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 6 ADMISSIONS BY MONTH AND AGE, 2010 - 2012

Year / Month	AGE GROUP (YEARS)					Total				
	<1	1-4	5-10	11-15	Total					
2010	n	(%)	n	(%)	n	(%)	n	(%)		
1	28	(46.7)	19	(31.7)	**	(**)	10	(16.7)	**	(**)
2	20	(52.6)	11	(28.9)	**	(**)	**	(**)	38	(6.3)
3	21	(40.4)	16	(30.8)	5	(9.6)	10	(19.2)	52	(8.7)
4	22	(44.9)	14	(28.6)	9	(18.4)	**	(**)	**	(**)
5	20	(40.8)	11	(22.4)	6	(12.2)	12	(24.5)	49	(8.2)
6	17	(32.7)	18	(34.6)	10	(19.2)	7	(13.5)	52	(8.7)
7	24	(45.3)	11	(20.8)	8	(15.1)	10	(18.9)	53	(8.8)
8	24	(52.2)	14	(30.4)	**	(**)	7	(15.2)	**	(**)
9	23	(50.0)	9	(19.6)	7	(15.2)	7	(15.2)	46	(7.7)
10	21	(39.6)	16	(30.2)	7	(13.2)	9	(17.0)	53	(8.8)
11	24	(50.0)	14	(29.2)	5	(10.4)	5	(10.4)	48	(8.0)
12	27	(50.0)	12	(22.2)	7	(13.0)	8	(14.8)	54	(9.0)
Total	271	(45.2)	165	(27.5)	71	(11.8)	93	(15.5)	600	(100.0)
2011										
1	22	(46.8)	17	(36.2)	**	(**)	7	(14.9)	**	(**)
2	25	(49.0)	15	(29.4)	7	(13.7)	**	(**)	**	(**)
3	33	(56.9)	10	(17.2)	**	(**)	11	(19.0)	**	(**)
4	10	(25.6)	15	(38.5)	5	(12.8)	9	(23.1)	39	(6.6)
5	19	(41.3)	14	(30.4)	7	(15.2)	6	(13.0)	46	(7.8)
6	20	(41.7)	11	(22.9)	8	(16.7)	9	(18.8)	48	(8.1)
7	17	(39.5)	10	(23.3)	8	(18.6)	8	(18.6)	43	(7.3)
8	24	(44.4)	12	(22.2)	13	(24.1)	5	(9.3)	54	(9.1)
9	27	(46.6)	16	(27.6)	8	(13.8)	7	(12.1)	58	(9.8)
10	22	(47.8)	10	(21.7)	7	(15.2)	7	(15.2)	46	(7.8)
11	18	(39.1)	8	(17.4)	11	(23.9)	9	(19.6)	46	(7.8)
12	34	(61.8)	13	(23.6)	6	(10.9)	**	(**)	**	(**)
Total	271	(45.9)	151	(25.5)	85	(14.4)	84	(14.2)	591	(100.0)
2012										
1	25	(48.1)	15	(28.8)	**	(**)	8	(15.4)	**	(**)
2	22	(44.9)	14	(28.6)	11	(22.4)	**	(**)	**	(**)
3	31	(48.4)	15	(23.4)	10	(15.6)	8	(12.5)	64	(10.6)
4	29	(60.4)	9	(18.8)	6	(12.5)	**	(**)	**	(**)
5	20	(44.4)	13	(28.9)	6	(13.3)	6	(13.3)	45	(7.5)
6	20	(43.5)	13	(28.3)	7	(15.2)	6	(13.0)	46	(7.6)
7	30	(49.2)	13	(21.3)	10	(16.4)	8	(13.1)	61	(10.1)
8	23	(53.5)	12	(27.9)	**	(**)	**	(**)	**	(**)
9	23	(54.8)	7	(16.7)	5	(11.9)	7	(16.7)	42	(7.0)
10	25	(49.0)	13	(25.5)	6	(11.8)	7	(13.7)	51	(8.5)
11	31	(60.8)	7	(13.7)	8	(15.7)	5	(9.8)	51	(8.5)
12	35	(68.6)	8	(15.7)	7	(13.7)	**	(**)	**	(**)
Total	314	(52.1)	139	(23.1)	84	(13.9)	66	(10.9)	603	(100.0)
Grand Total	856	(47.7)	455	(25.4)	240	(13.4)	243	(13.5)	1794	(100.0)

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 6 ADMISSIONS BY MONTH AND AGE, 2010 - 2012




TABLE 7 ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 - 2012

Year / Month	Blood / lymphatic	Body wall and cavities	Cardiovascular	Endocrine / metabolic	Gastro - intestinal	Infection	Multisystem	Musculo - skeletal	Neurological	Oncology	Other	Respiratory	Trauma	Unknown	Total
	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)
2010															
1	0 (0.0)	0 (0.0)	21 (35.0)	** (**)	** (**)	7 (11.7)	** (**)	5 (8.3)	6 (10.0)	0 (0.0)	0 (0.0)	12 (20.0)	** (**)	0 (0.0)	60 (10.0)
2	** (**)	0 (0.0)	15 (39.5)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	0 (0.0)	** (**)	8 (21.1)	0 (0.0)	0 (0.0)	38 (6.3)	
3	0 (0.0)	0 (0.0)	19 (36.5)	0 (0.0)	** (**)	6 (11.5)	0 (0.0)	** (**)	8 (15.4)	** (**)	9 (17.3)	** (**)	0 (0.0)	52 (8.7)	
4	** (**)	** (**)	17 (34.7)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	8 (16.3)	0 (0.0)	** (**)	9 (18.4)	** (**)	0 (0.0)	49 (8.2)
5	0 (0.0)	** (**)	16 (32.7)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	5 (10.2)	** (**)	** (**)	12 (24.5)	** (**)	0 (0.0)	49 (8.2)
6	0 (0.0)	** (**)	24 (46.2)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	8 (15.4)	0 (0.0)	** (**)	10 (19.2)	0 (0.0)	** (**)	52 (8.7)
7	0 (0.0)	** (**)	19 (35.8)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	0 (0.0)	** (**)	8 (15.1)	** (**)	0 (0.0)	53 (8.8)	
8	0 (0.0)	** (**)	21 (45.7)	0 (0.0)	** (**)	5 (10.9)	0 (0.0)	** (**)	0 (0.0)	** (**)	6 (13.0)	** (**)	0 (0.0)	46 (7.7)	
9	0 (0.0)	0 (0.0)	20 (43.5)	0 (0.0)	5 (10.9)	** (**)	0 (0.0)	** (**)	0 (0.0)	** (**)	12 (26.1)	** (**)	0 (0.0)	46 (7.7)	
10	0 (0.0)	0 (0.0)	24 (45.3)	0 (0.0)	5 (9.4)	0 (0.0)	** (**)	** (**)	8 (15.1)	0 (0.0)	** (**)	10 (18.9)	0 (0.0)	53 (8.8)	
11	0 (0.0)	0 (0.0)	15 (31.3)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	19 (39.6)	** (**)	0 (0.0)	48 (8.0)	
12	0 (0.0)	0 (0.0)	12 (22.2)	** (**)	** (**)	6 (11.1)	0 (0.0)	** (**)	8 (14.8)	0 (0.0)	** (**)	18 (33.3)	** (**)	0 (0.0)	54 (9.0)
Total	** (**)	8 (1.3)	223 (37.2)	8 (1.3)	25 (4.2)	42 (7.0)	** (**)	35 (5.8)	70 (11.7)	** (**)	21 (3.5)	133 (22.2)	25 (4.2)	** (**)	600 (100.0)
2011															
1	0 (0.0)	0 (0.0)	12 (25.5)	** (**)	0 (0.0)	10 (21.3)	0 (0.0)	** (**)	0 (0.0)	** (**)	16 (34.0)	** (**)	0 (0.0)	47 (8.0)	
2	0 (0.0)	** (*)	16 (31.4)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	22 (43.1)	** (**)	0 (0.0)	51 (8.6)	
3	0 (0.0)	** (**)	23 (39.7)	0 (0.0)	** (**)	** (**)	** (**)	5 (8.6)	** (**)	0 (0.0)	14 (24.1)	** (**)	0 (0.0)	58 (9.8)	
4	0 (0.0)	0 (0.0)	16 (41.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	5 (12.8)	6 (15.4)	0 (0.0)	** (**)	7 (17.9)	** (**)	0 (0.0)	39 (6.6)
5	0 (0.0)	** (**)	15 (32.6)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	8 (17.4)	0 (0.0)	** (**)	11 (23.9)	** (**)	0 (0.0)	46 (7.8)
6	0 (0.0)	** (**)	15 (31.3)	0 (0.0)	** (**)	** (**)	0 (0.0)	5 (10.4)	** (**)	** (**)	8 (16.7)	5 (10.4)	0 (0.0)	48 (8.1)	
7	0 (0.0)	0 (0.0)	18 (41.9)	0 (0.0)	** (**)	** (**)	0 (0.0)	5 (11.6)	7 (16.3)	0 (0.0)	** (**)	8 (18.6)	0 (0.0)	0 (0.0)	43 (7.3)
8	** (**)	** (**)	24 (44.4)	** (**)	** (**)	6 (11.1)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	6 (11.1)	** (**)	0 (0.0)	54 (9.1)
9	0 (0.0)	0 (0.0)	21 (36.2)	** (**)	** (**)	** (**)	0 (0.0)	5 (8.6)	** (**)	** (**)	5 (8.6)	15 (25.9)	** (**)	** (**)	58 (9.8)
10	0 (0.0)	0 (0.0)	22 (47.8)	** (**)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	11 (23.9)	0 (0.0)	** (**)	46 (7.8)
11	** (**)	** (**)	10 (21.7)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	8 (17.4)	** (**)	** (**)	11 (23.9)	** (**)	0 (0.0)	46 (7.8)	
12	0 (0.0)	** (**)	10 (18.2)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	5 (9.1)	** (**)	25 (45.5)	** (**)	0 (0.0)	55 (9.3)	
Total	** (**)	13 (2.2)	202 (34.2)	8 (1.4)	20 (3.4)	36 (6.1)	** (**)	43 (7.3)	53 (9.0)	16 (2.7)	17 (2.9)	154 (26.1)	22 (3.7)	** (**)	591 (100.0)
2012															
1	** (**)	** (**)	13 (25.0)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	5 (9.6)	0 (0.0)	** (**)	14 (26.9)	5 (9.6)	0 (0.0)	52 (8.6)
2	0 (0.0)	0 (0.0)	15 (30.6)	0 (0.0)	** (**)	** (**)	** (**)	9 (18.4)	** (**)	** (**)	13 (26.5)	** (**)	0 (0.0)	49 (8.1)	
3	** (**)	0 (0.0)	26 (40.6)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	8 (12.5)	** (**)	15 (23.4)	0 (0.0)	0 (0.0)	64 (10.6)	
4	0 (0.0)	0 (0.0)	19 (39.6)	** (**)	5 (10.4)	** (**)	0 (0.0)	0 (0.0)	5 (10.4)	** (**)	10 (20.8)	0 (0.0)	** (**)	48 (8.0)	
5	0 (0.0)	0 (0.0)	15 (33.3)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	7 (15.6)	** (**)	0 (0.0)	12 (26.7)	** (**)	0 (0.0)	45 (7.5)
6	0 (0.0)	** (**)	15 (32.6)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	15 (32.6)	** (**)	0 (0.0)	46 (7.6)	
7	0 (0.0)	** (**)	18 (29.5)	** (**)	** (**)	5 (8.2)	0 (0.0)	** (**)	8 (13.1)	** (**)	20 (32.8)	0 (0.0)	0 (0.0)	61 (10.1)	
8	0 (0.0)	0 (0.0)	15 (34.9)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	6 (14.0)	** (**)	10 (23.3)	** (**)	0 (0.0)	43 (7.1)	
9	0 (0.0)	** (**)	13 (31.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	14 (33.3)	** (**)	0 (0.0)	42 (7.0)	
10	0 (0.0)	0 (0.0)	14 (27.5)	** (**)	** (**)	6 (11.8)	0 (0.0)	6 (11.8)	** (**)	** (**)	0 (0.0)	15 (29.4)	0 (0.0)	0 (0.0)	51 (8.5)
11	0 (0.0)	0 (0.0)	16 (31.4)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	21 (41.2)	** (**)	0 (0.0)	51 (8.5)	
12	0 (0.0)	** (**)	9 (17.6)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	6 (11.8)	** (**)	21 (41.2)	** (**)	0 (0.0)	51 (8.5)	
Total	** (**)	8 (1.3)	188 (31.2)	9 (1.5)	33 (5.5)	39 (6.5)	** (**)	22 (3.6)	65 (10.8)	23 (3.8)	15 (2.5)	180 (29.9)	17 (2.8)	** (**)	603 (100.0)
Grand Total	8 (0.4)	29 (1.6)	613 (34.2)	25 (1.4)	78 (4.3)	117 (6.5)	6 (0.3)	100 (5.6)	188 (10.5)	** (**)	53 (3.0)	467 (26.0)	64 (3.6)	** (**)	1794 (100.0)

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 7 ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 - 2012




TABLE 8 RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 - 2012

Year / Month	AGE GROUP (YEARS)					Total	Total (%)			
	<1 n	<1 (%)	1-4 n	1-4 (%)	5-10 n	5-10 (%)	11-15 n	11-15 (%)		
2010										
1	7	(58.3)	**	(**)	0	(0.0)	**	(**)	12	(9.0)
2	6	(75.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
3	**	(**)	5	(55.6)	0	(0.0)	0	(0.0)	**	(**)
4	7	(77.8)	**	(**)	**	(**)	0	(0.0)	**	(**)
5	5	(41.7)	**	(**)	0	(0.0)	**	(**)	12	(9.0)
6	**	(**)	**	(**)	**	(**)	0	(0.0)	10	(7.5)
7	5	(62.5)	**	(**)	0	(0.0)	**	(**)	8	(6.0)
8	5	(83.3)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
9	**	(**)	**	(**)	**	(**)	**	(**)	12	(9.0)
10	**	(**)	**	(**)	**	(**)	**	(**)	10	(7.5)
11	11	(57.9)	6	(31.6)	**	(**)	**	(**)	**	(**)
12	12	(66.7)	**	(**)	**	(**)	**	(**)	18	(13.5)
Total	73	(54.9)	37	(27.8)	10	(7.5)	13	(9.8)	133	(100.0)
2011										
1	10	(62.5)	5	(31.3)	0	(0.0)	**	(**)	**	(**)
2	12	(54.5)	6	(27.3)	**	(**)	**	(**)	22	(14.3)
3	7	(50.0)	7	(50.0)	0	(0.0)	0	(0.0)	14	(9.1)
4	**	(**)	**	(**)	**	(**)	**	(**)	7	(4.5)
5	5	(45.5)	**	(**)	**	(**)	**	(**)	11	(7.1)
6	5	(62.5)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
7	**	(**)	**	(**)	**	(**)	0	(0.0)	8	(5.2)
8	**	(**)	**	(**)	**	(**)	**	(**)	6	(3.9)
9	7	(46.7)	**	(**)	**	(**)	**	(**)	15	(9.7)
10	**	(**)	7	(63.6)	0	(0.0)	**	(**)	11	(7.1)
11	7	(63.6)	**	(**)	**	(**)	0	(0.0)	11	(7.1)
12	17	(68.0)	6	(24.0)	**	(**)	0	(0.0)	**	(**)
Total	78	(50.6)	53	(34.4)	14	(9.1)	9	(5.8)	154	(100.0)
2012										
1	9	(64.3)	**	(**)	**	(**)	0	(0.0)	14	(7.8)
2	7	(53.8)	**	(**)	5	(38.5)	0	(0.0)	**	(**)
3	11	(73.3)	**	(**)	**	(**)	0	(0.0)	15	(8.3)
4	7	(70.0)	**	(**)	**	(**)	**	(**)	10	(5.6)
5	6	(50.0)	**	(**)	0	(0.0)	**	(**)	12	(6.7)
6	**	(**)	7	(46.7)	**	(**)	**	(**)	15	(8.3)
7	8	(40.0)	7	(35.0)	5	(25.0)	0	(0.0)	20	(11.1)
8	**	(**)	**	(**)	**	(**)	0	(0.0)	10	(5.6)
9	10	(71.4)	**	(**)	**	(**)	0	(0.0)	14	(7.8)
10	8	(53.3)	5	(33.3)	**	(**)	0	(0.0)	**	(**)
11	17	(81.0)	**	(**)	**	(**)	**	(**)	21	(11.7)
12	18	(85.7)	**	(**)	**	(**)	0	(0.0)	21	(11.7)
Total	109	(60.6)	40	(22.2)	26	(14.4)	5	(2.8)	180	(100.0)
Grand Total	260	(55.7)	130	(27.8)	50	(10.7)	27	(5.8)	467	(100.0)

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 8 RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 - 2012




TABLE 9 ADMISSIONS BY MONTH, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	MONTH												Total
	January n (%)	February n (%)	March n (%)	April n (%)	May n (%)	June n (%)	July n (%)	August n (%)	September n (%)	October n (%)	November n (%)	December n (%)	
2010													
B	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (***)
C	29 (11.5)	17 (6.7)	26 (10.3)	23 (9.1)	20 (7.9)	20 (7.9)	20 (7.9)	11 (4.3)	18 (7.1)	9 (3.6)	25 (9.9)	35 (13.8)	253 (42.2)
D	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	5 (0.8)
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	10 (1.7)
E2	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	6 (1.0)
F	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.8)
I	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
K2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)
M	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
O	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
P	17 (11.6)	8 (5.5)	** (**)	16 (11.0)	14 (9.6)	11 (7.5)	19 (13.0)	15 (10.3)	11 (7.5)	15 (10.3)	9 (6.2)	7 (4.8)	** (**)
R	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
U	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)
V	** (**)	** (**)	5 (21.7)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	23 (3.8)
W	11 (8.0)	8 (5.8)	12 (8.7)	9 (6.5)	13 (9.4)	18 (13.0)	11 (8.0)	12 (8.7)	13 (9.4)	18 (13.0)	6 (4.3)	7 (5.1)	138 (23.0)
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
Total	60 (10.0)	38 (6.3)	52 (8.7)	** (**)	49 (8.2)	52 (8.7)	** (**)	46 (7.7)	46 (7.7)	53 (8.8)	48 (8.0)	54 (9.0)	600 (100.0)
2011													
C	23 (8.9)	21 (8.1)	27 (10.5)	18 (7.0)	24 (9.3)	23 (8.9)	18 (7.0)	15 (5.8)	17 (6.6)	17 (6.6)	27 (10.5)	28 (10.9)	258 (43.7)
D	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	8 (1.4)
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
E2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	5 (0.8)
F	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	6 (1.0)
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
K2	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
L	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
P	13 (9.8)	12 (9.1)	11 (8.3)	6 (4.5)	11 (8.3)	7 (5.3)	10 (7.6)	15 (11.4)	15 (11.4)	9 (6.8)	8 (6.1)	15 (11.4)	132 (22.3)
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
V	** (**)	5 (20.8)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	24 (4.1)
W	6 (4.1)	10 (6.8)	16 (11.0)	12 (8.2)	9 (6.2)	15 (10.3)	13 (8.9)	16 (11.0)	17 (11.6)	15 (10.3)	9 (6.2)	8 (5.5)	146 (24.7)
X	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
Total	47 (8.0)	51 (8.6)	58 (9.8)	39 (6.6)	46 (7.8)	48 (8.1)	43 (7.3)	54 (9.1)	58 (9.8)	46 (7.8)	** (**)	55 (9.3)	** (**)
2012													
C	26 (8.7)	24 (8.1)	26 (8.7)	27 (9.1)	24 (8.1)	24 (8.1)	28 (9.4)	18 (6.0)	21 (7.0)	28 (9.4)	29 (9.7)	23 (7.7)	298 (49.4)
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)
E1	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (1.0)
E2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	5 (0.8)
F	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
I	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)
N	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)
O	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
P	12 (10.6)	8 (7.1)	12 (10.6)	** (**)	7 (6.2)	11 (9.7)	19 (16.8)	9 (8.0)	7 (6.2)	6 (5.3)	6 (5.3)	12 (10.6)	** (**)
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
V	7 (21.2)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	33 (5.5)
W	6 (4.7)	10 (7.9)	19 (15.0)	11 (8.7)	10 (7.9)	8 (6.3)	12 (9.4)	9 (7.1)	10 (7.9)	12 (9.4)	11 (8.7)	9 (7.1)	127 (21.1)
X	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
Total	** (**)	49 (8.1)	64 (10.6)	48 (8.0)	45 (7.5)	46 (7.6)	61 (10.1)	43 (7.1)	42 (7.0)	51 (8.5)	51 (8.5)	51 (8.5)	** (**)
Grand													
Total	** (**)	138 (7.7)	174 (9.7)	** (**)	140 (7.8)	146 (8.1)	157 (8.8)	143 (8.0)	146 (8.1)	150 (8.4)	** (**)	160 (8.9)	1794 (100.0)

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 10 ADMISSIONS BY HEALTH BOARD AND YEAR, 2010 - 2012

Country/Health Board	YEAR						Total	
	2010		2011		2012			
	n	(%)	n	(%)	n	(%)	n	(%)
Wales								
Abertawe Bro Morgannwg University	90	(15.0)	90	(15.3)	99	(16.4)	279	(15.6)
Aneurin Bevan	144	(24.0)	103	(17.5)	116	(19.2)	363	(20.2)
Betsi Cadwaladr University	153	(25.5)	147	(24.9)	118	(19.6)	418	(23.3)
Cardiff and Vale University	93	(15.5)	101	(17.1)	128	(21.2)	322	(17.9)
Cwm Taf	52	(8.7)	55	(9.3)	55	(9.1)	162	(9.0)
Hywel Dda	55	(9.2)	71	(12.0)	66	(10.9)	192	(10.7)
Powys Teaching	13	(2.2)	24	(4.1)	21	(3.5)	58	(3.2)
Total	600	(33.4)	591	(32.9)	603	(33.6)	1794	(100.0)

FIGURE 10 MAP SHOWING LOCAL HEALTH BOARD BOUNDARIES



© Crown Copyright/database right 2013 An Ordnance Survey/ONS supplied service

Wales comprises a single health authority split into 7 Local Health Boards which are responsible for primary care.

TABLE 11 ADMISSIONS BY PREDICTED MORTALITY RISK GROUP, BY HEALTH ORGANISATION, 2010 - 2012


Year / Organisation	PIM2 (RECALIBRATED) GROUP						Total					
	<1%		1-<5%		5-<15%		15-<30%		30%+			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2010												
B	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
C	64	(25.3)	128	(50.6)	48	(19.0)	8	(3.2)	5	(2.0)	253	(42.2)
D	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.8)
E1	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	10	(1.7)
E2	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	6	(1.0)
F	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(0.8)
I	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
M	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	21	(14.4)	88	(60.3)	27	(18.5)	7	(4.8)	**	(**)	**	(**)
R	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
U	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	14	(60.9)	6	(26.1)	**	(**)	0	(0.0)	23	(3.8)
W	38	(27.5)	81	(58.7)	15	(10.9)	**	(**)	**	(**)	138	(23.0)
X	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	135	(22.5)	328	(54.7)	106	(17.7)	22	(3.7)	9	(1.5)	600	(100.0)
2011												
C	59	(22.9)	139	(53.9)	51	(19.8)	6	(2.3)	**	(**)	**	(**)
D	**	(**)	5	(62.5)	**	(**)	0	(0.0)	0	(0.0)	8	(1.4)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(0.8)
F	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	6	(1.0)
H	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	16	(12.1)	81	(61.4)	31	(23.5)	**	(**)	**	(**)	132	(22.3)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	5	(20.8)	12	(50.0)	5	(20.8)	**	(**)	0	(0.0)	**	(**)
W	27	(18.5)	92	(63.0)	22	(15.1)	**	(**)	**	(**)	146	(24.7)
X	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Total	110	(18.6)	344	(58.2)	115	(19.5)	17	(2.9)	5	(0.8)	591	(100.0)
2012												
C	68	(22.8)	162	(54.4)	58	(19.5)	5	(1.7)	5	(1.7)	298	(49.4)
D	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.0)
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.8)
F	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
N	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	16	(14.2)	65	(57.5)	26	(23.0)	**	(**)	**	(**)	113	(18.7)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	12	(36.4)	11	(33.3)	**	(**)	**	(**)	33	(5.5)
W	20	(15.7)	78	(61.4)	26	(20.5)	**	(**)	**	(**)	127	(21.1)
X	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)
Total	116	(19.2)	344	(55.4)	124	(20.6)	14	(2.3)	15	(2.5)	603	(100.0)
Grand												
Total	361	(20.1)	1006	(56.1)	345	(19.2)	53	(3.0)	29	(1.6)	1794	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 12 ADMISSIONS BY ADMISSION TYPE AND AGE, 2010 - 2012

Removed for anonymisation

FIGURE 12 ADMISSIONS BY ADMISSION TYPE AND AGE, 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 13 ADMISSIONS BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	ADMISSION TYPE						Total	
	Planned - following surgery	Unplanned - following surgery	Planned - other	Unplanned - other	Unknown			
	n	(%)	n	(%)	n	(%)	n	(%)
2010								
B	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
C	59	(23.3)	10	(4.0)	5	(2.0)	179	(70.8)
D	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	**	(**)	**	(**)	**	(**)
E2	**	(**)	0	(0.0)	**	(**)	**	(**)
F	**	(**)	0	(0.0)	0	(0.0)	**	(**)
I	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
M	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
P	55	(37.7)	7	(4.8)	**	(**)	81	(55.5)
R	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
U	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)
V	12	(52.2)	**	(**)	**	(**)	9	(39.1)
W	104	(75.4)	**	(**)	0	(0.0)	31	(22.5)
X	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	242	(40.3)	23	(3.8)	13	(2.2)	322	(53.7)
							0	(0.0)
							600	(100.0)
2011								
C	58	(22.5)	19	(7.4)	7	(2.7)	174	(67.4)
D	**	(**)	**	(**)	0	(0.0)	6	(75.0)
E1	**	(**)	0	(0.0)	**	(**)	0	(0.0)
E2	**	(**)	**	(**)	**	(**)	**	(**)
F	**	(**)	0	(0.0)	**	(**)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)
L	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	50	(37.9)	7	(5.3)	**	(**)	73	(55.3)
R	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	11	(45.8)	**	(**)	**	(**)	11	(45.8)
W	103	(70.5)	**	(**)	**	(**)	40	(27.4)
X	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	229	(38.7)	**	(**)	16	(2.7)	316	(53.5)
							0	(0.0)
							**	(**)
2012								
C	70	(23.5)	21	(7.0)	**	(**)	203	(68.1)
D	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E1	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
E2	**	(**)	0	(0.0)	**	(**)	**	(**)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)
H	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
N	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
O	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
P	27	(23.9)	10	(8.8)	0	(0.0)	76	(67.3)
R	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	15	(45.5)	0	(0.0)	**	(**)	16	(48.5)
W	77	(60.6)	**	(**)	9	(7.1)	39	(30.7)
X	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	204	(33.8)	**	(**)	17	(2.8)	348	(57.7)
							0	(0.0)
							**	(**)
Grand								
Total	675	(37.6)	87	(4.8)	46	(2.6)	986	(55.0)
							0	(0.0)
							1794	(100.0)

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 13 ADMISSIONS BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012




TABLE 14 ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	ADMISSION SOURCE						Unknown	Total	
	Same hospital	Other hospital	Clinic	Home					
n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2010									
B	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
C	68 (38.0)	111 (62.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	179 (55.6)		
D	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
E1	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
E2	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
F	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
I	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
K2	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
L	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
M	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
P	24 (29.6)	57 (70.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	81 (25.2)		
R	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
V	5 (55.6)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
W	13 (41.9)	18 (58.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	31 (9.6)		
X	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
Total	121 (37.6)	201 (62.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	322 (100.0)		
2011									
C	71 (40.8)	103 (59.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	174 (55.1)		
D	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (1.9)		
E2	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
F	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
L	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
P	13 (17.8)	60 (82.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	73 (23.1)		
R	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
V	6 (54.5)	5 (45.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	11 (3.5)		
W	14 (35.0)	26 (65.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	40 (12.7)		
X	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
Total	109 (34.5)	207 (65.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	316 (100.0)		
2012									
C	87 (42.9)	116 (57.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	203 (58.3)		
D	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
E2	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
H	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
L	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
P	19 (25.0)	57 (75.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	76 (21.8)		
R	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
V	6 (37.5)	10 (62.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	16 (4.6)		
W	12 (30.8)	27 (69.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	39 (11.2)		
X	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
Total	128 (36.8)	220 (63.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	348 (100.0)		
Grand									
Total	358 (36.3)	628 (63.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	986 (100.0)		

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 14 ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2010 - 2012




TABLE 15 ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED -OTHER; ADMITTED FROM HOSPITAL), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Accident & emergency	HDU (step - up / step - down unit)	ICU / PICU / NICU	Other intermediate care area (not ICU / PICU / NICU)	CARE AREA		Theatre and recovery	Ward	X-ray, endoscopy, CT scanner or similar	Unknown	Total
					Recovery only						
		n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)
2010											
B	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
C	43 (24.0)	48 (26.8)	40 (22.3)	** (**)	** (**)	29 (16.2)	11 (6.1)	** (**)	0 (0.0)	179 (55.6)	
D	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
E1	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
E2	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
F	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
I	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
K2	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
L	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
M	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
P	14 (17.3)	14 (17.3)	15 (18.5)	** (**)	0 (0.0)	** (**)	35 (43.2)	0 (0.0)	0 (0.0)	81 (25.2)	
R	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
V	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	9 (2.8)	
W	** (**)	0 (0.0)	8 (25.8)	** (**)	0 (0.0)	** (**)	12 (38.7)	0 (0.0)	5 (16.1)	31 (9.6)	
X	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
Total	67 (20.8)	65 (20.2)	70 (21.7)	7 (2.2)	** (**)	35 (10.9)	67 (20.8)	** (**)	5 (1.6)	322 (100.0)	
2011											
C	55 (31.6)	45 (25.9)	24 (13.8)	** (**)	** (**)	33 (19.0)	11 (6.3)	** (**)	0 (0.0)	174 (55.1)	
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (100.0)	0 (0.0)	0 (0.0)	6 (1.9)	
E2	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
F	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
L	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
P	17 (23.3)	11 (15.1)	18 (24.7)	0 (0.0)	0 (0.0)	** (**)	20 (27.4)	** (**)	0 (0.0)	73 (23.1)	
R	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
V	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	8 (72.7)	0 (0.0)	0 (0.0)	11 (3.5)	
W	** (**)	5 (12.5)	15 (37.5)	0 (0.0)	** (**)	** (**)	12 (30.0)	0 (0.0)	** (**)	40 (12.7)	
X	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
Total	78 (24.7)	62 (19.6)	65 (20.6)	** (**)	** (**)	39 (12.3)	59 (18.7)	** (**)	** (**)	316 (100.0)	
2012											
C	48 (23.6)	48 (23.6)	22 (10.8)	** (**)	** (**)	48 (23.6)	30 (14.8)	** (**)	0 (0.0)	203 (58.3)	
D	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (*)	0 (0.0)	0 (0.0)	** (**)	
E2	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
H	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
L	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
P	18 (23.7)	8 (10.5)	16 (21.1)	0 (0.0)	0 (0.0)	** (**)	30 (39.5)	0 (0.0)	0 (0.0)	** (**)	
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	
V	** (**)	0 (0.0)	6 (37.5)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	16 (4.6)	
W	0 (0.0)	** (**)	20 (51.3)	0 (0.0)	0 (0.0)	** (**)	11 (28.2)	0 (0.0)	** (**)	39 (11.2)	
X	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
Total	72 (20.7)	63 (18.1)	68 (19.5)	** (**)	** (**)	58 (16.7)	77 (22.1)	** (**)	** (**)	348 (100.0)	
Grand Total	217 (22.0)	190 (19.3)	203 (20.6)	11 (1.1)	11 (1.1)	132 (13.4)	203 (20.6)	9 (0.9)	10 (1.0)	986 (100.0)	

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 15 ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED -OTHER; ADMITTED FROM HOSPITAL), BY HEALTH ORGANISATION, 2010 - 2012





TABLE 16 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE, 2010 - 2012

Diagnostic Group	AGE GROUP (YEARS)					Total n (%)				
	<1		1-4		5-10					
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Blood / lymphatic	**	(**)	**	(**)	**	(**)	**	(**)	8	(0.4)
Body wall and cavities	28	(96.6)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Cardiovascular	383	(62.5)	130	(21.2)	58	(9.5)	42	(6.9)	613	(34.2)
Endocrine / metabolic	11	(44.0)	8	(32.0)	**	(**)	5	(20.0)	**	(**)
Gastrointestinal	47	(60.3)	15	(19.2)	8	(10.3)	8	(10.3)	78	(4.3)
Infection	47	(40.2)	39	(33.3)	16	(13.7)	15	(12.8)	117	(6.5)
Multisystem	**	(**)	**	(**)	**	(**)	0	(0.0)	6	(0.3)
Musculoskeletal	**	(**)	5	(5.0)	18	(18.0)	74	(74.0)	**	(**)
Neurological	37	(19.7)	83	(44.1)	34	(18.1)	34	(18.1)	188	(10.5)
Oncology	5	(11.9)	14	(33.3)	17	(40.5)	6	(14.3)	42	(2.3)
Respiratory	260	(55.7)	130	(27.8)	50	(10.7)	27	(5.8)	467	(26.0)
Trauma	11	(17.2)	11	(17.2)	19	(29.7)	23	(35.9)	64	(3.6)
Other	16	(30.2)	15	(28.3)	15	(28.3)	7	(13.2)	53	(3.0)
Unknown	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)
Total	856	(47.7)	455	(25.4)	**	(**)	**	(**)	1794	(100.0)

FIGURE 16 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP, 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 17 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2010 - 2012

Diagnostic Group	AGE GROUP (YEARS)				Total n (%)
	16 n (%)	17-20 n (%)	21-25 n (%)	26+ n (%)	
Cardiovascular	** (**)	** (**)	** (**)	0 (0.0)	6 (17.1)
Endocrine / metabolic	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
Infection	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)
Musculoskeletal	10 (66.7)	5 (33.3)	0 (0.0)	0 (0.0)	15 (42.9)
Neurological	** (**)	** (**)	0 (0.0)	0 (0.0)	6 (17.1)
Oncology	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
Respiratory	** (**)	** (**)	0 (0.0)	0 (0.0)	5 (14.3)
Total	21 (60.0)	13 (37.1)	** (**)	0 (0.0)	** (**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
 Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 17 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2010 - 2012

Removed for anonymisation

TABLE 18 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Blood / lymphatic	Body wall and cavities	Cardio - vascular	Endocrine / metabolic	Gastro - intestinal	Infection	Multi- system	Musculo - skeletal	Neuro - logical	Oncology	Respiratory	Trauma	Other	Unknown	Total
	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)
2010															
B	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
C	0 (0.0)	** (**) 12 (4.7)	5 (2.0)	5 (2.0)	27 (10.7)	0 (0.0)	32 (12.6)	50 (19.8)	0 (0.0)	100 (39.5)	12 (4.7)	9 (3.6)	0 (0.0)	0 (0.0)	** (**) 5 (0.8)
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	10 (1.7)
E1	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
E2	0 (0.0)	0 (0.0)	5 (83.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
F	0 (0.0)	0 (0.0)	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.8)
I	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
K2	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
M	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
O	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
P	** (**) 6 (4.1)	53 (36.3)	** (**) 14 (9.6)	9 (6.2)	** (**) 18 (12.3)	** (**) 21 (14.4)	8 (5.5)	5 (3.4)	0 (0.0)	146 (24.3)					
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
U	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
V	** (**) 0 (0.0)	15 (65.2)	0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	23 (3.8)
W	0 (0.0)	** (**) 126 (91.3)	0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	138 (23.0)
X	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
Total	** (**) 223 (37.2)	** (**) 25 (4.2)	42 (7.0)	** (**) 25 (4.2)	133 (22.2)	25 (4.2)	21 (3.5)	** (**) 600 (100.0)							
2011															
C	** (**) 10 (3.9)	7 (2.7)	12 (4.7)	19 (7.4)	0 (0.0)	39 (15.1)	44 (17.1)	9 (3.5)	94 (36.4)	13 (5.0)	7 (2.7)	0 (0.0)	258 (43.7)		
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 6 (75.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
E1	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
E2	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.8)
F	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 6 (1.0)
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
K2	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
P	0 (0.0)	9 (6.8)	47 (35.6)	** (**) 5 (3.8)	9 (6.8)	0 (0.0)	** (**) 6 (4.5)	** (**) 37 (28.0)	8 (6.1)	** (**) 0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	132 (22.3)
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
V	0 (0.0)	0 (0.0)	9 (37.5)	0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	24 (4.1)
W	** (**) 130 (89.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	** (**) 0 (0.0)	6 (4.1)	** (**) 0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	146 (24.7)
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
Total	** (**) 13 (2.2)	202 (34.2)	** (**) 20 (3.4)	36 (6.1)	** (**) 20 (3.4)	** (**) 20 (3.4)	** (**) 20 (3.4)	53 (9.0)	16 (2.7)	154 (26.1)	** (**) 17 (2.9)	** (**) 591 (100.0)			
2012															
C	** (**) 16 (5.4)	7 (2.3)	15 (5.0)	30 (10.1)	0 (0.0)	17 (5.7)	48 (16.1)	15 (5.0)	127 (42.6)	10 (3.4)	8 (2.7)	0 (0.0)	298 (49.4)		
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (1.0)
E2	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.8)
F	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
I	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
N	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
O	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
P	0 (0.0)	** (**) 27 (23.9)	** (**) 10 (8.8)	6 (5.3)	** (**) 14 (12.4)	** (**) 36 (31.9)	5 (4.4)	** (**) 0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	113 (18.7)
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
V	0 (0.0)	0 (0.0)	22 (66.7)	0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	33 (5.5)
W	0 (0.0)	** (**) 119 (93.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	** (**) 0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	127 (21.1)
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**) 0 (0.0)
Total	** (**) 8 (1.3)	188 (31.2)	** (**) 33 (5.5)	** (**) 22 (3.6)	** (**) 23 (3.8)	180 (29.9)	** (**) 15 (2.5)	** (**) 15 (2.5)	** (**) 603 (100.0)						
Grand Total	8 (0.4)	** (**) 613 (34.2)	25 (1.4)	78 (4.3)	** (**) 6 (0.3)	100 (5.6)	188 (10.5)	** (**) 467 (26.0)	64 (3.6)	53 (3.0)	** (**) 1794 (100.0)				

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 19 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - FOLLOWING SURGERY), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Blood / lymphatic	Body wall and cavities	Cardio - vascular	Endocrine / metabolic	Gastro - intestinal	Infection	Multisystem	Musculo - skeletal	Neurological	Oncology	Respiratory	Trauma	Other	Unknown	Total
	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)
2010															
C	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	31 (52.5)	** (**)	0 (0.0)	17 (28.8)	** (**)	0 (0.0)	0 (0.0)	59 (24.4)
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	** (**)
E2	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
F	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
O	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
P	0 (0.0)	** (**)	37 (67.3)	0 (0.0)	8 (14.5)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	55 (22.7)
V	0 (0.0)	0 (0.0)	12 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	12 (5.0)
W	0 (0.0)	** (**)	102 (98.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
Total	0 (0.0)	6 (2.5)	159 (65.7)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	6 (2.5)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	242 (100.0)
2011															
C	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	5 (8.6)	0 (0.0)	0 (0.0)	38 (65.5)	0 (0.0)	5 (8.6)	6 (10.3)	0 (0.0)	** (**)	0 (0.0)	58 (25.3)
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
E2	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
F	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
P	0 (0.0)	** (**)	36 (72.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	50 (21.8)
V	0 (0.0)	0 (0.0)	6 (54.5)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	11 (4.8)
W	0 (0.0)	0 (0.0)	98 (95.1)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	103 (45.0)
Total	0 (0.0)	5 (2.2)	144 (62.9)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	0 (0.0)	** (**)	14 (6.1)	0 (0.0)	9 (3.9)	0 (0.0)	229 (100.0)
2012															
C	0 (0.0)	** (**)	** (**)	0 (0.0)	5 (7.1)	** (**)	0 (0.0)	17 (24.3)	** (**)	10 (14.3)	28 (40.0)	** (**)	** (**)	0 (0.0)	70 (34.3)
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	6 (2.9)
E2	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
I	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
N	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
O	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
P	0 (0.0)	** (**)	13 (48.1)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	0 (0.0)	27 (13.2)
V	0 (0.0)	0 (0.0)	13 (86.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
W	0 (0.0)	** (**)	75 (97.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
Total	0 (0.0)	5 (2.5)	105 (51.5)	0 (0.0)	12 (5.9)	** (**)	** (**)	21 (10.3)	** (**)	** (**)	37 (18.1)	** (**)	5 (2.5)	0 (0.0)	204 (100.0)
Grand Total	0 (0.0)	16 (2.4)	408 (60.4)	** (**)	28 (4.1)	** (**)	** (**)	96 (14.2)	** (**)	21 (3.1)	** (**)	** (**)	** (**)	0 (0.0)	675 (100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 20 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - FOLLOWING SURGERY), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Blood / lymphatic	Body wall and cavities	Cardio - vascular	Endocrine / metabolic	Gastro - intestinal	Infection	Multisystem	Musculo - skeletal	Neurological	Oncology	Respiratory	Trauma	Other	Unknown	Total
	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)
2010															
C	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	10 (43.5)
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)
P	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	7 (30.4)
V	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
W	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)
Total	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	6 (26.1)	** (**)	** (**)	0 (0.0)	23 (100.0)	
2011															
C	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (26.3)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)	7 (36.8)	** (**)	0 (0.0)	0 (0.0)	19 (63.3)
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
E2	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
P	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	7 (23.3)
V	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
W	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)
Total	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	11 (36.7)	** (**)	** (**)	0 (0.0)	30 (100.0)
2012															
C	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)	8 (38.1)	** (**)	** (**)	0 (0.0)	21 (61.8)
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
P	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	10 (29.4)
W	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)
Total	0 (0.0)	** (**)	** (**)	** (**)	5 (14.7)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	34 (100.0)
Grand															
Total	0 (0.0)	** (**)	7 (8.0)	** (**)	16 (18.4)	** (**)	** (**)	** (**)	8 (9.2)	6 (6.9)	** (**)	6 (6.9)	8 (9.2)	0 (0.0)	87 (100.0)

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 21 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - OTHER), BY HEALTH ORGANISATION, 2010 - 2012

Removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 22 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		
2010																														
B	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
C	0	(0.0)	0	(0.0)	10	(5.6)	**	(**)	**	(**)	26	(14.5)	0	(0.0)	**	(**)	42	(23.5)	0	(0.0)	78	(43.6)	9	(5.0)	8	(4.5)	0	(0.0)	179	(55.6)
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
I	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
M	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	**	(**)	**	(**)	15	(18.5)	**	(**)	**	(**)	9	(11.1)	**	(**)	0	(0.0)	15	(18.5)	0	(0.0)	17	(21.0)	8	(9.9)	5	(6.2)	0	(0.0)	81	(25.2)
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	9	(2.8)		
W	0	(0.0)	0	(0.0)	23	(74.2)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	31	(9.6)		
X	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	58	(18.0)	7	(2.2)	9	(2.8)	41	(12.7)	**	(**)	**	(**)	**	(**)	0	(0.0)	104	(32.3)	21	(6.5)	**	(**)	**	(**)	322	(100.0)
2011																														
C	**	(**)	**	(**)	9	(5.2)	6	(3.4)	**	(**)	18	(10.3)	0	(0.0)	0	(0.0)	42	(24.1)	**	(**)	79	(45.4)	11	(6.3)	**	(**)	0	(0.0)	174	(55.1)
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.9)		
E2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
F	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	5	(6.8)	10	(13.7)	0	(0.0)	**	(**)	8	(11.0)	0	(0.0)	0	(0.0)	6	(8.2)	**	(**)	29	(39.7)	8	(11.0)	**	(**)	0	(0.0)	73	(23.1)
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	11	(3.5)
W	**	(**)	**	(**)	31	(77.5)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	40	(12.7)
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	6	(1.9)	6	(1.9)	33	(10.4)	0	(0.0)	0	(0.0)	51	(16.1)	6	(1.9)	123	(38.9)	**	(**)	7	(2.2)	**	(**)	316	(100.0)		
2012																														
C	**	(**)	**	(**)	13	(6.4)	5	(2.5)	6	(3.0)	28	(13.8)	0	(0.0)	0	(0.0)	44	(21.7)	**	(**)	89	(43.8)	8	(3.9)	**	(**)	0	(0.0)	203	(58.3)
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
E2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
L	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	**	(**)	12	(15.8)	**	(**)	6	(7.9)	6	(7.9)	0	(0.0)	0	(0.0)	12	(15.8)	**	(**)	30	(39.5)	**	(**)	**	(**)	0	(0.0)	76	(21.8)
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	0	(0.0)	0	(0.0)	8	(50.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	16	(4.6)		
W	0	(0.0)	0	(0.0)	35	(89.7)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	39	(11.2)
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	68	(19.5)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	9	(2.6)	130	(37.4)	13	(3.7)	5	(1.4)	**	(**)	348	(100.0)
Grand Total	7	(0.7)	11	(1.1)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	986	(100.0)				


As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 26 RETRIEVALS BY TEAM TYPE AND AGE, 2010 - 2012

Retrieval Team	AGE GROUP (YEARS)					Total
	<1 n (%)	1-4 n (%)	5-10 n (%)	11-15 n (%)	n (%)	
Own team	262 (50.4)	142 (27.3)	70 (13.5)	46 (8.8)	520 (78.3)	
Other specialist PIC team	27 (75.0)	** (**)	** (**)	** (**)	36 (5.4)	
Other specialist non-PIC team	64 (71.1)	7 (7.8)	8 (8.9)	11 (12.2)	90 (13.6)	
Non-specialist team	9 (50.0)	** (**)	** (**)	** (**)	18 (2.7)	
Total	362 (54.5)	157 (23.6)	** (**)	** (**)	664 (100.0)	

FIGURE 26 RETRIEVALS BY TEAM TYPE, 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 27 NON - SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 - 2012

Removed for anonymisation

FIGURE 27 NON - SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 - 2012


Removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 27(a) SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 - 2012

Diagnostic Group	AGE GROUP (YEARS)					Total		
	<1 n	<1 (%)	1-4 n	1-4 (%)	5-10 n	5-10 (%)		
Blood / lymphatic	** (**)		0	(0.0)	**	(**)	0 (0.0)	** (**)
Body wall and cavities	** (**)		0	(0.0)	0	(0.0)	0 (0.0)	** (**)
Cardiovascular	63	(81.8)	**	(**)	7	(9.1)	**	(**)
Endocrine / metabolic	**	(**)	**	(**)	0	(0.0)	**	(**)
Gastrointestinal	**	(**)	**	(**)	**	(**)	**	(**)
Infection	30	(46.2)	20	(30.8)	8	(12.3)	7	(10.8)
Musculoskeletal	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Neurological	17	(19.1)	47	(52.8)	12	(13.5)	13	(14.6)
Oncology	0	(0.0)	**	(**)	**	(**)	0 (0.0)	** (**)
Respiratory	153	(62.2)	60	(24.4)	22	(8.9)	11	(4.5)
Trauma	9	(25.0)	6	(16.7)	9	(25.0)	12	(33.3)
Other	**	(**)	**	(**)	7	(53.8)	0 (0.0)	13 (2.3)
Unknown	**	(**)	0	(0.0)	0	(0.0)	0 (0.0)	** (**)
Total	289	(52.0)	146	(26.3)	71	(12.8)	50	(9.0)
							556	(100.0)

FIGURE 27(a) SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 28 RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Own team	Other specialist team (PICU)	RETRIEVAL TYPE		Non-specialist team	Unknown	Total	
			Other specialist team (non-PICU)					
	n	(%)	n	(%)	n	(%)	n	(%)
2010								
C	105	(91.3)	5	(4.3)	**	(**)	**	(**)
D	**	(**)	**	(**)	0	(0.0)	0	(0.0)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
E2	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
F	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)
L	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
P	42	(70.0)	**	(**)	16	(26.7)	0	(0.0)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
W	7	(50.0)	**	(**)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
Total	164	(79.6)	16	(7.8)	21	(10.2)	5	(2.4)
							206	(100.0)
2011								
C	97	(88.2)	**	(**)	7	(6.4)	**	(**)
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
E2	0	(0.0)	**	(**)	**	(**)	0	(0.0)
F	**	(**)	**	(**)	0	(0.0)	0	(0.0)
L	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
P	45	(71.4)	**	(**)	16	(25.4)	0	(0.0)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
V	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
W	15	(71.4)	**	(**)	**	(**)	0	(0.0)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
Total	174	(80.6)	12	(5.6)	26	(12.0)	**	(**)
							216	(100.0)
2012								
C	112	(89.6)	5	(4.0)	**	(**)	5	(4.0)
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
E2	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
P	36	(60.0)	0	(0.0)	24	(40.0)	0	(0.0)
R	**	(**)	**	(**)	0	(0.0)	0	(0.0)
V	5	(41.7)	0	(0.0)	5	(41.7)	**	(**)
W	22	(66.7)	0	(0.0)	11	(33.3)	0	(0.0)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
Total	182	(75.2)	8	(3.3)	**	(**)	**	(**)
Grand Total	520	(78.3)	36	(5.4)	**	(**)	**	(**)

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality.
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 28 RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 - 2012




TABLE 29 INTERVENTIONS RECEIVED BY HEALTH ORGANISATIONS, 2010 - 2012

Year / Organisation	Admissions	Invasive Ventilation		Non-Invasive Ventilation		Tracheostomy		INTERVENTIONS		LVAD	ICP Device	Renal Support	
		n	(%)	n	(%)	n	(%)	n	(%)				
2010													
B	**	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
C	253	214	(84.6)	36	(14.2)	1	(0.4)	0	(0.0)	40	(15.8)	0	(0.0)
D	5	3	(60.0)	1	(20.0)	0	(0.0)	0	(0.0)	1	(20.0)	0	(0.0)
E1	10	8	(80.0)	4	(40.0)	0	(0.0)	0	(0.0)	2	(20.0)	0	(0.0)
E2	6	5	(83.3)	1	(16.7)	0	(0.0)	1	(16.7)	5	(83.3)	1	(16.7)
F	5	4	(80.0)	1	(20.0)	1	(20.0)	0	(0.0)	5	(100.0)	0	(0.0)
I	**	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
K2	**	2	(66.7)	0	(0.0)	0	(0.0)	0	(0.0)	3	(100.0)	1	(33.3)
L	**	1	(33.3)	1	(33.3)	0	(0.0)	0	(0.0)	1	(33.3)	0	(0.0)
M	**	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
O	**	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
P	146	125	(85.6)	17	(11.6)	1	(0.7)	1	(0.7)	70	(47.9)	0	(0.0)
R	**	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(100.0)	0	(0.0)
U	**	0	(0.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
V	23	21	(91.3)	3	(13.0)	0	(0.0)	0	(0.0)	19	(82.6)	0	(0.0)
W	138	120	(87.0)	32	(23.2)	0	(0.0)	0	(0.0)	114	(82.6)	0	(0.0)
X	**	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	2	(100.0)	0	(0.0)
Total		600	508 (84.7)	97 (16.2)		3 (0.5)		2 (0.3)		263 (43.8)		2 (0.3)	
2011													
C	258	212	(82.2)	32	(12.4)	7	(2.7)	0	(0.0)	44	(17.1)	0	(0.0)
D	8	5	(62.5)	3	(37.5)	1	(12.5)	0	(0.0)	1	(12.5)	0	(0.0)
E1	**	1	(50.0)	1	(50.0)	0	(0.0)	0	(0.0)	1	(50.0)	0	(0.0)
E2	5	5	(100.0)	1	(20.0)	0	(0.0)	1	(20.0)	2	(40.0)	0	(0.0)
F	6	6	(100.0)	1	(16.7)	0	(0.0)	0	(0.0)	6	(100.0)	0	(0.0)
H	**	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
K2	**	1	(100.0)	0	(0.0)	0	(0.0)	1	(100.0)	1	(100.0)	0	(0.0)
L	**	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(50.0)	0	(0.0)
P	132	111	(84.1)	17	(12.9)	4	(3.0)	1	(0.8)	49	(37.1)	0	(0.0)
R	**	1	(50.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
V	24	18	(75.0)	12	(50.0)	0	(0.0)	0	(0.0)	9	(37.5)	0	(0.0)
W	146	127	(87.0)	41	(28.1)	0	(0.0)	1	(0.7)	124	(84.9)	0	(0.0)
X	**	3	(75.0)	0	(0.0)	0	(0.0)	4	(100.0)	2	(50.0)	0	(0.0)
Total		591	492 (83.2)	109 (18.4)		12 (2.0)		8 (1.4)		240 (40.6)		1 (0.2)	
2012													
C	298	245	(82.2)	47	(15.8)	3	(1.0)	0	(0.0)	39	(13.1)	0	(0.0)
D	**	4	(100.0)	1	(25.0)	1	(25.0)	0	(0.0)	2	(50.0)	0	(0.0)
E1	6	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
E2	5	4	(80.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(20.0)	0	(0.0)
F	**	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(100.0)	0	(0.0)
H	**	1	(100.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
I	**	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
L	**	2	(66.7)	0	(0.0)	0	(0.0)	0	(0.0)	1	(33.3)	0	(0.0)
N	**	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
O	**	1	(50.0)	1	(50.0)	0	(0.0)	0	(0.0)	1	(50.0)	0	(0.0)
P	113	91	(80.5)	19	(16.8)	3	(2.7)	0	(0.0)	30	(26.5)	0	(0.0)
R	**	3	(100.0)	1	(33.3)	0	(0.0)	0	(0.0)	1	(33.3)	0	(0.0)
V	33	30	(90.9)	10	(30.3)	0	(0.0)	1	(3.0)	26	(78.8)	0	(0.0)
W	127	109	(85.8)	45	(35.4)	0	(0.0)	0	(0.0)	110	(86.6)	0	(0.0)
X	**	4	(100.0)	0	(0.0)	0	(0.0)	3	(75.0)	3	(75.0)	1	(25.0)
Total		603	502 (83.3)	125 (20.7)		7 (1.2)		4 (0.7)		215 (35.7)		1 (0.2)	
Grand		1794	1502 (83.7)	331 (18.5)		22 (1.2)		14 (0.8)		718 (40.0)		4 (0.2)	
Total												38 (2.1)	80 (4.5)

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 30 ADMISSIONS BY VENTILATION STATUS AND AGE, 2010 - 2012

Ventilation Status	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Invasive only	563	(45.7)	338	(27.5)	173	(14.1)	157	(12.8)	1231	(68.6)
Non-invasive only	34	(56.7)	14	(23.3)	6	(10.0)	6	(10.0)	60	(3.3)
Both	196	(72.3)	40	(14.8)	14	(5.2)	21	(7.7)	271	(15.1)
Neither	62	(26.8)	63	(27.3)	47	(20.3)	59	(25.5)	231	(12.9)
Unknown	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	455	(25.4)	240	(13.4)	243	(13.5)	**	(**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
 Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 31 ADMISSIONS BY VENTILATION STATUS BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	VENTILATION STATUS						Total	
	Invasive only	Non-invasive only	Both	Neither	Unknown			
	n	(%)	n	(%)	n	(%)	n	(%)
2010								
B	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
C	191	(75.5)	13	(5.1)	23	(9.1)	26	(10.3)
D	**	(**)	0	(0.0)	**	(**)	**	(**)
E1	**	(**)	0	(0.0)	**	(**)	**	(**)
E2	**	(**)	0	(0.0)	**	(**)	**	(**)
F	**	(**)	0	(0.0)	**	(**)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
K2	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	**	(**)	**	(**)
M	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
O	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	110	(75.3)	**	(**)	15	(10.3)	19	(13.0)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
U	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)
V	18	(78.3)	0	(0.0)	**	(**)	0	(0.0)
W	92	(66.7)	**	(**)	28	(20.3)	14	(10.1)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
Total	431	(71.8)	20	(3.3)	77	(12.8)	72	(12.0)
2011								
C	185	(71.7)	5	(1.9)	27	(10.5)	41	(15.9)
D	**	(**)	**	(**)	**	(**)	0	(0.0)
E1	**	(**)	**	(**)	0	(0.0)	0	(0.0)
E2	**	(**)	0	(0.0)	**	(**)	0	(0.0)
F	5	(83.3)	0	(0.0)	**	(**)	0	(0.0)
H	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
L	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
P	97	(73.5)	**	(**)	14	(10.6)	18	(13.6)
R	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)
V	9	(37.5)	**	(**)	9	(37.5)	**	(**)
W	91	(62.3)	5	(3.4)	36	(24.7)	14	(9.6)
X	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	401	(67.9)	18	(3.0)	91	(15.4)	**	(**)
2012								
C	207	(69.5)	9	(3.0)	38	(12.8)	44	(14.8)
D	**	(**)	0	(0.0)	**	(**)	0	(0.0)
E1	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
E2	**	(**)	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)
I	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
N	**	(**)	0	(0.0)	0	(0.0)	**	(**)
O	0	(0.0)	0	(0.0)	**	(**)	**	(**)
P	76	(67.3)	**	(**)	15	(13.3)	18	(15.9)
R	**	(**)	0	(0.0)	**	(**)	0	(0.0)
V	22	(66.7)	**	(**)	8	(24.2)	**	(**)
W	71	(55.9)	7	(5.5)	38	(29.9)	11	(8.7)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
Total	399	(66.2)	22	(3.6)	**	(**)	**	(**)
Grand								
Total	1231	(68.6)	60	(3.3)	**	(**)	231	(12.9)
							**	(**)
							1794	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 32 BED DAYS BY AGE AND SEX, 2010 - 2012

Age Years	SEX				Total
	Male n (%)	Female n (%)	Ambiguous n (%)	Unknown n (%)	
0	3591 (60.3)	2367 (39.7)	0 (0.0)	0 (0.0)	5958 (59.2)
1	564 (57.8)	412 (42.2)	0 (0.0)	0 (0.0)	976 (9.7)
2	368 (71.3)	148 (28.7)	0 (0.0)	0 (0.0)	516 (5.1)
3	200 (63.1)	117 (36.9)	0 (0.0)	0 (0.0)	317 (3.1)
4	172 (50.3)	170 (49.7)	0 (0.0)	0 (0.0)	342 (3.4)
5	83 (38.1)	135 (61.9)	0 (0.0)	0 (0.0)	218 (2.2)
6	104 (59.4)	71 (40.6)	0 (0.0)	0 (0.0)	175 (1.7)
7	99 (61.1)	63 (38.9)	0 (0.0)	0 (0.0)	162 (1.6)
8	102 (77.9)	29 (22.1)	0 (0.0)	0 (0.0)	131 (1.3)
9	91 (58.0)	66 (42.0)	0 (0.0)	0 (0.0)	157 (1.6)
10	68 (59.1)	47 (40.9)	0 (0.0)	0 (0.0)	115 (1.1)
11	59 (36.6)	102 (63.4)	0 (0.0)	0 (0.0)	161 (1.6)
12	38 (26.2)	107 (73.8)	0 (0.0)	0 (0.0)	145 (1.4)
13	185 (62.9)	109 (37.1)	0 (0.0)	0 (0.0)	294 (2.9)
14	78 (48.1)	84 (51.9)	0 (0.0)	0 (0.0)	162 (1.6)
15	79 (32.8)	162 (67.2)	0 (0.0)	0 (0.0)	241 (2.4)
Total	5881 (58.4)	4189 (41.6)	0 (0.0)	0 (0.0)	10070 (100.0)

FIGURE 32 BED DAYS BY AGE AND SEX, 2010 - 2012




TABLE 33 BED DAYS BY AGE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (YEARS)						Total				
	<1		1-4		5-10						
	n	(%)	n	(%)	n	(%)	11-15	n	(%)	n	(%)
2010											
B	0	(0.0)	2	(100.0)	0	(0.0)	0	(0.0)	2	(0.1)	
C	465	(41.0)	349	(30.7)	137	(12.1)	184	(16.2)	1135	(34.3)	
D	33	(70.2)	4	(8.5)	10	(21.3)	0	(0.0)	47	(1.4)	
E1	22	(32.8)	18	(26.9)	0	(0.0)	27	(40.3)	67	(2.0)	
E2	61	(91.0)	4	(6.0)	0	(0.0)	2	(3.0)	67	(2.0)	
F	12	(21.8)	43	(78.2)	0	(0.0)	0	(0.0)	55	(1.7)	
I	0	(0.0)	0	(0.0)	0	(0.0)	1	(100.0)	1	(0.0)	
K2	0	(0.0)	76	(100.0)	0	(0.0)	0	(0.0)	76	(2.3)	
L	0	(0.0)	4	(18.2)	0	(0.0)	18	(81.8)	22	(0.7)	
M	0	(0.0)	3	(100.0)	0	(0.0)	0	(0.0)	3	(0.1)	
O	0	(0.0)	2	(100.0)	0	(0.0)	0	(0.0)	2	(0.1)	
P	500	(58.5)	141	(16.5)	92	(10.8)	122	(14.3)	855	(25.8)	
R	0	(0.0)	4	(100.0)	0	(0.0)	0	(0.0)	4	(0.1)	
U	28	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	28	(0.8)	
V	69	(72.6)	7	(7.4)	10	(10.5)	9	(9.5)	95	(2.9)	
W	643	(77.1)	104	(12.5)	48	(5.8)	39	(4.7)	834	(25.2)	
X	15	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	15	(0.5)	
Total	1848	(55.9)	761	(23.0)	297	(9.0)	402	(12.2)	3308	(100.0)	
2011											
C	516	(45.0)	330	(28.8)	131	(11.4)	170	(14.8)	1147	(35.8)	
D	36	(70.6)	0	(0.0)	8	(15.7)	7	(13.7)	51	(1.6)	
E1	4	(36.4)	7	(63.6)	0	(0.0)	0	(0.0)	11	(0.3)	
E2	25	(53.2)	0	(0.0)	22	(46.8)	0	(0.0)	47	(1.5)	
F	35	(81.4)	0	(0.0)	3	(7.0)	5	(11.6)	43	(1.3)	
H	0	(0.0)	0	(0.0)	0	(0.0)	3	(100.0)	3	(0.1)	
K2	0	(0.0)	31	(100.0)	0	(0.0)	0	(0.0)	31	(1.0)	
L	0	(0.0)	9	(100.0)	0	(0.0)	0	(0.0)	9	(0.3)	
P	426	(53.3)	213	(26.6)	62	(7.8)	99	(12.4)	800	(24.9)	
R	8	(88.9)	0	(0.0)	1	(11.1)	0	(0.0)	9	(0.3)	
V	49	(64.5)	16	(21.1)	9	(11.8)	2	(2.6)	76	(2.4)	
W	688	(74.4)	159	(17.2)	45	(4.9)	33	(3.6)	925	(28.8)	
X	26	(47.3)	29	(52.7)	0	(0.0)	0	(0.0)	55	(1.7)	
Total	1813	(56.5)	794	(24.8)	281	(8.8)	319	(9.9)	3207	(100.0)	
2012											
C	630	(49.0)	307	(23.9)	175	(13.6)	175	(13.6)	1287	(36.2)	
D	12	(9.2)	108	(82.4)	0	(0.0)	11	(8.4)	131	(3.7)	
E1	21	(52.5)	9	(22.5)	10	(25.0)	0	(0.0)	40	(1.1)	
E2	15	(88.2)	2	(11.8)	0	(0.0)	0	(0.0)	17	(0.5)	
F	0	(0.0)	2	(100.0)	0	(0.0)	0	(0.0)	2	(0.1)	
H	7	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(0.2)	
I	0	(0.0)	0	(0.0)	2	(100.0)	0	(0.0)	2	(0.1)	
L	5	(38.5)	0	(0.0)	1	(7.7)	7	(53.8)	13	(0.4)	
N	3	(50.0)	0	(0.0)	3	(50.0)	0	(0.0)	6	(0.2)	
O	8	(80.0)	0	(0.0)	0	(0.0)	2	(20.0)	10	(0.3)	
P	445	(65.8)	60	(8.9)	119	(17.6)	52	(7.7)	676	(19.0)	
R	12	(92.3)	1	(7.7)	0	(0.0)	0	(0.0)	13	(0.4)	
V	255	(85.9)	26	(8.8)	5	(1.7)	11	(3.7)	297	(8.4)	
W	830	(83.0)	81	(8.1)	65	(6.5)	24	(2.4)	1000	(28.1)	
X	54	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	54	(1.5)	
Total	2297	(64.6)	596	(16.8)	380	(10.7)	282	(7.9)	3555	(100.0)	
Grand											
Total	5958	(59.2)	2151	(21.4)	958	(9.5)	1003	(10.0)	10070	(100.0)	

TABLE 34 BED CENSUS BY MONTH, 2010-2012

Year / Month	NUMBER IN PICU	
	Median	IQR
2010		
1	8	5-11
2	7	6-8
3	5	3-6
4	7	5-8
5	7	6-8
6	6	4-7
7	7	4-8
8	7	6-8
9	7	6-8
10	8	7-9
11	8	6-10
12	9	8-10
2011		
1	11	8-13
2	9	7-12
3	8	7-9
4	7	4-8
5	7	5-8
6	7	6-8
7	5	4-7
8	6	4-9
9	11	9-12
10	8	7-10
11	7	6-8
12	9	7-13
2012		
1	9	7-11
2	6	5-7
3	6	5-8
4	12	10-13
5	9	8-11
6	8	6-9
7	8	6-9
8	8	7-9
9	9	6-10
10	7	5-10
11	8	6-8
12	8	7-9

FIGURE 34 BED CENSUS BY MONTH, 2010-2012




TABLE 35 BED CENSUS OF CHILDREN BY HEALTH ORGANISATION, 2010-2012

Year / Organisation	NUMBER IN PICU	
	Median	IQR
2010		
B	0	0-0
C	2	1-3
D	0	0-0
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
M	0	0-0
N	0	0-0
O	0	0-0
P	2	1-3
R	0	0-0
U	0	0-0
V	0	0-0
W	2	1-2
X	0	0-0
2011		
B	0	0-0
C	2	1-4
D	0	0-0
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
M	0	0-0
N	0	0-0
O	0	0-0
P	2	1-3
R	0	0-0
U	0	0-0
V	0	0-0
W	2	1-3
X	0	0-0
2012		
B	0	0-0
C	3	2-4
D	0	0-1
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
M	0	0-0
N	0	0-0
O	0	0-0
P	2	1-2
R	0	0-0
U	0	0-0
V	1	0-1
W	2	1-3
X	0	0-0

FIGURE 35a BED CENSUS BY HEALTH ORGANISATION, 2010




FIGURE 35b BED CENSUS BY HEALTH ORGANISATION, 2011




FIGURE 35c BED CENSUS BY HEALTH ORGANISATION, 2012




TABLE 36 BED ACTIVITY OF CHILDREN BY MONTH, 2010-2012

Year / Month	BED ACTIVITY (DAYS)	
	Median	IQR
2010		
1	10	7-13
2	8	7-10
3	6	5-8
4	8	6-10
5	9	7-10
6	8	6-10
7	9	6-10
8	9	7-9
9	9	8-10
10	10	9-10
11	9	7-12
12	11	10-12
2011		
1	12	10-15
2	10	9-14
3	10	8-12
4	8	5-9
5	8	7-10
6	9	7-10
7	7	5-8
8	7	5-11
9	12	11-14
10	10	7-12
11	9	7-10
12	10	9-15
2012		
1	11	8-13
2	8	6-11
3	8	7-11
4	13	11-15
5	11	9-13
6	9	7-11
7	10	9-11
8	10	8-11
9	10	7-11
10	9	6-13
11	9	8-10
12	9	8-11

FIGURE 36 BED ACTIVITY BY MONTH, 2010-2012




TABLE 37 BED ACTIVITY OF CHILDREN BY HEALTH ORGANISATION, 2010-2012

Year / Organisation	NUMBER IN PICU	
	Median	IQR
2010		
B	0	0-0
C	3	1-4
D	0	0-0
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
M	0	0-0
N	0	0-0
O	0	0-0
P	2	1-3
R	0	0-0
U	0	0-0
V	0	0-0
W	2	1-3
X	0	0-0
2011		
B	0	0-0
C	3	2-5
D	0	0-0
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
M	0	0-0
N	0	0-0
O	0	0-0
P	2	1-3
R	0	0-0
U	0	0-0
V	0	0-0
W	3	2-4
X	0	0-0
2012		
B	0	0-0
C	4	3-5
D	0	0-1
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
M	0	0-0
N	0	0-0
O	0	0-0
P	2	1-3
R	0	0-0
U	0	0-0
V	1	0-1
W	3	2-4
X	0	0-0

FIGURE 37a BED ACTIVITY BY HEALTH ORGANISATION, 2010




FIGURE 37b BED ACTIVITY BY HEALTH ORGANISATION, 2011





FIGURE 37c BED ACTIVITY BY HEALTH ORGANISATION, 2012



*J - The Lewisham Hospital NHS Trust stopped submitting data in August 2010.

TABLE 38 LENGTH OF STAY BY AGE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (YEARS)							
	<1		1-4		5-10		11-15	
	Median	IQR	Median	IQR	Median	IQR	Median	IQR
2010								
B	0	0-0	0.7	0.7-0.7	0	0-0	0	0-0
C	2.9	1.4-6.2	2.1	1.0-5.0	2.1	1.0-4.0	0.9	0.8-1.7
D	9.5	1.0-20.3	3	3.0-3.0	9.2	9.2-9.2	0	0-0
E1	3.8	3.8-11.0	4.8	0.6-9.3	0	0-0	5.3	3.4-8.1
E2	11.4	3.7-24.8	3.2	3.2-3.2	0	0-0	1	1.0-1.0
F	1.9	1.0-2.9	41.9	41.9-41.9	0	0-0	0	0-0
I	0	0-0	0	0-0	0	0-0	0.1	0.1-0.1
K2	0	0-0	29.8	2.0-41.2	0	0-0	0	0-0
L	0	0-0	0.8	0.6-1.0	0	0-0	17.3	17.3-17.3
M	0	0-0	1.2	1.2-1.2	0	0-0	0	0-0
O	0	0-0	0.9	0.9-0.9	0	0-0	0	0-0
P	3.8	1.9-6.6	1.4	0.8-4.9	2.3	1.0-6.9	3.5	1.5-6.0
R	0	0-0	3.1	3.1-3.1	0	0-0	0	0-0
U	26.5	26.5-26.5	0	0-0	0	0-0	0	0-0
V	1.4	1.0-5.7	2.7	0.8-4.6	1	0.9-1.0	1.1	0.6-1.9
W	2.8	1.8-5.7	1.9	1.1-2.3	1.2	1.0-2.3	1.9	1.7-3.5
X	6.6	5.3-7.9	0	0-0	0	0-0	0	0-0
2011								
C	3.1	1.5-6.5	2.3	0.9-4.5	1	0.7-1.9	0.9	0.8-1.5
D	6.1	3.9-7.4	0	0-0	3.2	1.9-4.5	6.3	6.3-6.3
E1	2.9	2.9-2.9	6.1	6.1-6.1	0	0-0	0	0-0
E2	4.1	1.9-15.9	0	0-0	9.8	1.8-17.8	0	0-0
F	6.4	4.8-10.3	0	0-0	2.1	2.1-2.1	3.9	3.9-3.9
H	0	0-0	0	0-0	0	0-0	1.9	1.9-1.9
K2	0	0-0	30	30.0-30.0	0	0-0	0	0-0
L	0	0-0	3.7	0.5-7.0	0	0-0	0	0-0
P	2.1	1.1-5.8	1.9	1.0-5.4	2	0.8-2.9	1.7	1.0-4.8
R	6.7	6.7-6.7	0	0-0	0.2	0.2-0.2	0	0-0
V	5	2.0-8.8	0.4	0.3-0.9	0.7	0.5-0.9	0.8	0.8-0.8
W	3.1	1.8-5.6	1.2	0.9-2.7	1.2	1.1-2.9	1.2	1.0-1.3
X	7.5	4.7-11.2	27.6	27.6-27.6	0	0-0	0	0-0
2012								
C	3.1	1.4-5.2	1.6	0.9-2.8	1.4	0.8-2.4	1	0.6-2.8
D	5.2	4.0-6.3	107	107.0-107.0	0	0-0	10.2	10.2-10.2
E1	5.7	4.0-8.0	7.9	7.9-7.9	3.8	0.8-6.8	0	0-0
E2	2.6	1.8-3.5	1.1	1.1-1.1	0	0-0	0	0-0
F	0	0-0	1.1	1.1-1.1	0	0-0	0	0-0
H	5.8	5.8-5.8	0	0-0	0	0-0	0	0-0
I	0	0-0	0	0-0	0.6	0.6-0.6	0	0-0
L	3.7	3.7-3.7	0	0-0	0.2	0.2-0.2	6.2	6.2-6.2
N	2	2.0-2.0	0	0-0	1.7	1.7-1.7	0	0-0
O	6.8	6.8-6.8	0	0-0	0	0-0	1.2	1.2-1.2
P	2.6	0.9-5.9	1.4	0.8-3.2	2.6	1.4-4.1	1.8	0.9-2.8
R	4.7	4.4-5.1	0.5	0.5-0.5	0	0-0	0	0-0
V	4.8	1.7-18.0	1.1	0.8-1.7	1.4	0.9-1.9	0.8	0.7-0.9
W	4.1	2.2-8.9	1.6	1.1-2.2	1.1	1.0-2.6	1.3	1.2-2.2
X	10.3	4.4-20.6	0	0-0	0	0-0	0	0-0

TABLE 39 LENGTH OF STAY BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 - 2012

Organisation	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown	
	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR
B	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0.7	0.7-0.7	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
C	0.5	0.3-7.6	1.8	1.0-2.7	2.6	1.0-6.3	2	0.9-7.1	1.7	0.9-3.1	2.8	1.5-4.7	0	0-0	0.9	0.8-1.0	1.3	0.8-2.4	1	0.9-2.2	3.2	1.5-5.4	0.8	0.7-2.0	1.6	1.0-4.8	0	0-0
D	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	8.2	6.3-10.2	0	0-0	0	0-0	9.2	9.2-9.2	4.5	4.5-4.5	6.3	3.9-15.3	3	3.0-3.0	1	1.0-1.0	0	0-0
E1	0	0-0	2.9	2.9-2.9	8.1	5.4-10.8	0	0-0	5.2	4.4-6.8	9.3	9.3-9.3	0	0-0	1.7	1.7-1.7	0	0-0	0	0-0	4.5	2.3-6.5	0	0-0	5.8	0.6-11.0	0	0-0
E2	0	0-0	0	0-0	2.3	1.8-5.1	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	4	1.9-15.9	0	0-0	0	0-0	0	0-0
F	0	0-0	0	0-0	3.9	1.9-6.9	0	0-0	0	0-0	2.1	2.1-2.1	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	4.8	3.8-5.9
H	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	5.8	5.8-5.8	0	0-0	0	0-0	1.9	1.9-1.9	0	0-0
I	0	0-0	0	0-0	0	0-0	0	0-0	0.1	0.1-0.1	0	0-0	0	0-0	0	0-0	0	0-0	0.6	0.6-0.6	0	0-0	0	0-0	0	0-0	0	0-0
K2	0	0-0	0	0-0	15.9	1.0-30.0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
L	0	0-0	0	0-0	0	0-0	3.7	3.7-3.7	0	0-0	0	0-0	0	0-0	0.6	0.2-1.0	6.2	0.5-7.0	0	0-0	0.7	0.5-17.3	0.6	0.6-0.6	0	0-0	0	0-0
M	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	1.2	1.2-1.2	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
N	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	1.9	1.7-2.0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
O	0	0-0	0	0-0	3.8	0.9-6.8	0	0-0	1.2	1.2-1.2	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
P	5.9	5.9-5.9	3.3	2.0-5.7	1.9	1.0-4.8	3.2	0.8-13.4	1.4	0.7-2.5	3.1	1.8-6.9	0.8	0.7-1.9	1.1	0.7-5.9	3	1.1-6.4	1.9	0.5-5.9	4.1	2.1-7.5	2.8	1.4-3.8	2.3	0.7-4.1	0	0-0
R	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0.5	0.2-3.1	0	0-0	0	0-0	0	0-0	0	0-0	5.1	4.4-6.7	0	0-0	0	0-0	0	0-0
U	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	26.5	26.5-26.5	0	0-0	0	0-0	0	0-0	0	0-0
V	0.2	0.2-0.2	0	0-0	1	0.9-1.7	0	0-0	4.7	1.7-11.1	2.7	2.0-6.5	2	2.0-2.0	0	0-0	0.7	0.7-0.7	0.7	0.3-1.7	8.8	2.0-12.2	0.9	0.6-4.6	0.8	0.6-1.4	0	0-0
W	13.4	2.9-23.8	3.1	1.0-55.9	2.2	1.2-4.8	0	0-0	0.5	0.5-0.5	2.2	1.7-6.1	0	0-0	13.6	13.6-13.6	5.5	5.1-5.9	0	0-0	7.9	2.0-18.8	3.9	2.3-6.3	1.5	0.8-3.2	4.5	2.6-6.4
X	0	0-0	0	0-0	5.3	5.3-5.3	0	0-0	0	0-0	11.3	7.5-15.2	0	0-0	0	0-0	0	0-0	0	0-0	7.9	4.7-26.0	0	0-0	0	0-0	0	0-0

TABLE 40 ADMISSIONS BY LENGTH OF STAY BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	LOS GROUP								Unknown	Total
	<1h	1h to <4h	4h to <12h	12h to <24h	1d to <3d	3d to <7d	7d+	n (%)		
2010										
B	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
C	0 (0.0)	** (**)	18 (7.1)	51 (20.2)	93 (36.8)	55 (21.7)	34 (13.4)	0 (0.0)	0 (0.0)	** (**)
D	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	5 (0.8)
E1	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	5 (50.0)	** (**)	0 (0.0)	0 (0.0)	10 (1.7)
E2	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	6 (1.0)
F	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	5 (0.8)
I	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
K2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)
L	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)
M	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
O	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
P	0 (0.0)	** (**)	11 (7.5)	13 (8.9)	43 (29.5)	47 (32.2)	30 (20.5)	0 (0.0)	0 (0.0)	** (**)
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
U	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)
V	0 (0.0)	0 (0.0)	** (**)	7 (30.4)	9 (39.1)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)
W	0 (0.0)	** (**)	** (**)	13 (9.4)	74 (53.6)	32 (23.2)	15 (10.9)	0 (0.0)	0 (0.0)	138 (23.0)
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)
Total	0 (0.0)	7 (1.2)	34 (5.7)	91 (15.2)	225 (37.5)	149 (24.8)	94 (15.7)	0 (0.0)	600 (100.0)	
2011										
C	0 (0.0)	5 (1.9)	14 (5.4)	77 (29.8)	74 (28.7)	54 (20.9)	34 (13.2)	0 (0.0)	258 (43.7)	
D	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	8 (1.4)	
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	
E2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	5 (0.8)	
F	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	6 (1.0)	
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
K2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	
L	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
P	0 (0.0)	** (**)	8 (6.1)	21 (15.9)	52 (39.4)	27 (20.5)	22 (15.7)	0 (0.0)	** (**)	
R	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
V	0 (0.0)	** (**)	6 (25.0)	8 (33.3)	** (**)	** (**)	** (**)	0 (0.0)	24 (4.1)	
W	0 (0.0)	** (**)	5 (3.4)	15 (10.3)	65 (44.5)	36 (24.7)	24 (16.4)	0 (0.0)	** (**)	
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	
Total	0 (0.0)	9 (1.5)	** (**)	** (**)	201 (34.0)	132 (22.3)	92 (15.6)	0 (0.0)	591 (100.0)	
2012										
C	0 (0.0)	** (**)	20 (6.7)	60 (20.1)	109 (36.6)	78 (26.2)	27 (9.1)	0 (0.0)	** (**)	
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	
E1	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	6 (1.0)	
E2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	5 (0.8)	
F	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
I	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	
L	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
N	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
O	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)
P	0 (0.0)	** (**)	12 (10.6)	19 (16.8)	34 (30.1)	29 (25.7)	17 (15.0)	0 (0.0)	** (**)	
R	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	
V	0 (0.0)	0 (0.0)	0 (0.0)	13 (39.4)	8 (24.2)	** (**)	8 (24.2)	0 (0.0)	** (**)	
W	** (**)	0 (0.0)	** (**)	9 (7.1)	54 (42.5)	31 (24.4)	30 (23.6)	0 (0.0)	127 (21.1)	
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	
Total	** (**)	6 (1.0)	36 (6.0)	** (**)	212 (35.2)	157 (26.0)	88 (14.6)	0 (0.0)	603 (100.0)	
Grand Total	** (**)	22 (1.2)	** (**)	317 (17.7)	638 (35.6)	438 (24.4)	274 (15.3)	0 (0.0)	1794 (100.0)	

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 41 ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE, 2010 - 2012

Discharge Status	AGE GROUP (YEARS)					Total		
	<1		1-4		5-10			
	n	(%)	n	(%)	n	(%)	n	(%)
Alive	809	(47.3)	439	(25.7)	231	(13.5)	231	(13.5)
Dead	47	(56.0)	16	(19.0)	9	(10.7)	12	(14.3)
Total	856	(47.7)	455	(25.4)	240	(13.4)	243	(13.5)
							1794	(100.0)

TABLE 42 ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE (<1 YEARS), 2010 - 2012

Discharge Status	AGE GROUP (MONTHS)					Total		
	<1		1-2		3-5			
	n	(%)	n	(%)	n	(%)	n	(%)
Alive	264	(32.6)	208	(25.7)	157	(19.4)	180	(22.2)
Dead	27	(57.4)	6	(12.8)	5	(10.6)	9	(19.1)
Total	291	(34.0)	214	(25.0)	162	(18.9)	189	(22.1)
							856	(100.0)

TABLE 43 ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX, 2010 - 2012

Discharge Status	SEX						Total n (%)
	Male		Female		Ambiguous		
	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	
Alive	980 (57.3)	730 (42.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1710 (95.3)
Dead	44 (52.4)	40 (47.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	84 (4.7)
Total	1024 (57.1)	770 (42.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1794 (100.0)

TABLE 44 ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX (<1 YEAR), 2010 - 2012

Discharge Status	Sex						Total (%)			
	Male		Female		Ambiguous					
	n	(%)	n	(%)	n	(%)	n			
Alive	475	(58.7)	334	(41.3)	0	(0.0)	0	(0.0)	809	(94.5)
Dead	26	(55.3)	21	(44.7)	0	(0.0)	0	(0.0)	47	(5.5)
Total	501	(58.5)	355	(41.5)	0	(0.0)	0	(0.0)	856	(100.0)

TABLE 45 ADMISSIONS BY UNIT DISCHARGE STATUS, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	DISCHARGE STATUS						Total	
	Alive		Dead		Unknown			
	n	(%)	n	(%)	n	(%)	n	(%)
2010								
B	**	(**)	0	(0.0)	0	(0.0)	**	(**)
C	243	(96.0)	10	(4.0)	0	(0.0)	253	(42.2)
D	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.8)
E1	10	(100.0)	0	(0.0)	0	(0.0)	10	(1.7)
E2	6	(100.0)	0	(0.0)	0	(0.0)	6	(1.0)
F	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.8)
I	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
M	**	(**)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	138	(94.5)	8	(5.5)	0	(0.0)	146	(24.3)
R	**	(**)	0	(0.0)	0	(0.0)	**	(**)
U	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	20	(87.0)	**	(**)	0	(0.0)	**	(**)
W	136	(98.6)	**	(**)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	577	(96.2)	23	(3.8)	0	(0.0)	600	(100.0)
2011								
C	243	(94.2)	15	(5.8)	0	(0.0)	258	(43.7)
D	7	(87.5)	**	(**)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.8)
F	6	(100.0)	0	(0.0)	0	(0.0)	6	(1.0)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	124	(93.9)	8	(6.1)	0	(0.0)	132	(22.3)
R	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	23	(95.8)	**	(**)	0	(0.0)	**	(**)
W	139	(95.2)	7	(4.8)	0	(0.0)	146	(24.7)
X	**	(**)	**	(**)	0	(0.0)	**	(**)
Total	558	(94.4)	**	(**)	0	(0.0)	**	(**)
2012								
C	290	(97.3)	8	(2.7)	0	(0.0)	298	(49.4)
D	**	(**)	**	(**)	0	(0.0)	**	(**)
E1	6	(100.0)	0	(0.0)	0	(0.0)	6	(1.0)
E2	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.8)
F	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
N	**	(**)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	108	(95.6)	5	(4.4)	0	(0.0)	113	(18.7)
R	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	27	(81.8)	6	(18.2)	0	(0.0)	33	(5.5)
W	119	(93.7)	8	(6.3)	0	(0.0)	127	(21.1)
X	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	575	(95.4)	**	(**)	0	(0.0)	**	(**)
Grand								
Total	1710	(95.3)	84	(4.7)	0	(0.0)	1794	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 46 ADMISSIONS BY UNIT DISCHARGE DESTINATION AND AGE, 2010 - 2012

Discharge Destination	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Normal residence	0	(0.0)	7	(63.6)	**	(**)	**	(**)	**	(**)
Hospice	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Same hospital	681	(45.5)	387	(25.9)	210	(14.0)	219	(14.6)	1497	(87.5)
Other hospital	127	(63.8)	45	(22.6)	18	(9.0)	9	(4.5)	199	(11.6)
Total	**	(**)	439	(25.7)	**	(**)	231	(13.5)	1710	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 46a VENTILATOR FREE DAYS, BY PIM2r GROUP, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	<1%		1 - <5%		PIM2r GROUP		15 - <30%		30%+		Total	
	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR
2010												
B	28.0	(28-28)									28.0	(28-28)
C	27.0	(26-28)	26.0	(23-27)	25.0	(23-26)	23.0	(0-26)	0	(0-0)	26.0	(23-27)
D	28.0	(28-28)	20.0	(9-24)							24.0	(20-28)
E1	26.0	(23-28)	22.0	(19-26)	24.0	(24-24)	20.5	(19-22)			23.5	(20-26)
E2			25.5	(17-27)	19.5	(14-25)					25.0	(14-26)
F	28.0	(28-28)	25.0	(24-26)	22.0	(17-27)					26.0	(24-27)
I					27.0	(27-27)					27.0	(27-27)
K2			15.0	(2-28)	0.0	(0-0)					2.0	(0-28)
L	28.0	(28-28)			19.0	(19-19)					28.0	(19-28)
M	26.0	(26-26)									26.0	(26-26)
O	28.0	(28-28)									28.0	(28-28)
P	28.0	(27-28)	25.0	(23-27)	24.0	(19-25)	15.0	(0-22)	20.0	(0-23)	25.0	(22-27)
R					25.0	(25-25)					25.0	(25-25)
U			28.0	(28-28)							28.0	(28-28)
V	26.0	(26-26)	27.0	(25-27)	27.0	(0-27)	3.5	(0-7)			27.0	(23-27)
W	27.0	(26-28)	26.0	(25-27)	25.0	(22-26)	6.0	(0-7)	0.0	(0-0)	26.0	(25-27)
X			21.0	(21-21)	22.0	(22-22)					21.5	(21-22)
Total	27.0	(26-28)	26.0	(23-27)	25.0	(22-26)	11.0	(0-22)	0.0	(0-19)	26.0	(23-27)
2011												
C	28.0	(27-28)	26.0	(23-27)	25.0	(20-27)	6.0	(0-25)	0.0	(0-20)	26.0	(23-27)
D	21.5	(19-24)	23.0	(0-24)	26.0	(26-26)					23.5	(10-25)
E1			25.0	(22-28)							25.0	(22-28)
E2	20.0	(20-20)	26.0	(25-27)	20.0	(17-23)					23.0	(20-25)
F			25.0	(23-26)	24.0	(23-25)					25.0	(23-25)
H			28.0	(28-28)							28.0	(28-28)
K2					0.0	(0-0)					0.0	(0-0)
L			24.0	(21-27)							24.0	(21-27)
P	28.0	(27-28)	26.0	(22-27)	25.0	(21-26)	3.0	(0-23)	0.0	(0-0)	26.0	(22-27)
R			26.5	(25-28)							26.5	(25-28)
V	26.0	(26-27)	27.0	(27-28)	25.0	(20-27)	23.5	(20-27)			27.0	(26-28)
W	27.0	(25-28)	26.0	(25-27)	24.5	(20-26)	0.0	(0-13)	16.0	(16-16)	26.0	(24-27)
X			14.0	(0-28)			11.0	(0-22)			11.0	(0-25)
Total	28.0	(26-28)	26.0	(24-27)	25.0	(20-26)	3.0	(0-23)	0.0	(0-16)	26.0	(23-27)
2012												
C	27.0	(26-28)	26.0	(24-27)	24.5	(22-26)	23.0	(11-25)	15.0	(0-25)	26.0	(24-27)
D			19.5	(9-22)							19.5	(9-22)
E1	22.0	(22-25)	22.5	(22-23)							22.0	(22-23)
E2	27.5	(27-28)	26.0	(25-26)							26.0	(26-27)
F			27.0	(27-27)							27.0	(27-27)
H					23.0	(23-23)					23.0	(23-23)
I	28.0	(28-28)									28.0	(28-28)
L	28.0	(28-28)	26.0	(26-26)			24	(24-24)			26.0	(24-28)
N	28.0	(28-28)	26.0	(26-26)							27.0	(26-28)
O	28.0	(28-28)	23.0	(23-23)							25.5	(23-28)
P	28.0	(27-28)	26.0	(23-27)	24.0	(21-25)	13.0	(0-26)	0.0	(0-9)	26.0	(23-27)
R			24.0	(23-27)							24.0	(23-27)
V	27.0	(27-27)	26.5	(26-27)	26.0	(0-27)	25.0	(20-28)	0.0	(0-0)	26.0	(17-27)
W	27.0	(26-28)	26.0	(24-27)	23.0	(8-26)	0.0	(0-0)	10.5	(0-21)	26.0	(23-27)
X			24.0	(24-24)	11.0	(1-21)	13.0	(13-13)			17.0	(7-23)
Total	27.0	(26-28)	26.0	(24-27)	24.0	(21-26)	23.0	(11-26)	0.0	(0-17)	26.0	(23-27)
Grand Total	27.0	(26-28)	26.0	(24-27)	25.0	(21-26)	15.0	(0-24)	0.0	(0-17)	26.0	(23- 27)

* A blank cell means that there are no cases in that cell; a zero means that there are and their median VFD is zero.

TABLE 46b EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Planned - following surgery re-ad		Unplanned - following surgery re-ad		ADMISSION TYPE		Planned - other re-ad		Unplanned - other re-ad		Unknown re-ad		Total re-ad			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		
2010																
B	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	0	(0.0)	0	(0.0)	**	0	(**)
C	59	** (**)	10	0 (0.0)	5	0 (0.0)	179	** (**)	0	0 (0.0)	0	0 (0.0)	253	**	0 (**)	
D	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	5	0	(0.0)	
E1	**	0 (0.0)	**	** (**)	**	** (**)	**	** (**)	0	0 (0.0)	0	0 (0.0)	10	5	(50.0)	
E2	**	0 (0.0)	0	0 (0.0)	**	0 (0.0)	**	** (**)	0	0 (0.0)	0	0 (0.0)	6	**	(**)	
F	**	0 (0.0)	**	0 (0.0)	**	** (**)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	5	**	(**)	
I	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0	(0.0)	
K2	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0	(0.0)	
L	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0	(0.0)	
M	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	** (**)	0	0 (0.0)	0	0 (0.0)	**	**	(**)	
O	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0	(0.0)	
P	55	** (**)	7	0 (0.0)	**	0 (0.0)	81	** (**)	0	0 (0.0)	0	0 (0.0)	146	5	(3.4)	
R	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0	(**)	
U	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0	(**)	
V	12	0 (0.0)	**	0 (0.0)	**	0 (0.0)	9	0 (0.0)	0	0 (0.0)	0	0 (0.0)	23	0	(0.0)	
W	104	** (**)	**	0 (0.0)	0	0 (0.0)	31	** (**)	0	0 (0.0)	0	0 (0.0)	138	5	(3.6)	
X1	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0	(**)	
Total	241	5 (2.1)	24	** (**) 	15	** (**) 	320	15 (4.7)	0	0 (0.0)	600	23 (3.8)				
2011																
C	58	** (**)	19	0 (0.0)	7	0 (0.0)	174	8 (4.6)	0	0 (0.0)	258	9 (3.5)				
D	**	0 (0.0)	**	** (**)	0	0 (0.0)	6	0 (0.0)	0	0 (0.0)	8	** (**)				
E1	**	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (**)				
E2	**	0 (0.0)	**	0 (0.0)	**	0 (0.0)	**	0 (0.0)	0	0 (0.0)	5	0 (0.0)				
F	**	0 (0.0)	0	0 (0.0)	**	0 (0.0)	**	0 (0.0)	0	0 (0.0)	6	0 (0.0)				
H	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (**)				
K2	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (**)				
L	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	**	0 (**)				
P	50	0 (0.0)	7	0 (0.0)	**	** (**)	73	6 (8.2)	0	0 (0.0)	132	7 (5.3)				
R	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	**	0 (**)				
V	11	0 (0.0)	**	0 (0.0)	**	0 (0.0)	11	** (**)	0	0 (0.0)	24	** (**)				
W	103	0 (0.0)	**	0 (0.0)	**	0 (0.0)	40	** (**)	0	0 (0.0)	146	** (**)				
X1	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	** (**)	0	0 (0.0)	**	** (**)				
Total	229	** (**) 	30	** (**) 	16	** (**) 	316	18 (5.7)	0	0 (0.0)	591	21 (3.6)				
2012																
C	70	0 (0.0)	21	** (**)	**	0 (0.0)	203	** (**)	0	0 (0.0)	298	** (**)				
D	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	**	0 (0.0)	9	0 (0.0)	**	0 (**)				
E1	6	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	6	0 (0.0)				
E2	**	0 (0.0)	0	0 (0.0)	**	** (**)	**	0 (0.0)	0	0 (0.0)	5	** (**)				
F	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (**)				
H	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	**	0 (**)				
I	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (**)				
L	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	**	0 (**)				
N	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (**)				
O	**	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (**)				
P	27	0 (0.0)	10	** (**)	0	0 (0.0)	76	** (**)	0	0 (0.0)	113	** (**)				
R	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	0 (0.0)	0	0 (0.0)	**	0 (**)				
V	15	0 (0.0)	0	0 (0.0)	**	0 (0.0)	16	** (**)	0	0 (0.0)	33	** (**)				
W	77	0 (0.0)	**	0 (0.0)	9	0 (0.0)	39	0 (0.0)	0	0 (0.0)	127	0 (0.0)				
X1	0	0 (0.0)	0	0 (0.0)	0	0 (0.0)	**	** (**)	0	0 (0.0)	**	** (**)				
Total	204	0 (0.0)	34	** (**) 	17	** (**) 	348	6 (1.7)	0	0 (0.0)	603	9 (1.5)				
Grand Total	674	6 (0.9)	88	** (**) 	48	** (**) 	984	39 (4.0)	0	0 (0.0)	1794	53 (3.0)				

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 46b EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012





FIGURE 46c RELATIVE RATES OF EMERGENCY READMISSION WITHIN 48 HOURS OF DISCHARGE, 2010 - 2012



This chart shows the relative re-admission rate for all admissions except Organisation ZD

TABLE 47 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2010

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	580	0.70	0.40	1.13	1.03	0.59	1.65
B	482	0.00	0.00	0.19	0.00	0.00	0.72
C	263	1.06	0.54	1.87	0.84	0.43	1.49
D	719	1.49	1.08	1.99	1.41	1.02	1.89
E1	943	1.75	1.36	2.21	1.20	0.93	1.52
E2	771	0.76	0.48	1.13	0.72	0.46	1.07
F	1,116	0.96	0.69	1.29	0.90	0.66	1.21
G	40	1.27	0.16	4.31	0.54	0.07	1.81
H	589	1.25	0.85	1.78	1.12	0.76	1.59
I	719	1.06	0.72	1.50	1.14	0.77	1.61
J	78	0.33	0.01	1.77	0.96	0.02	5.18
K1K3	575	0.84	0.51	1.30	1.09	0.66	1.69
K2	359	1.06	0.60	1.73	1.07	0.60	1.74
L	333	0.76	0.37	1.39	0.99	0.48	1.80
M	373	1.16	0.68	1.83	0.79	0.46	1.25
N	247	1.85	1.11	2.87	1.53	0.92	2.37
O	675	0.45	0.23	0.79	0.81	0.42	1.41
P	1,162	1.51	1.18	1.90	1.38	1.08	1.73
Q	518	0.98	0.60	1.50	0.80	0.49	1.22
R	925	0.72	0.47	1.04	0.79	0.52	1.15
S	211	0.12	0.00	0.66	0.20	0.01	1.12
T	490	0.93	0.56	1.46	0.93	0.56	1.46
U	332	1.61	1.01	2.42	0.98	0.61	1.48
V	1,270	1.46	1.15	1.83	1.00	0.79	1.25
W	672	1.02	0.68	1.47	0.86	0.57	1.24
X	707	0.58	0.33	0.93	0.70	0.40	1.13
Y	471	0.70	0.38	1.19	1.16	0.62	1.96
Z	435	0.47	0.20	0.91	1.05	0.46	2.06
ZA	935	0.41	0.23	0.67	1.01	0.56	1.65
ZB	449	0.79	0.44	1.32	0.90	0.49	1.49
ZC	990	1.34	1.00	1.74	1.09	0.82	1.41
ZD	489	1.09	0.68	1.65	1.00	0.63	1.52
ZE	119	0.43	0.05	1.51	1.15	0.14	4.05

FIGURE 47a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010: UNADJUSTED





FIGURE 47b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010: PIM2r ADJUSTED



*J - The Lewisham Hospital NHS Trust stopped submitting data in August 2010.

TABLE 48 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2011

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	612	0.45	0.22	0.79	0.81	0.41	1.44
B	147	0.00	0.00	0.62	0.00	0.00	1.69
C	262	1.42	0.81	2.30	1.23	0.70	2.00
D	736	1.49	1.09	1.98	1.28	0.93	1.70
E1	990	2.11	1.70	2.59	1.39	1.12	1.71
E2	789	0.79	0.51	1.15	0.85	0.55	1.24
F	1158	0.84	0.60	1.14	0.82	0.58	1.11
G	23	4.33	1.23	9.65	1.98	0.56	4.41
H	580	1.20	0.80	1.72	0.86	0.58	1.23
I	799	1.25	0.90	1.68	1.34	0.96	1.81
K1K3	587	1.10	0.72	1.60	1.15	0.76	1.67
K2	320	1.01	0.54	1.70	1.03	0.55	1.74
L	329	0.60	0.26	1.18	0.63	0.27	1.23
M	355	0.70	0.34	1.27	0.71	0.34	1.29
N	238	1.15	0.58	2.02	0.76	0.39	1.34
O	611	0.33	0.14	0.64	0.51	0.22	1.00
P	1095	1.34	1.03	1.72	1.10	0.84	1.41
Q	620	0.68	0.40	1.08	0.62	0.37	0.99
R	976	0.61	0.39	0.90	0.74	0.48	1.09
S	256	0.49	0.16	1.12	0.76	0.25	1.76
T	501	0.65	0.35	1.09	0.59	0.32	1.00
U	293	1.36	0.78	2.17	1.01	0.58	1.61
V	1269	1.43	1.13	1.79	1.00	0.79	1.24
W	681	1.31	0.93	1.80	1.00	0.71	1.38
X	697	0.75	0.47	1.14	0.86	0.54	1.31
Y	473	0.53	0.25	0.96	1.03	0.50	1.87
Z	420	0.53	0.24	1.00	0.84	0.39	1.58
ZA	899	0.33	0.17	0.58	0.73	0.38	1.27
ZB	440	1.02	0.61	1.59	1.20	0.72	1.87
ZC	1020	1.29	0.97	1.68	1.22	0.92	1.58
ZD	520	1.43	0.98	2.02	1.31	0.89	1.85
ZE	455	0.44	0.19	0.85	1.13	0.49	2.20

FIGURE 48a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2011: UNADJUSTED




FIGURE 48b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2011: PIM2r ADJUSTED




TABLE 49 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2012

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	636	0.62	0.35	1.01	1.10	0.62	1.79
B	203	0.13	0.00	0.71	0.50	0.01	2.73
C	319	0.65	0.28	1.27	0.59	0.26	1.15
D	773	1.52	1.12	2.01	1.34	0.98	1.77
E1	942	1.77	1.38	2.24	1.17	0.91	1.48
E2	829	1.01	0.69	1.41	1.12	0.77	1.57
F	1218	0.88	0.63	1.18	0.92	0.66	1.24
G	20	0.00	0.00	4.39	0.00	0.00	4.20
H	659	1.15	0.77	1.63	0.96	0.65	1.37
I	835	1.19	0.85	1.62	1.24	0.88	1.68
K1K3	547	0.81	0.48	1.29	0.96	0.56	1.53
K2	309	1.01	0.53	1.74	0.87	0.45	1.49
L	321	0.49	0.18	1.05	0.49	0.18	1.05
M	456	1.20	0.75	1.81	1.14	0.71	1.73
N	551	0.95	0.58	1.45	1.31	0.80	2.00
O	566	0.55	0.29	0.96	0.77	0.40	1.34
P	1163	1.23	0.93	1.59	0.99	0.75	1.28
Q	508	0.92	0.55	1.45	0.87	0.52	1.36
R	903	0.66	0.42	0.99	0.64	0.41	0.95
S	169	0.31	0.04	1.10	0.43	0.05	1.52
T	527	0.69	0.38	1.15	0.72	0.40	1.20
U	341	1.76	1.13	2.60	1.01	0.65	1.49
V	1428	1.24	0.97	1.57	0.92	0.72	1.16
W	680	1.38	0.97	1.89	1.09	0.77	1.49
X	830	1.29	0.93	1.73	1.29	0.93	1.74
Y	493	0.58	0.29	1.03	0.81	0.41	1.44
Z	353	0.37	0.12	0.85	0.55	0.18	1.27
ZA	963	0.49	0.29	0.77	0.80	0.48	1.26
ZB	447	0.93	0.54	1.50	1.03	0.59	1.65
ZC	1096	1.21	0.91	1.58	1.21	0.90	1.58
ZD	512	0.92	0.55	1.43	0.97	0.58	1.52
ZE	442	0.47	0.20	0.92	1.35	0.59	2.64

FIGURE 49a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2012: UNADJUSTED




FIGURE 49b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2012: PIM2r ADJUSTED




TABLE 50 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2010-2012

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO			PIM2r ADJUSTED (95% CI)		
		Unadjusted (95% CI)	SMR	Lower	Upper	SMR	Lower
A	1,828	0.59	0.42	0.79	0.98	0.71	1.32
B	832	0.03	0.00	0.17	0.11	0.00	0.60
C	844	1.03	0.71	1.42	0.88	0.61	1.22
D	2,228	1.50	1.26	1.77	1.34	1.12	1.58
E1	2,875	1.89	1.65	2.15	1.26	1.10	1.43
E2	2,389	0.85	0.68	1.06	0.89	0.71	1.10
F	3,492	0.89	0.74	1.06	0.88	0.73	1.04
G	83	1.84	0.69	3.84	0.91	0.34	1.91
H	1,828	1.20	0.96	1.47	0.97	0.78	1.19
I	2,353	1.17	0.96	1.40	1.24	1.02	1.49
J*	78	0.33	0.01	1.77	0.96	0.02	5.18
K1K3	1,709	0.92	0.71	1.18	1.08	0.83	1.37
K2	988	1.03	0.74	1.39	0.99	0.71	1.34
L	983	0.62	0.40	0.92	0.68	0.44	1.01
M	1,184	1.03	0.77	1.36	0.89	0.66	1.17
N	1,036	1.20	0.90	1.58	1.18	0.88	1.55
O	1,852	0.44	0.30	0.62	0.70	0.48	0.98
P	3,420	1.36	1.18	1.57	1.15	0.99	1.33
Q	1,646	0.85	0.64	1.10	0.75	0.57	0.98
R	2,804	0.66	0.52	0.83	0.72	0.57	0.90
S	636	0.32	0.14	0.63	0.50	0.21	0.97
T	1,518	0.76	0.55	1.01	0.74	0.54	0.99
U	966	1.58	1.22	2.02	1.00	0.77	1.27
V	3,967	1.37	1.20	1.56	0.97	0.85	1.11
W	2,033	1.24	1.01	1.50	0.99	0.81	1.19
X	2,234	0.89	0.71	1.11	0.99	0.79	1.23
Y	1,437	0.60	0.42	0.84	0.98	0.68	1.37
Z	1,208	0.46	0.29	0.70	0.80	0.50	1.21
ZA	2,797	0.41	0.30	0.55	0.84	0.61	1.12
ZB	1,336	0.92	0.68	1.21	1.04	0.77	1.37
ZC	3,106	1.28	1.09	1.49	1.17	0.99	1.36
ZD	1,521	1.16	0.90	1.45	1.11	0.87	1.39
ZE	1,016	0.45	0.27	0.71	1.22	0.72	1.92

FIGURE 50a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010-2012: UNADJUSTED





FIGURE 50b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010-2012: PIM2r ADJUSTED



*J - The Lewisham Hospital NHS Trust stopped submitting data in August 2010.

TABLE 51 CHILDREN BY FOLLOW-UP STATUS AND AGE, 2010 - 2012

Age Group	30 DAY FOLLOW-UP STATUS						Total	
	Alive		Dead		Unknown			
	n	%	n	%	n	%	n	%
<1 year	541	(91.2)	10	(1.7)	42	(7.1)	593	(44.4)
1-4 years	327	(94.0)	**	(**)	19	(5.5)	**	(**)
5-10 years	176	(90.7)	**	(**)	17	(8.8)	**	(**)
11-15 years	185	(92.0)	**	(**)	13	(6.5)	**	(**)
Total	1,229	(92.0)	16	(1.2)	91	(6.8)	1,336	(100.0)

This table (and 52 -55) now report numbers of children rather than admissions.

The total is the number of children discharged alive from their final PICU admission other than to normal residence.
In future 30 day follow up will be requested for children discharged to normal residence.

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 52 CHILDREN BY FOLLOW-UP STATUS AND AGE (<1 YEAR), 2010 - 2012

Age Group (Months)	30 DAY FOLLOW-UP STATUS						Total	
	Alive		Dead		Unknown			
	n	%	n	%	n	%	n	%
< 1 month	151	(88.8)	**	(**)	18	(10.6)	**	(**)
1-2months	148	(94.3)	5	(3.2)	**	(**)	**	(**)
3-5 months	112	(94.9)	**	(**)	5	(4.2)	**	(**)
6-11 months	130	(87.8)	**	(**)	15	(10.1)	**	(**)
Total	541	(91.2)	**	(**)	**	(**)	593	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 53 CHILDREN BY FOLLOW-UP STATUS AND SEX, 2010 - 2012

Sex	30 DAY FOLLOW-UP STATUS						Total	
	Alive		Dead		Unknown			
	n	%	n	%	n	%	n	%
Male	705	(92.0)	6	(0.8)	55	(7.2)	766	(57.3)
Female	524	(91.9)	10	(1.8)	36	(6.3)	570	(42.7)
Total	1,229	(92.0)	16	(1.2)	91	(6.8)	1,336	(100.0)

TABLE 54 CHILDREN BY FOLLOW-UP STATUS AND SEX (AGE <1 YEAR), 2010 - 2012

Sex	30 DAY FOLLOW-UP STATUS						Total	
	Alive		Dead		Unknown			
	n	%	n	%	n	%	n	%
Male	327	(91.6)	**	(**)	27	(7.6)	**	(**)
Female	214	(90.7)	7	(3.0)	15	(6.4)	236	(39.8)
Total	541	(91.2)	**	(**)	42	(7.1)	**	(**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
 Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 55 CHILDREN BY FOLLOW-UP STATUS, BY HEALTH ORGANISATION OF LAST ADMISSION, 2010 - 2012

Year / Organisation	30 DAY FOLLOW-UP STATUS				Total	
	Alive n	(%)	Dead n	(%)		
2010						
C	182	(98.9)	**	(**)	0	(0.0)
D	**	(**)	**	(**)	0	(0.0)
E1	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	0	(0.0)	0	(0.0)
I	**	(**)	0	(0.0)	0	(0.0)
L	**	(**)	0	(0.0)	0	(0.0)
O	0	(0.0)	0	(0.0)	**	(**)
P	91	(98.9)	**	(**)	0	(0.0)
R	**	(**)	0	(0.0)	0	(0.0)
U	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	17	(100.0)
W	104	(99.0)	**	(**)	0	(0.0)
X	0	(0.0)	0	(0.0)	**	(**)
Total	386	(91.9)	5	(1)	28	(6.9)
2011						
C	187	(99.5)	**	(**)	0	(0.0)
D	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	0	(0.0)	0	(0.0)
H	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)
L	**	(**)	0	(0.0)	0	(0.0)
P	95	(99.0)	**	(**)	0	(0.0)
R	**	(**)	0	(0.0)	0	(0.0)
V	0	(0.0)	0	(0.0)	16	(100.0)
W	102	(100.0)	0	(0.0)	0	(0.0)
X	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	25	(6.0)
2012						
C	254	(97.7)	6	(2.3)	0	(0.0)
D	**	(**)	0	(0.0)	0	(0.0)
E1	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	0	(0.0)	0	(0.0)
H	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)
L	**	(**)	0	(0.0)	0	(0.0)
N	0	(0.0)	0	(0.0)	**	(**)
O	0	(0.0)	0	(0.0)	**	(**)
P	88	(96.7)	**	(**)	0	(0.0)
R	**	(**)	0	(0.0)	0	(0.0)
V	0	(0.0)	0	(0.0)	23	(100.0)
W	98	(100.0)	0	(0.0)	0	(0.0)
X	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	38	(7.6)
Grand Total	1,229	(91.9)	16	(1.2)	92	(6.9)
					1,337	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
 Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 56 RE-ADMISSIONS BY HEALTH ORGANISATION AND SOURCE OF PREVIOUS ADMISSION, 2010 - 2012

Organisation	SOURCE OF PREVIOUS ADMISSION						Total	
	Same Organisation		Other Organisation		No Previous Admission			
	n	(%)	n	(%)	n	(%)	n	(%)
B	0	(0.0)	0	(0.0)	**	(**)	**	(**)
C	119	(14.7)	17	(2.1)	673	(83.2)	809	(45.1)
D	5	(29.4)	**	(**)	11	(64.7)	**	(**)
E1	6	(33.3)	**	(**)	8	(44.4)	**	(**)
E2	**	(**)	5	(31.3)	9	(56.3)	**	(**)
F	**	(**)	**	(**)	9	(75.0)	12	(0.7)
H	0	(0.0)	0	(0.0)	**	(**)	**	(**)
I	0	(0.0)	0	(0.0)	**	(**)	**	(**)
K2	**	(**)	**	(**)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	7	(87.5)	**	(**)
M	0	(0.0)	0	(0.0)	**	(**)	**	(**)
N	0	(0.0)	0	(0.0)	**	(**)	**	(**)
O	0	(0.0)	0	(0.0)	**	(**)	**	(**)
P	80	(20.5)	6	(1.5)	305	(78.0)	391	(21.8)
R	0	(0.0)	0	(0.0)	6	(100.0)	6	(0.3)
U	0	(0.0)	0	(0.0)	**	(**)	**	(**)
V	13	(16.3)	**	(**)	64	(80.0)	**	(**)
W	71	(17.3)	14	(3.4)	326	(79.3)	411	(22.9)
X	0	(0.0)	**	(**)	7	(70.0)	**	(**)
Total	301	(16.8)	56	(3.1)	1437	(80.1)	1794	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 57 NUMBER OF ADMISSIONS OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION OF FIRST ADMISSION, 2010 - 2012

Organisation	NUMBER OF ADMISSIONS												Total n (%)
	1 n (%)	2 n (%)	3 n (%)	4 n (%)	5 n (%)	6 n (%)	7 n (%)	8+ n (%)					
B	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
C	577 (85.7)	69 (10.3)	18 (2.7)	7 (1.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
D	8 (72.7)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
E1	5 (62.5)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	8 (0.6)
E2	8 (88.9)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
F	8 (88.9)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
H	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
I	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
L	6 (85.7)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
M	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
N	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
O	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
P	250 (82.0)	34 (11.1)	11 (3.6)	5 (1.6)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	305 (21.3)
R	6 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (0.4)
U	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
V	54 (84.4)	7 (10.9)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
W	261 (80.6)	42 (13.0)	15 (4.6)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	324 (22.6)
X	6 (85.7)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)
Total	1200 (83.6)	158 (11.0)	50 (3.5)	17 (1.2)	5 (0.3)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	1435 (100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 58 NUMBER OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION AND DIAGNOSTIC GROUP OF FIRST ADMISSION, 2010 - 2012

Organisation	DIAGNOSTIC GROUP												Missing	Total																
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem	Musculo - skeletal	Neurological	Oncology	Respiratory	Trauma	Other											
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)								
B	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)						
C	**	(**)	5	(0.7)	29	(4.3)	14	(2.1)	27	(4.0)	69	(10.3)	0	(0.0)	77	(11.4)	117	(17.4)	20	(3.0)	261	(38.8)	33	(4.9)	18	(2.7)	0	(0.0)	**	(**)
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	7	(63.6)	**	(**)	**	(**)	0	(0.0)	**	(**)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	8	(0.6)
E2	0	(0.0)	0	(0.0)	8	(88.9)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	0	(0.0)	6	(66.7)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
I	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	7	(0.5)
M	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
N	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	**	(**)	13	(4.3)	98	(32.1)	**	(**)	23	(7.5)	23	(7.5)	**	(**)	5	(1.6)	31	(10.2)	9	(3.0)	64	(21.0)	21	(6.9)	11	(3.6)	0	(0.0)	305	(21.3)
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(0.4)
U	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	39	(60.9)	0	(0.0)	9	(14.1)	**	(**)	**	(**)	0	(0.0)	**	(**)	5	(7.8)	**	(**)	**	(**)	**	(**)	0	(0.0)	64	(4.5)
W	0	(0.0)	**	(**)	305	(94.1)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	5	(1.5)	**	(**)	6	(1.9)	0	(0.0)	324	(22.6)
X	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(71.4)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	5	(0.3)	**	(**)	488	(34.0)	19	(1.3)	63	(4.4)	102	(7.1)	**	(**)	87	(6.1)	156	(10.9)	**	(**)	353	(24.6)	60	(4.2)	41	(2.9)	0	(0.0)	1435	(100.0)

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 59 INDIVIDUAL CHILD ADMISSIONS BY DIAGNOSTIC GROUP AND READMISSION STATUS, 2010 - 2012

Diagnostic Group	Single		NUMBER OF ADMISSIONS		Multiple (2+ organisations)		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
Blood / lymphatic	**	(**)	0	(0.0)	**	(**)	5	(0.3)
Body wall and cavities	12	(60.0)	5	(25.0)	**	(**)	**	(**)
Cardiovascular	390	(79.9)	81	(16.6)	17	(3.5)	488	(34.0)
Endocrine / metabolic	18	(94.7)	0	(0.0)	**	(**)	**	(**)
Gastrointestinal	56	(88.9)	6	(9.5)	**	(**)	**	(**)
Infection	90	(88.2)	10	(9.8)	**	(**)	**	(**)
Multisystem	**	(**)	**	(**)	0	(0.0)	**	(**)
Musculoskeletal	79	(90.8)	7	(8.0)	**	(**)	**	(**)
Neurological	138	(88.5)	18	(11.5)	0	(0.0)	156	(10.9)
Oncology	29	(80.6)	7	(19.4)	0	(0.0)	36	(2.5)
Other	33	(80.5)	7	(17.1)	**	(**)	**	(**)
Respiratory	290	(82.2)	48	(13.6)	15	(4.2)	353	(24.6)
Trauma	58	(96.7)	**	(**)	0	(0.0)	**	(**)
Unknown	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	1200	(83.6)	193	(13.4)	42	(2.9)	1435	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 60 AGE SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF CHILDREN TO PAEDIATRIC INTENSIVE CARE, 2010-2012

Sex	Age Group (Years)	Population	PREVALENCE RATES											
			2010 (95% CI)			2011 (95% CI)			2012 (95% CI)			2010-12 (95% CI)		
			Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper
Male	<1 year	18600	817	688	947	850	718	981	1027	882	1172	898	820	976
	1-4 years	73000	114	89	138	129	103	155	110	86	134	117	103	132
	5-10 years	101300	43	31	56	52	38	66	50	37	64	49	41	57
	11-15 years	92600	54	39	69	39	26	52	34	22	45	42	35	50
Female	<1 year	17700	672	552	793	638	521	756	695	573	817	669	599	738
	1-4 years	69100	119	93	144	81	60	102	85	64	107	95	82	108
	5-10 years	95600	28	18	39	34	22	45	35	23	46	32	26	39
	11-15 years	87700	48	33	62	55	39	70	40	27	53	48	39	56
Total		555600	108	99	116	106	98	115	109	100	117	108	103	113

Populations for calculation of prevalence are taken from the Office for National Statistics mid_2011 estimates


<http://www.ons.gov.uk/ons/publications/re-reference-tables.html?edition=tcm%3A77-262039>

Adjustments were made to match PICANet age groups

TABLE 61 AGE-SEX SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS TO PAEDIATRIC INTENSIVE CARE BY HEALTH BOARD, 2010-2012

Country / Region	Population	PREVALENCE												
		2010 (95% CI)			2011 (95% CI)			2012 (95% CI)			2010 - 2012 (95% CI)			
Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper
Wales														
Betsi Cadwaladr University	123200	123	103	142	118	99	137	96	78	113	112	101	123	
Hywel Dda	66200	85	63	107	109	84	134	102	77	126	99	85	112	
Gwent/Bronglais	91300	100	79	121	100	79	120	109	88	131	103	91	115	
Cardiff & Vale University	87400	103	82	124	112	90	133	141	116	165	118	105	131	
Cwm Taf	55200	94	68	119	97	71	122	97	71	123	96	81	110	
Aneurin Bevan	109700	133	111	155	95	77	114	108	88	127	112	101	124	
Powys Teaching	22600	64	29	98	113	68	159	98	56	140	92	68	115	
Total	555600	108	99	116	106	98	115	109	100	117	108	103	113	

FIGURE 61 PREVALENCE (PER 100,000 PER YEAR) 2010-2012, WITH 95% CONFIDENCE INTERVALS



UNIVERSITY OF LEEDS

ROGER PARSLOW
PHIL McSHANE
THOMAS FLEMING
LEE NORMAN
JODIE BATELOR

PICANet
DIVISION OF EPIDEMIOLOGY & BIOSTATISTICS
THE LEEDS INSTITUTE OF GENETICS
HEALTH AND THERAPEUTICS
UNIVERSITY OF LEEDS
WORSLEY BUILDING
LEEDS
LS2 9LN

R.C.PARSLOW@LEEDS.AC.UK
0113 343 4856

UNIVERSITY OF LEICESTER

ELIZABETH DRAPER
CAROLINE LAMMING
CAROLINE LOVETT
MARTIN PERKINS

PICANet
DEPARTMENT OF HEALTH SCIENCES
UNIVERSITY OF LEICESTER
22-28 PRINCESS ROAD WEST
LEICESTER
LE1 6TP

MSN@LEICESTER.AC.UK
0116 252 5414

www.PICANet.org.uk
PICANet@leeds.ac.uk