



2013
NATIONAL
REPORT
FOR
THE REPUBLIC
OF IRELAND

Paediatric Intensive
Care Audit Network



JANUARY 2010 – DECEMBER 2012

KEY

A	Cambridge University Hospitals NHS Foundation Trust
B	Brighton & Sussex University Hospitals NHS Trust
C	Cardiff & Vale University Health Board
D	Central Manchester University Hospitals NHS Foundation Trust
E	Great Ormond Street Hospital for Children NHS Trust
E1	PICU/NICU
E2	CCCU
F	Guy's & St. Thomas' NHS Foundation Trust
G	Hull & East Yorkshire Hospitals NHS Trust
H	King's College Hospital NHS Trust
I	Leeds Teaching Hospitals NHS Trust
J	The Lewisham Hospital NHS Trust (finished reporting in Aug 2010)
K	Newcastle upon Tyne Hospitals NHS Foundation Trust
K1/K3	Great North Children's Hospital
K2	Newcastle Freeman Hospital (In 2010 Newcastle General and Royal Victoria Infirmary PICUs merged within the Great North Children's Hospital)
L	University Hospital of North Staffordshire NHS Trust
M	Queens Medical Centre Nottingham University Hospitals NHS Trust
N	Oxford University Hospitals NHS Trust
O	Royal Brompton & Harefield NHS Foundation Trust
P	Royal Liverpool Children's NHS Trust
Q	Sheffield Children's NHS Foundation Trust
Q1	Sheffield Children's Hospital (NICU)
Q2	Sheffield Children's Hospital (PICU)
R	Southampton University Hospitals NHS Trust
S	South Tees Hospitals NHS Trust
T	St. George's Healthcare NHS Trust
U	Imperial College Healthcare NHS Trust (SMH)
V	Birmingham Children's Hospital NHS Trust
W	University Hospitals Bristol NHS Foundation Trust
X	University Hospitals of Leicester NHS Trust
X1	Leicester Glenfield Hospital
X2	Leicester Royal Infirmary
Y	NHS Lothian – University Hospitals Division
Z	Barts and the London NHS Trust
ZA	NHS Greater Glasgow and Clyde – Women and Children's Division
ZB	The Royal Group of Hospitals and Dental Hospitals HSS Trust
ZC	Our Lady's Hospital for Sick Children, Dublin
ZD	The Children's University Hospital, Dublin
ZE	Harley Street Clinic (non- NHS)

Published in the UK by the Paediatric Intensive Care Audit Network (PICANet). This work is copyright. Apart from any use as permitted under the Copyright, Designs and Patents Act 1988, no part may be reproduced by any process without permission from PICANet.

Requests and enquiries concerning reproduction rights should be directed to PICANet at:

PICANet
School of Medicine
Room 8.49, Worsley Building
University Of Leeds
Leeds, LS2 9JT
Telephone: 0113 343 8125
E-mail: picanet@leeds.ac.uk

In all cases PICANet must be acknowledged as the source when reproducing or quoting any part of this publication. Please use the following format when citing this report:

Paediatric Intensive Care Audit Network National Report for the Republic of Ireland 2010 - 2012 (published November 2014): Universities of Leeds and Leicester.

CONTENTS

ACKNOWLEDGEMENTS	7	
EXECUTIVE SUMMARY	8	
DATA INCLUDED	9	
TABLE 1	ADMISSIONS BY AGE AND SEX, 2010 – 2012	11
FIGURE 1	ADMISSIONS BY AGE AND SEX, 2010 – 2012	11
TABLE 2	ADMISSIONS BY AGE (<1) AND SEX, 2010 – 2012	12
FIGURE 2	ADMISSIONS BY AGE (<1) AND SEX, 2010 – 2012	12
TABLE 3	ADMISSIONS BY AGE BY HEALTH ORGANISATION, 2010 – 2012	13
TABLE 4	ADMISSIONS BY AGE (<1) BY HEALTH ORGANISATION, 2010 – 2012	14
TABLE 5	ADMISSIONS BY AGE (16+) BY HEALTH ORGANISATION, 2010 – 2012	15
TABLE 6	ADMISSIONS BY MONTH AND AGE, 2010 – 2012	16
FIGURE 6	ADMISSIONS BY MONTH AND AGE, 2010 – 2012	16
TABLE 7	ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 – 2012	17
FIGURE 7	ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 – 2012	18
TABLE 8	RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 – 2012	19
FIGURE 8	RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 – 2012	19
TABLE 9	ADMISSIONS BY MONTH BY HEALTH ORGANISATION, 2010 – 2012	20
TABLE 10	ADMISSIONS BY HEALTH BOARD AND YEAR, 2010 – 2012	21
FIGURE 10	MAP SHOWING LOCAL HEALTH BOARD BOUNDARIES	22
TABLE 11	ADMISSIONS BY PREDICTED MORTALITY RISK GROUP BY HEALTH ORGANISATION, 2010 – 2012	23
TABLE 12	ADMISSIONS BY ADMISSION TYPE AND AGE, 2010 – 2012	24
FIGURE 12	ADMISSIONS BY ADMISSION TYPE, 2010 – 2012	24
TABLE 13	ADMISSIONS BY ADMISSION TYPE BY HEALTH ORGANISATION, 2010 – 2012	25
FIGURE 13	ADMISSIONS BY ADMISSION TYPE BY HEALTH ORGANISATION, 2010 – 2012	26
TABLE 14	ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	27
FIGURE 14	ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	28
TABLE 15	ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED – OTHER, ADMITTED FROM HOSPITAL) BY HEALTH ORGANISATION, 2010 – 2012	29
FIGURE 15	ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED – OTHER, ADMITTED FROM HOSPITAL) BY HEALTH ORGANISATION, 2010 – 2012	30
TABLE 16	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE, 2010 – 2012	31
FIGURE 16	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP, 2010 – 2012	31
TABLE 17	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2010 – 2012	32

FIGURE 17	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (AND AGE (16+ YEARS), 2010 – 2012	32
TABLE 18	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 - 2012	33
TABLE 19	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - FOLLOWING SURGERY) BY HEALTH ORGANISATION, 2010 – 2012	34
TABLE 20	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - FOLLOWING SURGERY) BY HEALTH ORGANISATION, 2010 – 2012	35
TABLE 21	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	36
TABLE 22	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2010 – 2012	37
TABLE 26	RETRIEVALS BY TEAM TYPE AND AGE, 2010 – 2012	38
FIGURE 26	RETRIEVALS BY TEAM TYPE, 2010 – 2012	38
TABLE 27	NON-SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 – 2012	39
FIGURE 27	NON-SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 – 2012	39
TABLE 27A	SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 – 2012	40
FIGURE 27A	SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 – 2012	40
TABLE 28	RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 – 2012	41
FIGURE 28	RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 – 2012	41
TABLE 29	INTERVENTIONS RECEIVED BY HEALTH ORGANISATION, 2010 – 2012	42
TABLE 30	ADMISSIONS BY VENTILATION STATUS AND AGE, 2010 – 2012	43
TABLE 31	ADMISSIONS BY VENTILATION STATUS BY HEALTH ORGANISATION, 2010 – 2012	44
TABLE 32	BED DAYS BY AGE AND SEX, 2010 – 2012	45
FIGURE 32	BED DAYS BY AGE AND SEX, 2010 – 2012	45
TABLE 33	BED DAYS BY AGE BY HEALTH ORGANISATION, 2010 – 2012	46
TABLE 34	BED CENSUS BY MONTH, 2010 – 2012	47
FIGURE 34	BED CENSUS BY MONTH, 2010 – 2012	47
TABLE 35	BED CENSUS BY HEALTH ORGANISATION, 2010 – 2012	48
FIGURE 35A	BED CENSUS BY HEALTH ORGANISATION, 2010	48
FIGURE 35B	BED CENSUS BY HEALTH ORGANISATION, 2011	48
FIGURE 35C	BED CENSUS BY HEALTH ORGANISATION, 2012	48
TABLE 36	BED ACTIVITY BY MONTH, 2010 – 2012	49
FIGURE 36	BED ACTIVITY BY MONTH, 2010 – 2012	49
TABLE 37	BED ACTIVITY BY HEALTH ORGANISATION, 2010 – 2012	50
FIGURE 37A	BED ACTIVITY BY HEALTH ORGANISATION, 2010	50
FIGURE 37B	BED ACTIVITY BY HEALTH ORGANISATION, 2011	50
FIGURE 37C	BED ACTIVITY BY HEALTH ORGANISATION, 2012	50
TABLE 38	LENGTH OF STAY BY AGE BY HEALTH ORGANISATION, 2010 – 2012	51

TABLE 39	LENGTH OF STAY BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 – 2012	52
TABLE 40	ADMISSIONS BY LENGTH OF STAY BY HEALTH ORGANISATION, 2010 – 2012	53
TABLE 41	ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE, 2010 – 2012	54
TABLE 42	ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE (<1), 2010 – 2012	55
TABLE 43	ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX, 2010 – 2012	56
TABLE 44	ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX (AGE <1), 2010 – 2012	57
TABLE 45	ADMISSIONS BY UNIT DISCHARGE STATUS BY HEALTH ORGANISATION, 2010 – 2012	58
TABLE 46	ADMISSIONS BY UNIT DISCHARGE DESTINATION AND AGE, 2010 – 2012	59
TABLE 46A	VENTILATOR FREE DAYS, BY PIM2R GROUP, BY HEALTH ORGANISATION, 2010 – 2012	60
TABLE 46B	EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 – 2012	61
FIGURE 46B	EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 -2012	62
FIGURE 46C	RELATIVE RATES OF EMERGENCY READMISSION WITHIN 48 HOURS OF DISCHARGE, 2010 – 2012	63
TABLE 47	STANDARDISED MORTALITY RATIOS BY ORGANISATION, 2010	64
FIGURE 47A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010: UNADJUSTED	64
FIGURE 47B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010: PIM2R ADJUSTED	64
TABLE 48	STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2011	65
FIGURE 48A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2011: UNADJUSTED	65
FIGURE 48B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2011: PIM2R ADJUSTED	65
TABLE 49	STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2012	66
FIGURE 49A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2012: UNADJUSTED	66
FIGURE 49B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2012: PIM2R ADJUSTED	66
TABLE 50	STANDARDISED MORTALITY RATIOS COMBINED BY HEALTH ORGANISATION, 2010 – 2012	67
FIGURE 50A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010 – 2012: UNADJUSTED	67
FIGURE 50B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2010 – 2012 PIM2R ADJUSTED	67
TABLE 51	CHILDREN BY FOLLOW-UP STATUS AND AGE, 2010 – 2012	68
TABLE 52	CHILDREN BY FOLLOW-UP STATUS AND AGE (<1 YEAR), 2010 – 2012	69
TABLE 53	CHILDREN BY FOLLOW-UP STATUS AND SEX, 2010 – 2012	70

TABLE 54	CHILDREN BY FOLLOW-UP STATUS AND SEX (AGE<1 YEAR), 2010 – 2012	71
TABLE 55	CHILDREN BY FOLLOW-UP STATUS BY HEALTH ORGANISATION OF LAST ADMISSION, 2010 – 2012	72
TABLE 56	READMISSIONS BY HEALTH ORGANISATION AND SOURCE OF PREVIOUS ADMISSION, 2010 – 2012	73
TABLE 57	NUMBER OF ADMISSIONS OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION OF FIRST ADMISSION, 2010 – 2012	74
TABLE 58	NUMBER OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION AND DIAGNOSTIC GROUP OF FIRST ADMISSION, 2010 – 2012	75
TABLE 59	INDIVIDUAL CHILD ADMISSIONS BY DIAGNOSTIC GROUP AND READMISSION STATUS, 2010 – 2012	76
TABLE 60	AGE SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS TO PAEDIATRIC INTENSIVE CARE, 2010 – 2012	77
TABLE 61	AGE-SEX SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF CHILDREN TO PAEDIATRIC INTENSIVE CARE BY HEALTH BOARD, 2010 – 2012	78
FIGURE 61	PREVALENCE (PER 100,000 PER YEAR), 2010 - 2012, WITH 95% CONFIDENCE INTERVALS	79

ACKNOWLEDGEMENTS

The ongoing success of this international clinical audit is dependent on the hard work and commitment of a large number of individuals working within the paediatric intensive care community. We are very grateful to all the audit clerks, secretaries, nurses and doctors who support and contribute to the Paediatric Intensive Care Audit Network (PICANet) from their own paediatric intensive care units (PICUs).

PICANet was established in collaboration with the Paediatric Intensive Care Society (PICS) and their active support continues to be a key component of our successful progress. The PICANet Steering Group (SG) has patient, academic, clinical, government and NHS members all of whom are thanked for their continuing assistance and advice. Members of the Clinical Advisory Group (CAG) provide a formal interface between PICANet and clinical care teams and their valuable support and contribution is gratefully acknowledged.

We are also grateful for the support and commitment given by members of the PIC Families Group.

For the period of this report PICANet was funded by the National Clinical Audit & Patient Outcomes Programme, administered by the Healthcare Quality Improvement Partnership (HQIP), Welsh Health Specialised Services Committee Specialised Services, NHS Lothian/National Service Division NHS Scotland, the Royal Belfast Hospital for Sick Children, Our Lady's Children's Hospital, Crumlin and the Children's University Hospital, Temple Street from Dublin, Ireland and The Harley Street Clinic.

EXECUTIVE SUMMARY

This report is based on children admitted to paediatric intensive care units in the United Kingdom or the Republic of Ireland whose usual place of residence is the Republic of Ireland.

The format has changed since the last report, in keeping with the Annual Report and so have some of the contents; tables 23-25 have been dropped and new outcome measures added, ventilator free days (Table 46a) and emergency readmissions within 2 days of discharge (Table 46b).

- Data are presented on 4593 paediatric intensive care admissions over the two year period 1 January 2010 – 31 December 2012.
- The proportion of admissions with a cardiovascular diagnosis (33%) is slightly higher than in the United Kingdom (30%)
- More than half (56%) of admissions are under one year of age and 27% more boys than girls are admitted. The proportion of those under one year is higher than in the general PICANet population, and among them the proportion under one month is also raised.
- Some Counties have admission rates 75% higher over the three years than other Counties after taking the resident population into account.
- 64% of admissions received invasive ventilation, similar to the proportion in the general PICANet population.
- 30,891 bed days were provided for Irish children covered in this report, 69% of which were for patients under one year of age.

DATA INCLUDED

This report is based on children admitted to paediatric intensive care units in the United Kingdom or the Republic of Ireland whose usual place of residence is the Republic of Ireland. The data are presented over the two year period January 2010 – December 2012. For this period data is available from units in the Republic of Ireland, which treat the great majority of children covered by this report. All data are based on admissions aged 0 – 15 years unless clearly stated otherwise.

There are 31 participating organisations (Children’s Hospitals, NHS trusts or other governing bodies, located in the Republic of Ireland and the United Kingdom; the term *Health Organisation* is used in this report to represent children’s hospitals).

This report should be read in conjunction with the National Report of the Paediatric Intensive Care Audit Network National Report January 2010 - December 2012 (published September 2013: Universities of Leeds and Leicester. ISBN 978 0 85316 3268), which can be downloaded from www.picanet.org.uk

ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP

The primary reason for admission has been categorised into 13 diagnostic groups to enable a simple comparison between organisations. The classification is based on CT3 (The Read Codes). The groups are mutually exclusive:

- Infection excludes any respiratory or gastrointestinal infection but includes meningitis.
- Neurological disorders include neurovascular complications.
- Oncology includes neuro-oncology (brain tumours).

- Other includes those diagnoses not covered by the other 12 groups.

Read codes are five characters in length and can be made up of numbers, letters, or periods. The ordering of the individual characters does not indicate the hierarchy (e.g. patent ductus arteriosus (P70..) is a subset of congenital abnormality of ductus arteriosus (Xa6aC)).

IDENTIFICATION OF INDIVIDUAL CHILDREN

Tables 46b (re-admissions), 47-50 (SMRs), 51-55 (30 day follow-up) and 56-59 (individual children) rely upon identification of children across repeat admissions. We do not receive personal identifiers for children from the Irish units due to data protection issues and this means it is not possible to identify all repeat admissions accurately. Organisation ZC provides an anonymised identifier for its children but ZD does not and so repeat admissions cannot be identified for their children.

ADMISSIONS BY ADMISSION TYPE

We have used the following definitions for admission type:

- An admission that is *planned - following surgery* is one that the unit is aware of before the surgery begins or one that could have been delayed for 24 hours without risk (e.g. spinal surgery).
- An admission that is *unplanned - following surgery* is one that the unit was not aware of before surgery began and one that could not have been delayed without risk (e.g. bleeding tonsillectomy).
- A *planned - other* admission is any other planned admission that is not an emergency (e.g. liver biopsy).

- An *unplanned - other* admission is one that the unit was not expecting and is therefore an emergency admission (e.g. status epilepticus).

Surgery is defined as undergoing all or part of a procedure or anaesthesia for a procedure in an operating theatre or anaesthetic room. Patients admitted from the operating theatre where surgery is not the main reason for admission (e.g. a patient with a head injury who is admitted from theatre after insertion of an ICP monitor) are not included here. In such patients the main reason for admission is head injury and thus the admission type would be *unplanned - other*.

RETRIEVAL DATA

Data are collected on whether or not a child was retrieved / transferred into the PICU. We have used the following definitions:

- *Own team* identifies that the team from the admitting hospital collected the child from the referring hospital.
- *Other specialist team (PICU)* identifies that another PICU retrieval team transferred the child to the admitting unit.
- *Other specialist team (non PICU)* identifies that another transport team, not a PICU team (e.g. Accident and Emergency Department (A&E), theatre teams or neonatal teams), transferred the child to the admitting unit.
- *Non-specialist team* identifies that a non-PICU, non-specialist team transported the child to the admitting unit. (e.g. ward staff).

VENTILATION STATUS

Length of ventilation has been calculated in days. Any ventilation episode during the period midnight to midnight was counted as one complete day (e.g. a child intubated and ventilated at 23.45 on 7 March and extubated at 02.30 on 8 March would count as two days of ventilation). Intubation and extubation times are not recorded in the PICANet dataset therefore more precise ventilation duration times are not available.

STANDARDISED MORTALITY RATIOS

Tables and figures showing the standardised mortality ratios for all units have been reproduced from the National Report so that table and figure numbering is consistent across both reports. These tables include all patients admitted to PICU regardless of age. These ratios are calculated using the recalibrated PIM2, described in the 2013 Annual Report.

ANONYMISATION

From this year onwards regional reports will be anonymised to suppress cell counts less than 5 to prevent the possibility of individuals being identified. In some cases this has led to whole tables or figures being suppressed and a number of other tables having data missing.


In future years data may be aggregated to prevent the presence of small numbers.

If you require access to the complete versions of the tables a request can be made to PICANet using the standard data request form available on the PICANet website.

TABLE 1 ADMISSIONS BY AGE AND SEX, 2010 - 2012

Age Years	SEX									
	Male		Female		Ambiguous		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
0	1482	(57.7)	1084	(42.2)	**	(**)	**	(**)	2567	(55.9)
1	267	(55.2)	217	(44.8)	0	(0.0)	0	(0.0)	484	(10.5)
2	136	(52.5)	123	(47.5)	0	(0.0)	0	(0.0)	259	(5.6)
3	106	(54.6)	88	(45.4)	0	(0.0)	0	(0.0)	194	(4.2)
4	96	(55.5)	77	(44.5)	0	(0.0)	0	(0.0)	173	(3.8)
5	56	(47.5)	62	(52.5)	0	(0.0)	0	(0.0)	118	(2.6)
6	62	(56.9)	47	(43.1)	0	(0.0)	0	(0.0)	109	(2.4)
7	40	(45.5)	48	(54.5)	0	(0.0)	0	(0.0)	88	(1.9)
8	31	(44.3)	39	(55.7)	0	(0.0)	0	(0.0)	70	(1.5)
9	47	(58.0)	34	(42.0)	0	(0.0)	0	(0.0)	81	(1.8)
10	39	(57.4)	29	(42.6)	0	(0.0)	0	(0.0)	68	(1.5)
11	46	(57.5)	34	(42.5)	0	(0.0)	0	(0.0)	80	(1.7)
12	39	(45.9)	46	(54.1)	0	(0.0)	0	(0.0)	85	(1.9)
13	50	(64.1)	28	(35.9)	0	(0.0)	0	(0.0)	78	(1.7)
14	43	(57.3)	32	(42.7)	0	(0.0)	0	(0.0)	75	(1.6)
15	27	(42.2)	37	(57.8)	0	(0.0)	0	(0.0)	64	(1.4)
Grand Total	2567	(55.9)	2025	(44.1)	**	(**)	**	(**)	4593	(100.0)

FIGURE 1 ADMISSIONS BY AGE AND SEX, 2010 - 2012




As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 2 ADMISSIONS BY AGE (<1 YEAR) AND SEX, 2010 - 2012

Age Months	SEX								Total	
	Male		Female		Ambiguous		Unknown			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
0	569	(56.7)	433	(43.2)	**	(**)	**	(**)	1003	(39.1)
1	196	(58.0)	142	(42.0)	0	(0.0)	0	(0.0)	338	(13.2)
2	111	(55.0)	91	(45.0)	0	(0.0)	0	(0.0)	202	(7.9)
3	97	(55.7)	77	(44.3)	0	(0.0)	0	(0.0)	174	(6.8)
4	103	(66.5)	52	(33.5)	0	(0.0)	0	(0.0)	155	(6.0)
5	106	(59.9)	71	(40.1)	0	(0.0)	0	(0.0)	177	(6.9)
6	67	(57.8)	49	(42.2)	0	(0.0)	0	(0.0)	116	(4.5)
7	44	(43.1)	58	(56.9)	0	(0.0)	0	(0.0)	102	(4.0)
8	63	(64.9)	34	(35.1)	0	(0.0)	0	(0.0)	97	(3.8)
9	46	(64.8)	25	(35.2)	0	(0.0)	0	(0.0)	71	(2.8)
10	42	(67.7)	20	(32.3)	0	(0.0)	0	(0.0)	62	(2.4)
11	38	(54.3)	32	(45.7)	0	(0.0)	0	(0.0)	70	(2.7)
Grand Total	1482	(57.7)	1084	(42.2)	**	(**)	**	(**)	2567	(100.0)

FIGURE 2 ADMISSIONS BY AGE (<1 YEAR) AND SEX, 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 3 ADMISSIONS BY AGE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2010										
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
H	**	(**)	**	(**)	**	(**)	0	(0.0)	8	(0.5)
K2	0	(0.0)	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.3)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)
ZA	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	587	(59.8)	227	(23.1)	94	(9.6)	73	(7.4)	981	(65.9)
ZD	244	(50.7)	140	(29.1)	55	(11.4)	42	(8.7)	481	(32.3)
Total	838	(56.3)	383	(25.7)	**	(**)	**	(**)	1489	(100.0)
2011										
E2	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)
H	6	(28.6)	6	(28.6)	**	(**)	6	(28.6)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Q	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	600	(60.2)	192	(19.3)	117	(11.7)	88	(8.8)	997	(64.9)
ZD	288	(56.9)	123	(24.3)	61	(12.1)	34	(6.7)	506	(32.9)
Total	899	(58.5)	**	(**)	**	(**)	**	(**)	1537	(100.0)
2012										
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
H	5	(31.3)	6	(37.5)	5	(31.3)	0	(0.0)	16	(1.0)
K1K3	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
O	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
W	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
X	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	588	(55.9)	258	(24.5)	112	(10.6)	94	(8.9)	1052	(67.1)
ZD	227	(47.3)	129	(26.9)	81	(16.9)	43	(9.0)	480	(30.6)
Total	830	(53.0)	**	(**)	**	(**)	137	(8.7)	1567	(100.0)
Grand										
Total	2567	(55.9)	1110	(24.2)	534	(11.6)	382	(8.3)	4593	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 4 ADMISSIONS BY AGE (<1) BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (MONTHS)									
	<1		1-2		3-5		6-11		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2010										
E1	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
H	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	244	(41.6)	113	(19.3)	103	(17.5)	127	(21.6)	587	(70.0)
ZD	100	(41.0)	47	(19.3)	41	(16.8)	56	(23.0)	244	(29.1)
Total	**	(**)	**	(**)	147	(17.5)	**	(**)	838	(100.0)
2011										
H	0	(0.0)	0	(0.0)	**	(**)	5	(83.3)	**	(**)
Q	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZC	233	(38.8)	114	(19.0)	130	(21.7)	123	(20.5)	600	(66.7)
ZD	121	(42.0)	67	(23.3)	45	(15.6)	55	(19.1)	288	(32.0)
Total	354	(39.4)	184	(20.5)	177	(19.7)	**	(**)	899	(100.0)
2012										
D	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	**	(**)	**	(**)	**	(**)	5	(0.6)
K1K3	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZB	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	220	(37.4)	116	(19.7)	151	(25.7)	101	(17.2)	588	(70.8)
ZD	81	(35.7)	70	(30.8)	29	(12.8)	47	(20.7)	227	(27.3)
Total	304	(36.6)	194	(23.4)	**	(**)	**	(**)	830	(100.0)
Grand										
Total	**	(**)	**	(**)	**	(**)	518	(20.2)	2567	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 5 ADMISSIONS BY AGE (16+) BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (YEARS)								Total	
	16		17-20		21-25		26+			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2010										
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	5	(83.3)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZD	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(38.5)
Total	11	(84.6)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
2011										
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	10	(83.3)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZD	**	(**)	**	(**)	0	(0.0)	0	(0.0)	6	(31.6)
Total	15	(78.9)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
2012										
ZC	12	(70.6)	**	(**)	**	(**)	0	(0.0)	17	(70.8)
ZD	6	(85.7)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	18	(75.0)	5	(20.8)	**	(**)	0	(0.0)	**	(**)
Grand										
Total	44	(78.6)	11	(19.6)	**	(**)	0	(0.0)	56	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
 Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 6 ADMISSIONS BY MONTH AND AGE, 2010 - 2012

Year / Month	AGE GROUP (YEARS)								Total	
	<1	1-4	5-10	11-15	n	(%)	n	(%)		
2010										
1	89	31	5	9	134	(66.4)	(23.1)	(3.7)	(6.7)	(9.0)
2	60	37	8	9	114	(52.6)	(32.5)	(7.0)	(7.9)	(7.7)
3	63	35	16	9	123	(51.2)	(28.5)	(13.0)	(7.3)	(8.3)
4	79	37	18	5	139	(56.8)	(26.6)	(12.9)	(3.6)	(9.3)
5	57	24	6	11	98	(58.2)	(24.5)	(6.1)	(11.2)	(6.6)
6	65	39	14	9	127	(51.2)	(30.7)	(11.0)	(7.1)	(8.5)
7	63	30	16	10	119	(52.9)	(25.2)	(13.4)	(8.4)	(8.0)
8	79	21	12	8	120	(65.8)	(17.5)	(10.0)	(6.7)	(8.1)
9	70	30	18	12	130	(53.8)	(23.1)	(13.8)	(9.2)	(8.7)
10	65	39	12	12	128	(50.8)	(30.5)	(9.4)	(9.4)	(8.6)
11	75	27	19	10	131	(57.3)	(20.6)	(14.5)	(7.6)	(8.8)
12	73	33	8	12	126	(57.9)	(26.2)	(6.3)	(9.5)	(8.5)
Total	838	383	152	116	1489	(56.3)	(25.7)	(10.2)	(7.8)	(100.0)
2011										
1	87	28	11	8	134	(64.9)	(20.9)	(8.2)	(6.0)	(8.7)
2	96	19	9	8	132	(72.7)	(14.4)	(6.8)	(6.1)	(8.6)
3	95	28	18	8	149	(63.8)	(18.8)	(12.1)	(5.4)	(9.7)
4	72	23	13	5	113	(63.7)	(20.4)	(11.5)	(4.4)	(7.4)
5	68	29	15	6	118	(57.6)	(24.6)	(12.7)	(5.1)	(7.7)
6	63	22	15	15	115	(54.8)	(19.1)	(13.0)	(13.0)	(7.5)
7	74	25	18	**	**	(61.2)	(20.7)	(14.9)	(**)	(**)
8	64	21	15	10	110	(58.2)	(19.1)	(13.6)	(9.1)	(7.2)
9	70	27	20	10	127	(55.1)	(21.3)	(15.7)	(7.9)	(8.3)
10	55	36	14	27	132	(41.7)	(27.3)	(10.6)	(20.5)	(8.6)
11	69	48	16	17	150	(46.0)	(32.0)	(10.7)	(11.3)	(9.8)
12	86	22	17	11	136	(63.2)	(16.2)	(12.5)	(8.1)	(8.8)
Total	899	328	181	**	**	(58.5)	(21.3)	(11.8)	(**)	(**)
2012										
1	82	28	11	9	130	(63.1)	(21.5)	(8.5)	(6.9)	(8.3)
2	74	26	15	10	125	(59.2)	(20.8)	(12.0)	(8.0)	(8.0)
3	76	39	20	7	142	(53.5)	(27.5)	(14.1)	(4.9)	(9.1)
4	64	32	19	5	120	(53.3)	(26.7)	(15.8)	(4.2)	(7.7)
5	58	39	27	9	133	(43.6)	(29.3)	(20.3)	(6.8)	(8.5)
6	68	29	17	16	130	(52.3)	(22.3)	(13.1)	(12.3)	(8.3)
7	83	27	17	19	146	(56.8)	(18.5)	(11.6)	(13.0)	(9.3)
8	61	30	11	14	116	(52.6)	(25.9)	(9.5)	(12.1)	(7.4)
9	60	35	16	12	123	(48.8)	(28.5)	(13.0)	(9.8)	(7.8)
10	61	41	15	12	129	(47.3)	(31.8)	(11.6)	(9.3)	(8.2)
11	67	45	17	14	143	(46.9)	(31.5)	(11.9)	(9.8)	(9.1)
12	76	28	16	10	130	(58.5)	(21.5)	(12.3)	(7.7)	(8.3)
Total	830	399	201	137	1567	(53.0)	(25.5)	(12.8)	(8.7)	(100.0)
Grand Total										
Total	2567	1110	534	**	**	(55.9)	(24.2)	(11.6)	(**)	(**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 6 ADMISSIONS BY MONTH AND AGE, 2010 - 2012




TABLE 7 ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 - 2012

Year / Month	DIAGNOSTIC GROUP																				Total									
	Blood / lymphatic		Body wall and cavities		Cardiovascular		Endocrine / metabolic		Gastro - Intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology			Other		Respiratory		Trauma		Unknown		
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		n	(%)	n	(%)	n	(%)	n	(%)	
2010																														
1	**	(**)	**	(**)	44	(32.8)	8	(6.0)	12	(9.0)	11	(8.2)	0	(0.0)	**	(**)	6	(4.5)	**	(**)	5	(3.7)	37	(27.6)	**	(**)	**	(**)	134	(9.0)
2	**	(**)	**	(**)	43	(37.7)	**	(**)	10	(8.8)	**	(**)	0	(0.0)	8	(7.0)	10	(8.8)	**	(**)	**	(**)	23	(20.2)	**	(**)	0	(0.0)	114	(7.7)
3	**	(**)	**	(**)	47	(38.2)	**	(**)	8	(6.5)	5	(4.1)	0	(0.0)	10	(8.1)	14	(11.4)	**	(**)	**	(**)	23	(18.7)	**	(**)	0	(0.0)	123	(8.3)
4	**	(**)	6	(4.3)	39	(28.1)	**	(**)	15	(10.8)	**	(**)	**	(**)	5	(3.6)	15	(10.8)	**	(**)	11	(7.9)	32	(23.0)	7	(5.0)	0	(0.0)	139	(9.3)
5	**	(**)	**	(**)	33	(33.7)	**	(**)	8	(8.2)	**	(**)	0	(0.0)	8	(8.2)	7	(7.1)	**	(**)	6	(6.1)	23	(23.5)	**	(**)	0	(0.0)	98	(6.6)
6	**	(**)	**	(**)	38	(29.9)	5	(3.9)	21	(16.5)	6	(4.7)	0	(0.0)	6	(4.7)	14	(11.0)	6	(4.7)	6	(4.7)	17	(13.4)	**	(**)	**	(**)	127	(8.5)
7	**	(**)	**	(**)	49	(41.2)	0	(0.0)	10	(8.4)	5	(4.2)	0	(0.0)	5	(4.2)	12	(10.1)	6	(5.0)	11	(9.2)	12	(10.1)	**	(**)	**	(**)	119	(8.0)
8	**	(**)	**	(**)	44	(36.7)	0	(0.0)	14	(11.7)	**	(**)	0	(0.0)	9	(7.5)	9	(7.5)	**	(**)	11	(9.2)	19	(15.8)	**	(**)	0	(0.0)	120	(8.1)
9	**	(**)	6	(4.6)	33	(25.4)	**	(**)	11	(8.5)	**	(**)	0	(0.0)	9	(6.9)	10	(7.7)	6	(4.6)	9	(6.9)	34	(26.2)	**	(**)	**	(**)	130	(8.7)
10	**	(**)	8	(6.3)	44	(34.4)	**	(**)	12	(9.4)	0	(0.0)	**	(**)	10	(7.8)	**	(**)	6	(4.7)	9	(7.0)	27	(21.1)	**	(**)	0	(0.0)	128	(8.6)
11	0	(0.0)	11	(8.4)	47	(35.9)	**	(**)	14	(10.7)	**	(**)	**	(**)	9	(6.9)	9	(6.9)	**	(**)	**	(**)	25	(19.1)	**	(**)	0	(0.0)	131	(8.8)
12	**	(**)	**	(**)	38	(30.2)	**	(**)	9	(7.1)	5	(4.0)	0	(0.0)	9	(7.1)	11	(8.7)	**	(**)	**	(**)	39	(31.0)	**	(**)	0	(0.0)	126	(8.5)
Total	21	(1.4)	53	(3.6)	499	(33.5)	33	(2.2)	144	(9.7)	47	(3.2)	**	(**)	**	(**)	**	(**)	51	(3.4)	81	(5.4)	311	(20.9)	31	(2.1)	5	(0.3)	1489	(100.0)
2011																														
1	**	(**)	**	(**)	44	(32.8)	**	(**)	17	(12.7)	9	(6.7)	0	(0.0)	6	(4.5)	8	(6.0)	**	(**)	**	(**)	36	(26.9)	**	(**)	0	(0.0)	134	(8.7)
2	0	(0.0)	5	(3.8)	41	(31.1)	**	(**)	13	(9.8)	**	(**)	**	(**)	**	(**)	7	(5.3)	**	(**)	9	(6.8)	42	(31.8)	**	(**)	0	(0.0)	132	(8.6)
3	**	(**)	7	(4.7)	47	(31.5)	**	(**)	8	(5.4)	7	(4.7)	0	(0.0)	9	(6.0)	11	(7.4)	6	(4.0)	7	(4.7)	39	(26.2)	**	(**)	0	(0.0)	149	(9.7)
4	**	(**)	5	(4.4)	41	(36.3)	**	(**)	10	(8.8)	7	(6.2)	0	(0.0)	**	(**)	11	(9.7)	**	(**)	5	(4.4)	22	(19.5)	**	(**)	**	(**)	113	(7.4)
5	0	(0.0)	**	(**)	34	(28.8)	**	(**)	12	(10.2)	**	(**)	0	(0.0)	10	(8.5)	9	(7.6)	**	(**)	12	(10.2)	27	(22.9)	**	(**)	0	(0.0)	118	(7.7)
6	0	(0.0)	**	(**)	42	(36.5)	**	(**)	11	(9.6)	**	(**)	0	(0.0)	8	(7.0)	10	(8.7)	7	(6.1)	6	(5.2)	22	(19.1)	**	(**)	0	(0.0)	115	(7.5)
7	0	(0.0)	**	(**)	45	(37.2)	**	(**)	11	(9.1)	**	(**)	0	(0.0)	5	(4.1)	7	(5.8)	9	(7.4)	7	(5.8)	26	(21.5)	**	(**)	0	(0.0)	121	(7.9)
8	**	(**)	5	(4.5)	40	(36.4)	**	(**)	9	(8.2)	**	(**)	0	(0.0)	10	(9.1)	11	(10.0)	**	(**)	6	(5.5)	17	(15.5)	**	(**)	0	(0.0)	110	(7.2)
9	**	(**)	6	(4.7)	57	(44.9)	0	(0.0)	10	(7.9)	**	(**)	**	(**)	9	(7.1)	7	(5.5)	**	(**)	11	(8.7)	20	(15.7)	**	(**)	0	(0.0)	127	(8.3)
10	**	(**)	**	(**)	48	(36.4)	**	(**)	13	(9.8)	**	(**)	**	(**)	8	(6.1)	6	(4.5)	9	(6.8)	10	(7.6)	25	(18.9)	**	(**)	0	(0.0)	132	(8.6)
11	**	(**)	6	(4.0)	52	(34.7)	6	(4.0)	18	(12.0)	**	(**)	**	(**)	8	(5.3)	12	(8.0)	8	(5.3)	8	(5.3)	25	(16.7)	0	(0.0)	0	(0.0)	150	(9.8)
12	0	(0.0)	5	(3.7)	44	(32.4)	**	(**)	11	(8.1)	6	(4.4)	**	(**)	**	(**)	12	(8.8)	**	(**)	11	(8.1)	35	(25.7)	**	(**)	0	(0.0)	136	(8.8)
Total	11	(0.7)	52	(3.4)	535	(34.8)	31	(2.0)	143	(9.3)	51	(3.3)	7	(0.5)	83	(5.4)	111	(7.2)	59	(3.8)	**	(**)	336	(21.9)	22	(1.4)	**	(**)	1537	(100.0)
2012																														
1	**	(**)	5	(3.8)	41	(31.5)	**	(**)	**	(**)	5	(3.8)	**	(**)	**	(**)	12	(9.2)	7	(5.4)	10	(7.7)	36	(27.7)	**	(**)	0	(0.0)	130	(8.3)
2	**	(**)	0	(0.0)	41	(32.8)	**	(**)	13	(10.4)	**	(**)	0	(0.0)	**	(**)	11	(8.8)	5	(4.0)	8	(6.4)	34	(27.2)	**	(**)	0	(0.0)	125	(8.0)
3	**	(**)	**	(**)	47	(33.1)	5	(3.5)	9	(6.3)	5	(3.5)	**	(**)	5	(3.5)	11	(7.7)	7	(4.9)	5	(3.5)	40	(28.2)	**	(**)	**	(**)	142	(9.1)
4	0	(0.0)	**	(**)	37	(30.8)	**	(**)	6	(5.0)	**	(**)	0	(0.0)	**	(**)	17	(14.2)	9	(7.5)	5	(4.2)	36	(30.0)	**	(**)	0	(0.0)	120	(7.7)
5	0	(0.0)	**	(**)	36	(27.1)	**	(**)	10	(7.5)	5	(3.8)	0	(0.0)	8	(6.0)	16	(12.0)	5	(3.8)	8	(6.0)	30	(22.6)	6	(4.5)	**	(**)	133	(8.5)
6	**	(**)	**	(**)	42	(32.3)	**	(**)	11	(8.5)	**	(**)	0	(0.0)	**	(**)	8	(6.2)	6	(4.6)	9	(6.9)	38	(29.2)	**	(**)	0	(0.0)	130	(8.3)
7	**	(**)	6	(4.1)	47	(32.2)	**	(**)	15	(10.3)	**	(**)	0	(0.0)	6	(4.1)	12	(8.2)	5	(3.4)	10	(6.8)	33	(22.6)	6	(4.1)	0	(0.0)	146	(9.3)
8	**	(**)	**	(**)	38	(32.8)	**	(**)	11	(9.5)	6	(5.2)	0	(0.0)	6	(5.2)	8	(6.9)	5	(4.3)	**	(**)	29	(25.0)	**	(**)	0	(0.0)	116	(7.4)
9	**	(**)	**	(**)	33	(26.8)	**	(**)	11	(8.9)	**	(**)	**	(**)	7	(5.7)	9	(7.3)	**	(**)	9	(7.3)	34	(27.6)	**	(**)	0	(0.0)	123	(7.8)
10	0	(0.0)	**	(**)	37	(28.7)	**	(**)	11	(8.5)	6	(4.7)	0	(0.0)	6	(4.7)	14	(10.9)	9	(7.0)	11	(8.5)	26	(20.2)	**	(**)	0	(0.0)	129	(8.2)
11	**	(**)	**	(**)	43	(30.1)	6	(4.2)	12	(8.4)	11	(7.7)	**	(**)	**	(**)	13	(9.1)	9	(6.3)	9	(6.3)	32	(22.4)	0	(0.0)	0	(0.0)	143	(9.1)
12	**	(**)	**	(**)	29	(22.3)	**	(**)	8	(6.2)	5	(3.8)	0	(0.0)	6	(4.6)	6	(4.6)	6	(4.6)	5	(3.8)	58	(44.6)	0	(0.0)	0	(0.0)	130	(8.3)
Total	14	(0.9)	34	(2.2)	471	(30.1)	35	(2.2)	**	(**)	62	(4.0)	5	(0.3)	59	(3.8)	137	(8.7)	**	(**)	**	(**)	426	(27.2)	30	(1.9)	5	(0.3)	1567	(100.0)
Grand Total	46	(1.0)	139	(3.0)	1505	(32.8)	99	(2.2)	**	(**)	160	(3.5)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	1073	(23.4)	83	(1.8)	11	(0.2)	4593	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 7 ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2010 - 2012




TABLE 8 RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 - 2012

Year / Month	AGE GROUP (YEARS)								Total (%)
	<1 (%)	1-4 (%)	5-10 (%)	11-15 (%)	n	n	n	n	
2010									
1	29 (78.4)	8 (21.6)	0 (0.0)	0 (0.0)					37 (11.9)
2	12 (52.2)	10 (43.5)	** (**)	0 (0.0)					** (**)
3	12 (52.2)	7 (30.4)	** (**)	** (**)					23 (7.4)
4	21 (65.6)	8 (25.0)	** (**)	** (**)					32 (10.3)
5	12 (52.2)	7 (30.4)	** (**)	** (**)					23 (7.4)
6	5 (29.4)	7 (41.2)	5 (29.4)	0 (0.0)					17 (5.5)
7	8 (66.7)	** (**)	** (**)	0 (0.0)					12 (3.9)
8	14 (73.7)	** (**)	** (**)	0 (0.0)					19 (6.1)
9	19 (55.9)	7 (20.6)	6 (17.6)	** (**)					** (**)
10	9 (33.3)	12 (44.4)	** (**)	** (**)					27 (8.7)
11	9 (36.0)	5 (20.0)	9 (36.0)	** (**)					** (**)
12	25 (64.1)	9 (23.1)	** (**)	** (**)					39 (12.5)
Total	175 (56.3)	87 (28.0)	35 (11.3)	14 (4.5)					311 (100.0)
2011									
1	25 (69.4)	5 (13.9)	5 (13.9)	** (**)					** (**)
2	33 (78.6)	7 (16.7)	** (**)	0 (0.0)					** (**)
3	28 (71.8)	6 (15.4)	** (**)	** (**)					39 (11.6)
4	10 (45.5)	7 (31.8)	5 (22.7)	0 (0.0)					22 (6.5)
5	16 (59.3)	6 (22.2)	** (**)	** (**)					27 (8.0)
6	14 (63.6)	** (**)	** (**)	** (**)					22 (6.5)
7	17 (65.4)	6 (23.1)	** (**)	0 (0.0)					** (**)
8	13 (76.5)	** (**)	0 (0.0)	0 (0.0)					** (**)
9	11 (55.0)	** (**)	5 (25.0)	0 (0.0)					** (**)
10	15 (60.0)	6 (24.0)	** (**)	** (**)					25 (7.4)
11	9 (36.0)	11 (44.0)	** (**)	** (**)					25 (7.4)
12	21 (60.0)	9 (25.7)	** (**)	** (**)					35 (10.4)
Total	212 (63.1)	74 (22.0)	37 (11.0)	13 (3.9)					336 (100.0)
2012									
1	27 (75.0)	6 (16.7)	** (**)	** (**)					36 (8.5)
2	23 (67.6)	7 (20.6)	** (**)	** (**)					34 (8.0)
3	18 (45.0)	14 (35.0)	6 (15.0)	** (**)					** (**)
4	22 (61.1)	9 (25.0)	** (**)	** (**)					36 (8.5)
5	13 (43.3)	13 (43.3)	** (**)	0 (0.0)					** (**)
6	18 (47.4)	11 (28.9)	** (**)	5 (13.2)					** (**)
7	18 (54.5)	7 (21.2)	6 (18.2)	** (**)					** (**)
8	15 (51.7)	11 (37.9)	** (**)	** (**)					29 (6.8)
9	16 (47.1)	13 (38.2)	** (**)	** (**)					34 (8.0)
10	14 (53.8)	8 (30.8)	** (**)	0 (0.0)					** (**)
11	22 (68.8)	7 (21.9)	** (**)	** (**)					32 (7.5)
12	38 (65.5)	15 (25.9)	5 (8.6)	0 (0.0)					58 (13.6)
Total	244 (57.3)	121 (28.4)	45 (10.6)	16 (3.8)					426 (100.0)
Grand Total	631 (58.8)	282 (26.3)	117 (10.9)	43 (4.0)					1073 (100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 8 RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2010 - 2012




TABLE 9 ADMISSIONS BY MONTH, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	MONTH																	
	January n (%)	February n (%)	March n (%)	April n (%)	May n (%)	June n (%)	July n (%)	August n (%)	September n (%)	October n (%)	November n (%)	December n (%)	Total n (%)					
2010																		
E1	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
E2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)					
H	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	8 (0.5)					
K2	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.3)					
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)					
V	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
ZA	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)					
ZB	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)					
ZC	84 (8.6)	78 (8.0)	88 (9.0)	91 (9.3)	64 (6.5)	81 (8.3)	84 (8.6)	86 (8.8)	86 (8.8)	84 (8.6)	85 (8.7)	70 (7.1)	981 (65.9)					
ZD	49 (10.2)	36 (7.5)	34 (7.1)	43 (8.9)	33 (6.9)	43 (8.9)	33 (6.9)	32 (6.7)	42 (8.7)	40 (8.3)	44 (9.1)	52 (10.8)	481 (32.3)					
Total	** (**)	114 (7.7)	** (**)	139 (9.3)	** (**)	127 (8.5)	** (**)	** (**)	** (**)	128 (8.6)	** (**)	126 (8.5)	1489 (100.0)					
2011																		
E2	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)					
H	** (**)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	5 (23.8)	** (**)	0 (0.0)	** (**)	21 (1.4)					
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
Q	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
V	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
ZA	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
ZB	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
ZC	81 (8.1)	79 (7.9)	86 (8.6)	67 (6.7)	76 (7.6)	75 (7.5)	82 (8.2)	79 (7.9)	91 (9.1)	94 (9.4)	103 (10.3)	84 (8.4)	997 (64.9)					
ZD	49 (9.7)	47 (9.3)	60 (11.9)	45 (8.9)	37 (7.3)	38 (7.5)	37 (7.3)	31 (6.1)	29 (5.7)	36 (7.1)	46 (9.1)	51 (10.1)	506 (32.9)					
Total	134 (8.7)	132 (8.6)	149 (9.7)	** (**)	118 (7.7)	** (**)	** (**)	110 (7.2)	** (**)	** (**)	** (**)	** (**)	1537 (100.0)					
2012																		
D	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
E1	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
E2	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
H	** (**)	0 (0.0)	** (**)	** (**)	5 (31.3)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	16 (1.0)					
K1K3	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
L	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
O	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
V	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
W	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
ZA	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
ZB	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
ZC	82 (7.8)	83 (7.9)	98 (9.3)	79 (7.5)	88 (8.4)	95 (9.0)	100 (9.5)	82 (7.8)	81 (7.7)	83 (7.9)	94 (8.9)	87 (8.3)	1052 (67.1)					
ZD	46 (9.6)	42 (8.8)	40 (8.3)	34 (7.1)	37 (7.7)	31 (6.5)	42 (8.8)	34 (7.1)	39 (8.1)	44 (9.2)	49 (10.2)	42 (8.8)	480 (30.6)					
Total	** (**)	125 (8.0)	142 (9.1)	120 (7.7)	** (**)	130 (8.3)	** (**)	116 (7.4)	123 (7.8)	** (**)	143 (9.1)	** (**)	1567 (100.0)					
Grand Total	398 (8.7)	371 (8.1)	** (**)	** (**)	349 (7.6)	** (**)	386 (8.4)	** (**)	380 (8.3)	389 (8.5)	424 (9.2)	392 (8.5)	4593 (100.0)					

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 10 ADMISSIONS BY COUNTY AND YEAR, 2010 - 2012


Country/County	2010		YEAR 2011		2012		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
Republic of Ireland								
Carlow	18	(1.2)	22	(1.4)	15	(1.0)	55	(1.2)
Cavan	22	(1.5)	27	(1.8)	28	(1.8)	77	(1.7)
Clare	28	(1.9)	30	(2.0)	29	(1.9)	87	(1.9)
Cork	138	(9.3)	143	(9.3)	153	(9.8)	434	(9.4)
Donegal	63	(4.2)	58	(3.8)	55	(3.5)	176	(3.8)
Dublin	457	(30.7)	446	(29.0)	508	(32.4)	1411	(30.7)
Galway	69	(4.6)	101	(6.6)	69	(4.4)	239	(5.2)
Kerry	33	(2.2)	54	(3.5)	42	(2.7)	129	(2.8)
Kildare	89	(6.0)	95	(6.2)	103	(6.6)	287	(6.2)
Kilkenny	18	(1.2)	32	(2.1)	24	(1.5)	74	(1.6)
Laoighis	36	(2.4)	12	(0.8)	27	(1.7)	75	(1.6)
Leitrim	9	(0.6)	9	(0.6)	6	(0.4)	24	(0.5)
Limerick	47	(3.2)	57	(3.7)	52	(3.3)	156	(3.4)
Longford	8	(0.5)	16	(1.0)	14	(0.9)	38	(0.8)
Louth	51	(3.4)	23	(1.5)	38	(2.4)	112	(2.4)
Mayo	44	(3.0)	42	(2.7)	51	(3.3)	137	(3.0)
Meath	73	(4.9)	81	(5.3)	73	(4.7)	227	(4.9)
Monaghan	33	(2.2)	27	(1.8)	12	(0.8)	72	(1.6)
Offaly	37	(2.5)	19	(1.2)	18	(1.1)	74	(1.6)
Roscommon	20	(1.3)	20	(1.3)	**	(**)	**	(**)
Sligo	11	(0.7)	24	(1.6)	21	(1.3)	56	(1.2)
Tipperary	27	(1.8)	39	(2.5)	41	(2.6)	107	(2.3)
Waterford	36	(2.4)	27	(1.8)	43	(2.7)	106	(2.3)
Westmeath	28	(1.9)	25	(1.6)	30	(1.9)	83	(1.8)
Wexford	42	(2.8)	49	(3.2)	52	(3.3)	143	(3.1)
Wicklow	51	(3.4)	51	(3.3)	53	(3.4)	155	(3.4)
Missing	**	(**)	8	(0.5)	6	(0.4)	**	(**)
Total	**	(**)	1537	(33.5)	**	(**)	4593	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 10 MAP SHOWING COUNTY BOUNDARIES

Republic of Ireland (County)

- 01 Carlow
- 02 Dublin
- 03 Kildare
- 04 Kilkenny
- 05 Laoighis
- 06 Longford
- 07 Louth
- 08 Meath
- 09 Offaly
- 10 Westmeath
- 11 Wexford
- 12 Wicklow
- 13 Clare
- 14 Cork
- 15 Kerry
- 16 Limerick
- 17 Tipperary
- 18 Waterford
- 19 Galway
- 20 Leitrim
- 21 Mayo
- 22 Roscommon
- 23 Sligo
- 24 Cavan
- 25 Donegal
- 26 Monaghan



© Crown Copyright/database right 2013 An Ordnance Survey/ONS supplied service

TABLE 11 ADMISSIONS BY PREDICTED MORTALITY RISK GROUP, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	PIM2 (RECALIBRATED) GROUP											
	<1%		1-<5%		5-<15%		15-<30%		30%+		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2010												
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
H	**	(**)	5	(62.5)	**	(**)	0	(0.0)	**	(**)	**	(**)
K2	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(0.3)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	199	(20.3)	529	(53.9)	185	(18.9)	46	(4.7)	22	(2.2)	981	(65.9)
ZD	163	(33.9)	212	(44.1)	86	(17.9)	9	(1.9)	11	(2.3)	481	(32.3)
Total	365	(24.5)	754	(50.6)	279	(18.7)	**	(**)	**	(**)	1489	(100.0)
2011												
E2	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	**	(**)	12	(57.1)	5	(23.8)	0	(0.0)	21	(1.4)
L	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Q	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	230	(23.1)	535	(53.7)	180	(18.1)	38	(3.8)	14	(1.4)	997	(64.9)
ZD	166	(32.8)	245	(48.4)	70	(13.8)	13	(2.6)	12	(2.4)	506	(32.9)
Total	**	(**)	787	(51.2)	268	(17.4)	56	(3.6)	26	(1.7)	**	(**)
2012												
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)
H	**	(**)	10	(62.5)	**	(**)	**	(**)	0	(0.0)	16	(1.0)
K1K3	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
W	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZC	310	(29.5)	536	(51.0)	160	(15.2)	35	(3.3)	11	(1.0)	1052	(67.1)
ZD	132	(27.5)	237	(49.4)	95	(19.8)	15	(3.1)	**	(**)	**	(**)
Total	**	(**)	**	(**)	261	(16.7)	54	(3.4)	**	(**)	1567	(100.0)
Grand Total	1215	(26.5)	**	(**)	808	(17.6)	**	(**)	73	(1.6)	**	(**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 12 ADMISSIONS BY ADMISSION TYPE AND AGE, 2010 - 2012

Admission Type	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Planned - following surgery	858	(47.9)	512	(28.6)	231	(12.9)	190	(10.6)	1791	(39.0)
Unplanned - following surgery	132	(51.8)	54	(21.2)	43	(16.9)	26	(10.2)	255	(5.6)
Planned - other	516	(71.3)	120	(16.6)	49	(6.8)	39	(5.4)	724	(15.8)
Unplanned - other	1061	(58.2)	424	(23.3)	211	(11.6)	127	(7.0)	1823	(39.7)
Total	2567	(55.9)	1110	(24.2)	534	(11.6)	382	(8.3)	4593	(100.0)

FIGURE 12 ADMISSIONS BY ADMISSION TYPE AND AGE, 2010 - 2012




TABLE 13 ADMISSIONS BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	ADMISSION TYPE											
	Planned - n	Planned - (%)	Unplanned - n	Unplanned - (%)	Planned - other n	Planned - other (%)	Unplanned - other n	Unplanned - other (%)	Unknown n	Unknown (%)	Total n	Total (%)
2010												
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
H	6	(75.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	5	(0.3)
L	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZC	463	(47.2)	39	(4.0)	186	(19.0)	293	(29.9)	0	(0.0)	981	(65.9)
ZD	148	(30.8)	33	(6.9)	59	(12.3)	241	(50.1)	0	(0.0)	481	(32.3)
Total	624	(41.9)	**	(**)	**	(**)	544	(36.5)	0	(0.0)	1489	(100.0)
2011												
E2	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	9	(42.9)	**	(**)	**	(**)	7	(33.3)	0	(0.0)	21	(1.4)
L	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Q	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZC	471	(47.2)	45	(4.5)	181	(18.2)	300	(30.1)	0	(0.0)	997	(64.9)
ZD	121	(23.9)	45	(8.9)	61	(12.1)	279	(55.1)	0	(0.0)	506	(32.9)
Total	**	(**)	94	(6.1)	249	(16.2)	592	(38.5)	0	(0.0)	**	(**)
2012												
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
H	6	(37.5)	**	(**)	**	(**)	**	(**)	0	(0.0)	16	(1.0)
K1K3	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
W	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZC	464	(44.1)	37	(3.5)	154	(14.6)	397	(37.7)	0	(0.0)	1052	(67.1)
ZD	89	(18.5)	48	(10.0)	66	(13.8)	277	(57.7)	0	(0.0)	480	(30.6)
Total	565	(36.1)	**	(**)	227	(14.5)	687	(43.8)	0	(0.0)	**	(**)
Grand												
Total	**	(**)	255	(5.6)	**	(**)	1823	(39.7)	0	(0.0)	4593	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 13 ADMISSIONS BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012




TABLE 14 ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	ADMISSION SOURCE										Total	
	Same hospital		Other hospital		Clinic		Home		Unknown			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2010												
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	180	(61.4)	112	(38.2)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZD	83	(34.4)	157	(65.1)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Total	**	(**)	274	(50.4)	0	(0.0)	**	(**)	**	(**)	544	(100.0)
2011												
H	**	(**)	5	(71.4)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Q	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	206	(68.7)	91	(30.3)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZD	130	(46.6)	149	(53.4)	0	(0.0)	0	(0.0)	0	(0.0)	279	(47.1)
Total	339	(57.3)	250	(42.2)	0	(0.0)	**	(**)	0	(0.0)	592	(100.0)
2012												
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	276	(69.5)	119	(30.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZD	115	(41.5)	162	(58.5)	0	(0.0)	0	(0.0)	0	(0.0)	277	(40.3)
Total	400	(58.2)	285	(41.5)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Grand												
Total	**	(**)	809	(44.4)	0	(0.0)	6	(0.3)	**	(**)	**	(**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 14 ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2010 - 2012




TABLE 15 ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED -OTHER; ADMITTED FROM HOSPITAL), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Accident & emergency		HDU (step - up / step - down unit)		ICU / PICU / NICU		Other intermediate care area (not ICU / PICU / NICU)		CARE AREA Recovery only		Theatre and recovery		Ward		X-ray, endoscopy, CT scanner or similar		Unknown		Total			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		
2010																						
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	66	(22.6)	5	(1.7)	76	(26.0)	7	(2.4)	**	(**)	**	(**)	126	(43.2)	8	(2.7)	0	(0.0)	0	(0.0)	292	(53.9)
ZD	86	(35.8)	13	(5.4)	62	(25.8)	7	(2.9)	5	(2.1)	10	(4.2)	57	(23.8)	0	(0.0)	0	(0.0)	0	(0.0)	240	(44.3)
Total	152	(28.0)	18	(3.3)	**	(**)	14	(2.6)	8	(1.5)	**	(**)	189	(34.9)	8	(1.5)	0	(0.0)	0	(0.0)	542	(100.0)
2011																						
H	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(1.2)
Q	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	72	(24.2)	6	(2.0)	56	(18.9)	11	(3.7)	0	(0.0)	6	(2.0)	142	(47.8)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZD	115	(41.2)	10	(3.6)	58	(20.8)	14	(5.0)	**	(**)	7	(2.5)	68	(24.4)	**	(**)	0	(0.0)	0	(0.0)	279	(47.4)
Total	192	(32.6)	16	(2.7)	118	(20.0)	**	(**)	**	(**)	**	(**)	**	(**)	7	(1.2)	0	(0.0)	0	(0.0)	589	(100.0)
2012																						
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	103	(26.1)	9	(2.3)	78	(19.7)	8	(2.0)	**	(**)	**	(**)	183	(46.3)	9	(2.3)	0	(0.0)	0	(0.0)	395	(57.7)
ZD	114	(41.2)	11	(4.0)	64	(23.1)	6	(2.2)	**	(**)	6	(2.2)	73	(26.4)	**	(**)	0	(0.0)	0	(0.0)	277	(40.4)
Total	217	(31.7)	20	(2.9)	146	(21.3)	**	(**)	**	(**)	11	(1.6)	263	(38.4)	**	(**)	0	(0.0)	0	(0.0)	685	(100.0)
Grand Total	561	(30.9)	54	(3.0)	**	(**)	55	(3.0)	14	(0.8)	38	(2.1)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	1816	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 15 ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED -OTHER; ADMITTED FROM HOSPITAL), BY HEALTH ORGANISATION, 2010 - 2012





TABLE 16 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE, 2010 - 2012

Diagnostic Group	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Blood / lymphatic	11	(23.9)	21	(45.7)	11	(23.9)	**	(**)	**	(**)
Body wall and cavities	131	(94.2)	6	(4.3)	**	(**)	**	(**)	139	(3.0)
Cardiovascular	1026	(68.2)	304	(20.2)	109	(7.2)	66	(4.4)	1505	(32.8)
Endocrine / metabolic	40	(40.4)	25	(25.3)	14	(14.1)	20	(20.2)	99	(2.2)
Gastrointestinal	309	(75.9)	39	(9.6)	31	(7.6)	28	(6.9)	407	(8.9)
Infection	93	(58.1)	43	(26.9)	13	(8.1)	11	(6.9)	160	(3.5)
Multisystem	11	(73.3)	**	(**)	**	(**)	0	(0.0)	15	(0.3)
Musculoskeletal	37	(15.9)	63	(27.2)	53	(22.8)	79	(34.1)	232	(5.1)
Neurological	120	(32.6)	145	(39.4)	65	(17.7)	38	(10.3)	368	(8.0)
Oncology	29	(15.6)	74	(39.8)	47	(25.3)	36	(19.4)	186	(4.0)
Respiratory	631	(58.8)	282	(26.3)	117	(10.9)	43	(4.0)	1073	(23.4)
Trauma	7	(8.4)	27	(32.5)	27	(32.5)	22	(26.5)	83	(1.8)
Other	119	(44.2)	74	(27.5)	42	(15.6)	34	(12.6)	269	(5.9)
Unknown	**	(**)	**	(**)	**	(**)	**	(**)	11	(0.2)
Total	**	(**)	1110	(24.2)	534	(11.6)	382	(8.3)	**	(**)

FIGURE 16 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP, 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 17 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2010 - 2012

Diagnostic Group	AGE GROUP (YEARS)									
	16		17-20		21-25		26+		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Blood / lymphatic	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Cardiovascular	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(8.9)
Endocrine / metabolic	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(8.9)
Gastrointestinal	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Infection	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Musculoskeletal	12	(66.7)	6	(33.3)	0	(0.0)	0	(0.0)	18	(32.1)
Neurological	6	(85.7)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Oncology	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(10.7)
Respiratory	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(10.7)
Trauma	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Other	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	44	(78.6)	**	(**)	**	(**)	0	(0.0)	56	(100.0)

FIGURE 17 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2010 - 2012

Removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 18 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	DIAGNOSTIC GROUP																			Total																
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multi- system		Musculo - skeletal		Neuro -logical		Oncology		Respiratory		Trauma		Other		Unknown									
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n		(%)	n	(%)	n	(%)	n	(%)	n	(%)							
2010																																				
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)		
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(62.5)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)		
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.3)
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	13	(1.3)	25	(2.5)	483	(49.2)	16	(1.6)	82	(8.4)	15	(1.5)	0	(0.0)	32	(3.3)	40	(4.1)	29	(3.0)	190	(19.4)	13	(1.3)	43	(4.4)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	981	(65.9)
ZD	7	(1.5)	28	(5.8)	6	(1.2)	17	(3.5)	56	(11.6)	31	(6.4)	**	(**)	58	(12.1)	76	(15.8)	21	(4.4)	120	(24.9)	18	(3.7)	35	(7.3)	5	(1.0)	0	(0.0)	0	(0.0)	**	(**)		
Total	**	(**)	53	(3.6)	499	(33.5)	33	(2.2)	**	(**)	**	(**)	**	(**)	90	(6.0)	**	(**)	**	(**)	**	(**)	**	(**)	31	(2.1)	81	(5.4)	5	(0.3)	0	(0.0)	1489	(100.0)		
2011																																				
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	5	(23.8)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	11	(52.4)	0	(0.0)	0	(0.0)	0	(0.0)	21	(1.4)
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Q	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	8	(0.8)	23	(2.3)	514	(51.6)	14	(1.4)	82	(8.2)	28	(2.8)	0	(0.0)	33	(3.3)	28	(2.8)	32	(3.2)	179	(18.0)	9	(0.9)	47	(4.7)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	997	(64.9)
ZD	**	(**)	28	(5.5)	15	(3.0)	17	(3.4)	56	(11.1)	22	(4.3)	7	(1.4)	50	(9.9)	80	(15.8)	26	(5.1)	151	(29.8)	13	(2.6)	37	(7.3)	**	(**)	0	(0.0)	0	(0.0)	**	(**)		
Total	**	(**)	**	(**)	535	(34.8)	31	(2.0)	143	(9.3)	**	(**)	7	(0.5)	83	(5.4)	**	(**)	**	(**)	336	(21.9)	22	(1.4)	95	(6.2)	**	(**)	**	(**)	0	(0.0)	1537	(100.0)		
2012																																				
D	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	6	(37.5)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	16	(1.0)
K1K3	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
W	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	10	(1.0)	21	(2.0)	459	(43.6)	16	(1.5)	70	(6.7)	35	(3.3)	**	(**)	34	(3.2)	47	(4.5)	43	(4.1)	256	(24.3)	12	(1.1)	48	(4.6)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	1052	(67.1)
ZD	**	(**)	13	(2.7)	10	(2.1)	16	(3.3)	42	(8.8)	26	(5.4)	**	(**)	25	(5.2)	90	(18.8)	32	(6.7)	159	(33.1)	18	(3.8)	37	(7.7)	5	(1.0)	0	(0.0)	0	(0.0)	**	(**)		
Total	14	(0.9)	34	(2.2)	**	(**)	35	(2.2)	120	(7.7)	**	(**)	5	(0.3)	59	(3.8)	137	(8.7)	**	(**)	426	(27.2)	30	(1.9)	**	(**)	5	(0.3)	0	(0.0)	1567	(100.0)				
Grand Total																																				
Total	46	(1.0)	**	(**)	**	(**)	99	(2.2)	**	(**)	160	(3.5)	**	(**)	232	(5.1)	368	(8.0)	186	(4.0)	**	(**)	83	(1.8)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	4593	(100.0)		

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 19 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - FOLLOWING SURGERY), BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		DIAGNOSTIC GROUP Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown		Total					
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)				
2010																																		
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)		
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	6	(1.0)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	**	(**)	7	(1.5)	314	(67.8)	**	(**)	30	(6.5)	**	(**)	0	(0.0)	26	(5.6)	10	(2.2)	17	(3.7)	42	(9.1)	**	(**)	10	(2.2)	0	(0.0)	0	(0.0)	463	(74.2)		
ZD	**	(**)	6	(4.1)	**	(**)	**	(**)	15	(10.1)	**	(**)	**	(**)	49	(33.1)	15	(10.1)	18	(12.2)	18	(12.2)	**	(**)	15	(10.1)	**	(**)	0	(0.0)	148	(23.7)		
Total	**	(**)	13	(2.1)	318	(51.0)	**	(**)	48	(7.7)	**	(**)	**	(**)	75	(12.0)	**	(**)	**	(**)	60	(9.6)	6	(1.0)	28	(4.5)	**	(**)	0	(0.0)	624	(100.0)		
2011																																		
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	8	(88.9)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	0	(0.0)	7	(1.5)	323	(68.6)	0	(0.0)	46	(9.8)	**	(**)	0	(0.0)	28	(5.9)	**	(**)	19	(4.0)	31	(6.6)	**	(**)	13	(2.8)	0	(0.0)	0	(0.0)	471	(78.2)		
ZD	0	(0.0)	5	(4.1)	**	(**)	0	(0.0)	18	(14.9)	**	(**)	5	(4.1)	44	(36.4)	7	(5.8)	20	(16.5)	13	(10.7)	**	(**)	6	(5.0)	0	(0.0)	0	(0.0)	121	(20.1)		
Total	0	(0.0)	12	(2.0)	**	(**)	0	(0.0)	64	(10.6)	**	(**)	5	(0.8)	72	(12.0)	**	(**)	**	(**)	44	(7.3)	**	(**)	27	(4.5)	0	(0.0)	0	(0.0)	602	(100.0)		
2012																																		
D	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	6	(1.1)
O	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	**	(**)	**	(**)	283	(61.0)	0	(0.0)	26	(5.6)	**	(**)	**	(**)	31	(6.7)	**	(**)	27	(5.8)	64	(13.8)	**	(**)	18	(3.9)	0	(0.0)	0	(0.0)	464	(82.1)		
ZD	**	(**)	**	(**)	0	(0.0)	0	(0.0)	8	(9.0)	0	(0.0)	**	(**)	18	(20.2)	8	(9.0)	24	(27.0)	12	(13.5)	**	(**)	11	(12.4)	**	(**)	0	(0.0)	89	(15.8)		
Total	**	(**)	6	(1.1)	283	(50.1)	**	(**)	38	(6.7)	**	(**)	**	(**)	49	(8.7)	**	(**)	51	(9.0)	**	(**)	**	(**)	33	(5.8)	**	(**)	0	(0.0)	565	(100.0)		
Grand Total																																		
Total	7	(0.4)	31	(1.7)	**	(**)	5	(0.3)	150	(8.4)	10	(0.6)	9	(0.5)	196	(10.9)	45	(2.5)	127	(7.1)	**	(**)	13	(0.7)	88	(4.9)	**	(**)	0	(0.0)	1791	(100.0)		

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 22 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2010 - 2012


Year / Organisation	DIAGNOSTIC GROUP																			Total														
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown							
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n		(%)	n	(%)	n	(%)	n	(%)	n	(%)					
2010																																		
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	8	(2.7)	5	(1.7)	88	(30.0)	9	(3.1)	20	(6.8)	5	(1.7)	0	(0.0)	**	(**)	21	(7.2)	10	(3.4)	100	(34.1)	9	(3.1)	17	(5.8)	0	(0.0)	293	(53.9)				
ZD	**	(**)	12	(5.0)	**	(**)	14	(5.8)	28	(11.6)	24	(10.0)	0	(0.0)	7	(2.9)	49	(20.3)	**	(**)	75	(31.1)	12	(5.0)	9	(3.7)	**	(**)	241	(44.3)				
Total	**	(**)	17	(3.1)	97	(17.8)	23	(4.2)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	175	(32.2)	21	(3.9)	26	(4.8)	**	(**)	544	(100.0)				
2011																																		
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	7	(1.2)
Q	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	7	(2.3)	6	(2.0)	97	(32.3)	11	(3.7)	17	(5.7)	16	(5.3)	0	(0.0)	0	(0.0)	22	(7.3)	8	(2.7)	97	(32.3)	**	(**)	17	(5.7)	0	(0.0)	**	(**)				
ZD	**	(**)	17	(6.1)	8	(2.9)	13	(4.7)	15	(5.4)	18	(6.5)	**	(**)	**	(**)	54	(19.4)	**	(**)	113	(40.5)	10	(3.6)	21	(7.5)	**	(**)	279	(47.1)				
Total	**	(**)	23	(3.9)	**	(**)	24	(4.1)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	592	(100.0)		
2012																																		
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)		
K1K3	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)		
ZA	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
ZB	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
ZC	5	(1.3)	8	(2.0)	115	(29.0)	11	(2.8)	16	(4.0)	26	(6.5)	0	(0.0)	**	(**)	35	(8.8)	12	(3.0)	140	(35.3)	7	(1.8)	20	(5.0)	0	(0.0)	**	(**)				
ZD	**	(**)	6	(2.2)	9	(3.2)	13	(4.7)	14	(5.1)	23	(8.3)	**	(**)	0	(0.0)	60	(21.7)	**	(**)	114	(41.2)	13	(4.7)	17	(6.1)	**	(**)	277	(40.3)				
Total	**	(**)	14	(2.0)	**	(**)	24	(3.5)	**	(**)	**	(**)	**	(**)	**	(**)	95	(13.8)	**	(**)	259	(37.7)	20	(2.9)	**	(**)	**	(**)	687	(100.0)				
Grand Total																																		
Total	26	(1.4)	54	(3.0)	329	(18.0)	71	(3.9)	118	(6.5)	115	(6.3)	**	(**)	12	(0.7)	246	(13.5)	39	(2.1)	**	(**)	**	(**)	104	(5.7)	6	(0.3)	1823	(100.0)				

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 26 RETRIEVALS BY TEAM TYPE AND AGE, 2010 - 2012

Retrieval Team	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Own team	7	(70.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Other specialist PIC team	15	(65.2)	5	(21.7)	**	(**)	**	(**)	23	(3.2)
Other specialist non-PIC team	476	(90.0)	31	(5.9)	12	(2.3)	10	(1.9)	529	(74.0)
Non-specialist team	55	(37.2)	42	(28.4)	25	(16.9)	26	(17.6)	148	(20.7)
Unknown	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	**	(**)	**	(**)	715	(100.0)

FIGURE 26 RETRIEVALS BY TEAM TYPE, 2010 - 2012




As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 27 NON - SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 - 2012

Diagnostic Group	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Blood / lymphatic	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Body wall and cavities	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Cardiovascular	20	(55.6)	**	(**)	6	(16.7)	6	(16.7)	**	(**)
Endocrine / metabolic	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)
Gastrointestinal	**	(**)	**	(**)	**	(**)	**	(**)	10	(6.8)
Infection	5	(38.5)	6	(46.2)	**	(**)	**	(**)	**	(**)
Neurological	**	(**)	7	(50.0)	**	(**)	**	(**)	14	(9.5)
Oncology	0	(0.0)	**	(**)	**	(**)	**	(**)	5	(3.4)
Respiratory	21	(55.3)	11	(28.9)	**	(**)	**	(**)	38	(25.7)
Trauma	0	(0.0)	**	(**)	**	(**)	7	(70.0)	10	(6.8)
Other	**	(**)	8	(57.1)	**	(**)	**	(**)	14	(9.5)
Total	55	(37.2)	42	(28.4)	25	(16.9)	26	(17.6)	148	(100.0)

FIGURE 27 NON - SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 - 2012



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 27(a) SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2010 - 2012

Diagnostic Group	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Cardiovascular	**	(**)	**	(**)	**	(**)	**	(**)	7	(21.2)
Endocrine / metabolic	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Gastrointestinal	6	(66.7)	**	(**)	**	(**)	0	(0.0)	9	(27.3)
Neurological	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Respiratory	12	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	12	(36.4)
Total	22	(66.7)	8	(24.2)	**	(**)	**	(**)	33	(100.0)

FIGURE 27(a) SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2010 - 2012

Removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 28 RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Own team		Other specialist team (PICU)		RETRIEVAL TYPE Other specialist team (non-PICU)		Non-specialist team		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2010												
E2	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
H	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
ZC	0	(0.0)	**	(**)	234	(95.5)	10	(4.1)	0	(0.0)	**	(**)
ZD	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	6	(2.3)	**	(**)	**	(**)	0	(0.0)	256	(100.0)
2011												
E2	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
H	0	(0.0)	7	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(3.0)
Q	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	0	(0.0)	**	(**)	145	(69.0)	63	(30.0)	**	(**)	**	(**)
ZD	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	9	(3.9)
Total	6	(2.6)	13	(5.6)	**	(**)	**	(**)	**	(**)	231	(100.0)
2012												
E2	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K1K3	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	0	(0.0)	**	(**)	138	(65.4)	69	(32.7)	**	(**)	211	(92.5)
ZD	0	(0.0)	**	(**)	8	(80.0)	**	(**)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	**	(**)	72	(31.6)	**	(**)	228	(100.0)
Grand Total												
Total	10	(1.4)	23	(3.2)	529	(74.0)	148	(20.7)	5	(0.7)	715	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 28 RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2010 - 2012




TABLE 29 INTERVENTIONS RECEIVED BY HEALTH ORGANISATIONS, 2010 - 2012

Year / Organisation	Admissions	INTERVENTIONS																
		Invasive Ventilation		Non-Invasive Ventilation		Tracheostomy		ECMO		IV Vasoactive Drugs		LVAD		ICP Device		Renal Support		
		n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	
2010																		
E1	**	2	(100.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
E2	**	3	(100.0)	0	(0.0)	0	(0.0)	1	(33.3)	3	(100.0)	0	(0.0)	0	(0.0)	1	(33.3)	
H	8	5	(62.5)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
K2	5	4	(80.0)	1	(20.0)	1	(20.0)	1	(20.0)	5	(100.0)	4	(80.0)	0	(0.0)	1	(20.0)	
L	**	1	(100.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
V	**	3	(100.0)	1	(33.3)	0	(0.0)	0	(0.0)	2	(66.7)	0	(0.0)	0	(0.0)	0	(0.0)	
ZA	**	2	(100.0)	0	(0.0)	0	(0.0)	1	(50.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	
ZB	**	2	(66.7)	0	(0.0)	0	(0.0)	0	(0.0)	2	(66.7)	0	(0.0)	0	(0.0)	0	(0.0)	
ZC	981	670	(68.3)	115	(11.7)	11	(1.1)	9	(0.9)	474	(48.3)	0	(0.0)	2	(0.2)	30	(3.1)	
ZD	481	282	(58.6)	26	(5.4)	0	(0.0)	0	(0.0)	32	(6.7)	0	(0.0)	22	(4.6)	10	(2.1)	
Total	1489	974	(65.4)	145	(9.7)	12	(0.8)	12	(0.8)	519	(34.9)	4	(0.3)	24	(1.6)	42	(2.8)	
2011																		
E2	**	2	(66.7)	1	(33.3)	0	(0.0)	0	(0.0)	2	(66.7)	1	(33.3)	0	(0.0)	1	(33.3)	
H	21	20	(95.2)	6	(28.6)	2	(9.5)	0	(0.0)	9	(42.9)	0	(0.0)	0	(0.0)	5	(23.8)	
L	**	1	(50.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
Q	**	3	(100.0)	2	(66.7)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(33.3)	0	(0.0)	
V	**	1	(100.0)	1	(100.0)	0	(0.0)	0	(0.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	
X	**	1	(100.0)	0	(0.0)	0	(0.0)	1	(100.0)	1	(100.0)	0	(0.0)	0	(0.0)	1	(100.0)	
ZA	**	1	(100.0)	0	(0.0)	0	(0.0)	1	(100.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	
ZB	**	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
ZC	997	661	(66.3)	120	(12.0)	14	(1.4)	21	(2.1)	483	(48.4)	0	(0.0)	0	(0.0)	43	(4.3)	
ZD	506	299	(59.1)	45	(8.9)	0	(0.0)	1	(0.2)	52	(10.3)	0	(0.0)	19	(3.8)	9	(1.8)	
Total	1537	991	(64.5)	176	(11.5)	16	(1.0)	24	(1.6)	549	(35.7)	1	(0.1)	20	(1.3)	59	(3.8)	
2012																		
D	**	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
E1	**	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
E2	**	4	(100.0)	1	(25.0)	0	(0.0)	2	(50.0)	3	(75.0)	0	(0.0)	0	(0.0)	1	(25.0)	
H	16	12	(75.0)	2	(12.5)	0	(0.0)	0	(0.0)	3	(18.8)	0	(0.0)	1	(6.3)	2	(12.5)	
K1K3	**	2	(100.0)	2	(100.0)	0	(0.0)	0	(0.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	
L	**	1	(100.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
O	**	1	(100.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
V	**	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(50.0)	
W	**	1	(100.0)	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
X	**	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	
ZA	**	1	(100.0)	0	(0.0)	0	(0.0)	1	(100.0)	1	(100.0)	1	(100.0)	1	(100.0)	1	(100.0)	
ZB	**	2	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	
ZC	1052	656	(62.4)	178	(16.9)	5	(0.5)	12	(1.1)	510	(48.5)	0	(0.0)	0	(0.0)	37	(3.5)	
ZD	480	309	(64.4)	63	(13.1)	2	(0.4)	1	(0.2)	54	(11.3)	1	(0.2)	10	(2.1)	17	(3.5)	
Total	1567	995	(63.5)	249	(15.9)	7	(0.4)	16	(1.0)	573	(36.6)	2	(0.1)	12	(0.8)	59	(3.8)	
Grand Total																		
Total		4593	2960	(64.4)	570	(12.4)	35	(0.8)	52	(1.1)	1641	(35.7)	7	(0.2)	56	(1.2)	160	(3.5)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 30 ADMISSIONS BY VENTILATION STATUS AND AGE, 2010 - 2012

Ventilation Status	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Invasive only	1651	(63.6)	556	(21.4)	240	(9.2)	149	(5.7)	2596	(56.5)
Non-invasive only	127	(61.7)	40	(19.4)	25	(12.1)	14	(6.8)	206	(4.5)
Both	262	(72.0)	61	(16.8)	25	(6.9)	16	(4.4)	364	(7.9)
Neither	527	(36.9)	453	(31.7)	244	(17.1)	203	(14.2)	1427	(31.1)
Total	2567	(55.9)	1110	(24.2)	534	(11.6)	382	(8.3)	4593	(100.0)

TABLE 31 ADMISSIONS BY VENTILATION STATUS BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	VENTILATION STATUS											
	Invasive only		Non-invasive only		Both		Neither		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2010												
E1	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	5	(62.5)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	5	(0.3)
L	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZC	585	(59.6)	30	(3.1)	85	(8.7)	281	(28.6)	0	(0.0)	981	(65.9)
ZD	263	(54.7)	7	(1.5)	19	(4.0)	192	(39.9)	0	(0.0)	481	(32.3)
Total	866	(58.2)	37	(2.5)	**	(**)	**	(**)	0	(0.0)	1489	(100.0)
2011												
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	14	(66.7)	0	(0.0)	6	(28.6)	**	(**)	0	(0.0)	**	(**)
L	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Q	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	581	(58.3)	40	(4.0)	80	(8.0)	296	(29.7)	0	(0.0)	997	(64.9)
ZD	276	(54.5)	22	(4.3)	23	(4.5)	185	(36.6)	0	(0.0)	506	(32.9)
Total	879	(57.2)	**	(**)	112	(7.3)	**	(**)	0	(0.0)	1537	(100.0)
2012												
D	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	10	(62.5)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	16	(1.0)
K1K3	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
O	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
W	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	544	(51.7)	66	(6.3)	112	(10.6)	330	(31.4)	0	(0.0)	1052	(67.1)
ZD	285	(59.4)	39	(8.1)	24	(5.0)	132	(27.5)	0	(0.0)	480	(30.6)
Total	851	(54.3)	105	(6.7)	144	(9.2)	467	(29.8)	0	(0.0)	1567	(100.0)
Grand												
Total	2596	(56.5)	**	(**)	**	(**)	1427	(31.1)	0	(0.0)	4593	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 32 BED DAYS BY AGE AND SEX, 2010 - 2012

Age Years	SEX									
	Male		Female		Ambiguous		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
0	12373	(58.2)	8891	(41.8)	3	(0.0)	0	(0.0)	21267	(68.8)
1	1283	(51.8)	1192	(48.2)	0	(0.0)	0	(0.0)	2475	(8.0)
2	616	(50.5)	604	(49.5)	0	(0.0)	0	(0.0)	1220	(3.9)
3	510	(53.7)	440	(46.3)	0	(0.0)	0	(0.0)	950	(3.1)
4	354	(47.6)	389	(52.4)	0	(0.0)	0	(0.0)	743	(2.4)
5	263	(40.3)	389	(59.7)	0	(0.0)	0	(0.0)	652	(2.1)
6	248	(46.7)	283	(53.3)	0	(0.0)	0	(0.0)	531	(1.7)
7	149	(38.3)	240	(61.7)	0	(0.0)	0	(0.0)	389	(1.3)
8	101	(20.2)	400	(79.8)	0	(0.0)	0	(0.0)	501	(1.6)
9	170	(54.3)	143	(45.7)	0	(0.0)	0	(0.0)	313	(1.0)
10	149	(64.8)	81	(35.2)	0	(0.0)	0	(0.0)	230	(0.7)
11	139	(52.1)	128	(47.9)	0	(0.0)	0	(0.0)	267	(0.9)
12	191	(50.9)	184	(49.1)	0	(0.0)	0	(0.0)	375	(1.2)
13	225	(69.9)	97	(30.1)	0	(0.0)	0	(0.0)	322	(1.0)
14	284	(69.8)	123	(30.2)	0	(0.0)	0	(0.0)	407	(1.3)
15	92	(36.9)	157	(63.1)	0	(0.0)	0	(0.0)	249	(0.8)
Total	17147	(55.5)	13741	(44.5)	3	(0.0)	0	(0.0)	30891	(100.0)

FIGURE 32 BED DAYS BY AGE AND SEX, 2010 - 2012




TABLE 33 BED DAYS BY AGE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2010										
E1	50	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	50	(0.5)
E2	0	(0.0)	31	(91.2)	3	(8.8)	0	(0.0)	34	(0.3)
H	20	(46.5)	15	(34.9)	8	(18.6)	0	(0.0)	43	(0.4)
K2	0	(0.0)	100	(100.0)	0	(0.0)	0	(0.0)	100	(1.0)
L	0	(0.0)	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.0)
V	6	(28.6)	13	(61.9)	0	(0.0)	2	(9.5)	21	(0.2)
ZA	12	(80.0)	3	(20.0)	0	(0.0)	0	(0.0)	15	(0.1)
ZB	7	(58.3)	5	(41.7)	0	(0.0)	0	(0.0)	12	(0.1)
ZC	5544	(73.7)	1253	(16.7)	379	(5.0)	344	(4.6)	7520	(73.6)
ZD	1483	(61.4)	545	(22.6)	201	(8.3)	187	(7.7)	2416	(23.6)
Total	7122	(69.7)	1970	(19.3)	591	(5.8)	533	(5.2)	10216	(100.0)
2011										
E2	0	(0.0)	27	(93.1)	0	(0.0)	2	(6.9)	29	(0.3)
H	49	(15.2)	32	(9.9)	104	(32.2)	138	(42.7)	323	(3.1)
L	0	(0.0)	6	(100.0)	0	(0.0)	0	(0.0)	6	(0.1)
Q	10	(66.7)	5	(33.3)	0	(0.0)	0	(0.0)	15	(0.1)
V	0	(0.0)	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.0)
X	4	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	4	(0.0)
ZA	18	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	18	(0.2)
ZB	6	(85.7)	1	(14.3)	0	(0.0)	0	(0.0)	7	(0.1)
ZC	5504	(73.8)	982	(13.2)	610	(8.2)	364	(4.9)	7460	(72.4)
ZD	1695	(69.5)	337	(13.8)	288	(11.8)	119	(4.9)	2439	(23.7)
Total	7286	(70.7)	1395	(13.5)	1002	(9.7)	623	(6.0)	10306	(100.0)
2012										
D	5	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.0)
E1	5	(41.7)	0	(0.0)	7	(58.3)	0	(0.0)	12	(0.1)
E2	36	(48.6)	0	(0.0)	38	(51.4)	0	(0.0)	74	(0.7)
H	37	(12.6)	50	(17.0)	207	(70.4)	0	(0.0)	294	(2.8)
K1K3	64	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	64	(0.6)
L	0	(0.0)	13	(100.0)	0	(0.0)	0	(0.0)	13	(0.1)
O	0	(0.0)	6	(100.0)	0	(0.0)	0	(0.0)	6	(0.1)
V	0	(0.0)	9	(100.0)	0	(0.0)	0	(0.0)	9	(0.1)
W	0	(0.0)	0	(0.0)	10	(100.0)	0	(0.0)	10	(0.1)
X	0	(0.0)	4	(100.0)	0	(0.0)	0	(0.0)	4	(0.0)
ZA	4	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	4	(0.0)
ZB	22	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	22	(0.2)
ZC	5373	(72.1)	1315	(17.6)	445	(6.0)	320	(4.3)	7453	(71.9)
ZD	1313	(54.7)	626	(26.1)	316	(13.2)	144	(6.0)	2399	(23.1)
Total	6859	(66.1)	2023	(19.5)	1023	(9.9)	464	(4.5)	10369	(100.0)
Grand										
Total	21267	(68.8)	5388	(17.4)	2616	(8.5)	1620	(5.2)	30891	(100.0)

TABLE 34 BED CENSUS OF CHILDREN BY MONTH, 2010-2012

Year / Month	NUMBER IN PICU	
	Median	IQR
2010		
1	19	16-20
2	22	20.5-25
3	22	20-24
4	25	22-26
5	23	22-25
6	21	19-23
7	22	21-23
8	22	21-24
9	23	22-25
10	26	25-27
11	24	23-25
12	24	23-26
2011		
1	26	24-27
2	27	26-29
3	26	25-27
4	27	25-28
5	25	23-26
6	25	24-27
7	24	22-25
8	23	21-24
9	25	22-27
10	21	19-22
11	24	22-27
12	23	22-24
2012		
1	22	20-24
2	25	24-26
3	24	22-26
4	24	23-25
5	22	20-24
6	28	24-30
7	26	25-28
8	25	23-27
9	26	23-27
10	22	21-24
11	24	23-25
12	28	27-29

FIGURE 34 BED CENSUS BY MONTH, 2010-2012




TABLE 35 BED CENSUS OF CHILDREN BY HEALTH ORGANISATION, 2010-2012

Year / Organisation	NUMBER IN PICU	
	Median	IQR
2010		
D	0	0-0
E1	0	0-0
E2	0	0-0
H	0	0-0
K1K3	0	0-0
K2	0	0-0
L	0	0-0
O	0	0-0
Q	0	0-0
V	0	0-0
W	0	0-0
X	0	0-0
ZA	0	0-0
ZB	0	0-0
ZC	17	16-19
ZD	5	4-6

2011		
D	0	0-0
E1	0	0-0
E2	0	0-0
H	1	0-1
K1K3	0	0-0
K2	0	0-0
L	0	0-0
O	0	0-0
Q	0	0-0
V	0	0-0
W	0	0-0
X	0	0-0
ZA	0	0-0
ZB	0	0-0
ZC	18	17-19
ZD	5	4-7

2012		
D	0	0-0
E1	0	0-0
E2	0	0-0
H	1	0-1
K1K3	0	0-0
K2	0	0-0
L	0	0-0
O	0	0-0
Q	0	0-0
V	0	0-0
W	0	0-0
X	0	0-0
ZA	0	0-0
ZB	0	0-0
ZC	18	16-20
ZD	5	4-6

FIGURE 35a BED CENSUS BY HEALTH ORGANISATION, 2010




FIGURE 35b BED CENSUS BY HEALTH ORGANISATION, 2011




FIGURE 35c BED CENSUS BY HEALTH ORGANISATION. 2012




TABLE 36 BED ACTIVITY OF CHILDREN BY MONTH, 2010-2012

Year / Month	BED ACTIVITY (DAYS)	
	Median	IQR
2010		
1	22	20-25
2	28	24.5-29
3	26	24-28
4	30	27-32
5	26	25-28
6	25	23-27
7	26	24-28
8	26	25-27
9	28	26-30
10	30	29-32
11	29	26-31
12	28	27-30
2011		
1	31	28-32
2	32	30-34
3	31	29-33
4	31	28-33
5	29	26-31
6	29	27-30
7	28	25-29
8	26	25-28
9	30	24-33
10	25	23-27
11	30	26-32
12	27	25-29
2012		
1	26	24-29
2	29	28-30
3	29	25-31
4	28	27-29
5	26	23-30
6	32	28-34
7	32	29-34
8	29	27-31
9	30	27-32
10	26	24-29
11	28	27-30
12	32	31-34

FIGURE 36 BED ACTIVITY BY MONTH, 2010-2012




TABLE 37 BED ACTIVITY OF CHILDREN BY HEALTH ORGANISATION, 2010-2012

Year / Organisation	NUMBER IN PICU	
	Median	IQR
2010		
D	0	0-0
E1	0	0-0
E2	0	0-0
H	0	0-0
K1K3	0	0-0
K2	0	0-0
L	0	0-0
O	0	0-0
Q	0	0-0
V	0	0-0
W	0	0-0
X	0	0-0
ZA	0	0-0
ZB	0	0-0
ZC	20	18-21
ZD	7	5-8
2011		
D	0	0-0
E1	0	0-0
E2	0	0-0
H	1	0-1
K1K3	0	0-0
K2	0	0-0
L	0	0-0
O	0	0-0
Q	0	0-0
V	0	0-0
W	0	0-0
X	0	0-0
ZA	0	0-0
ZB	0	0-0
ZC	21	19-22
ZD	7	5-8
2012		
D	0	0-0
E1	0	0-0
E2	0	0-0
H	1	0-1
K1K3	0	0-0
K2	0	0-0
L	0	0-0
O	0	0-0
Q	0	0-0
V	0	0-0
W	0	0-0
X	0	0-0
ZA	0	0-0
ZB	0	0-0
ZC	21	19-23
ZD	6	5-8

FIGURE 37a BED ACTIVITY BY HEALTH ORGANISATION, 2010




FIGURE 37b BED ACTIVITY BY HEALTH ORGANISATION, 2011




FIGURE 37c BED ACTIVITY BY HEALTH ORGANISATION, 2012




TABLE 38 LENGTH OF STAY BY AGE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	AGE GROUP (YEARS)							
	<1		1-4		5-10		11-15	
	Median	IQR	Median	IQR	Median	IQR	Median	IQR
2010								
E1	23.7	23.7-23.7	0	0-0	0	0-0	0	0-0
E2	0	0-0	15.1	6.6-23.6	1.8	1.8-1.8	0	0-0
H	8.9	1.9-15.9	1.8	1.3-3.8	2.7	2.5-2.8	0	0-0
K2	0	0-0	17.1	1.8-26.5	0	0-0	0	0-0
L	0	0-0	4	4.0-4.0	0	0-0	0	0-0
V	4.9	4.9-4.9	11.7	11.7-11.7	0	0-0	1.1	1.1-1.1
ZA	11.2	11.2-11.2	1.7	1.7-1.7	0	0-0	0	0-0
ZB	5.8	5.8-5.8	1.3	0.8-1.9	0	0-0	0	0-0
ZC	4.1	1.9-8.6	1.9	1.0-3.8	1.6	0.9-2.6	1.1	0.8-2.7
ZD	2.9	1.0-7.0	1.1	0.7-3.0	1.2	0.8-3.0	1.6	0.7-3.1
2011								
E2	0	0-0	12.7	6.2-19.1	0	0-0	0.7	0.7-0.7
H	3	1.0-14.7	3.5	1.0-8.5	2.7	2.5-95.7	13.1	7.1-25.8
L	0	0-0	1.8	1.7-1.9	0	0-0	0	0-0
Q	3.9	0.8-7.0	3.9	3.9-3.9	0	0-0	0	0-0
V	0	0-0	4	4.0-4.0	0	0-0	0	0-0
X	2.4	2.4-2.4	0	0-0	0	0-0	0	0-0
ZA	17.7	17.7-17.7	0	0-0	0	0-0	0	0-0
ZB	4.6	4.6-4.6	0.7	0.7-0.7	0	0-0	0	0-0
ZC	3.2	1.7-7.8	1.8	1.0-3.1	1.3	0.9-3.1	1.7	0.9-3.0
ZD	2.9	1.0-5.9	0.9	0.8-1.8	2	0.9-3.8	2	0.9-3.6
2012								
D	3.9	3.9-3.9	0	0-0	0	0-0	0	0-0
E1	3.8	3.8-3.8	0	0-0	5.9	5.9-5.9	0	0-0
E2	8.7	7.7-17.0	0	0-0	37.5	37.5-37.5	0	0-0
H	3.5	2.8-4.2	4.3	1.0-4.6	5.7	2.8-7.2	0	0-0
K1K3	30.9	20.1-41.7	0	0-0	0	0-0	0	0-0
L	0	0-0	11.6	11.6-11.6	0	0-0	0	0-0
O	0	0-0	4.8	4.8-4.8	0	0-0	0	0-0
V	0	0-0	3.3	0.8-5.9	0	0-0	0	0-0
W	0	0-0	0	0-0	8.6	8.6-8.6	0	0-0
X	0	0-0	0.6	0.5-0.8	0	0-0	0	0-0
ZA	3.5	3.5-3.5	0	0-0	0	0-0	0	0-0
ZB	10.1	8.1-12.2	0	0-0	0	0-0	0	0-0
ZC	4.1	2.1-7.7	2	1.0-4.0	1.7	0.9-3.8	1.7	0.9-3.1
ZD	2.9	1.3-6.0	1.6	0.9-4.9	1.2	0.9-3.5	1.1	0.7-2.7

TABLE 39 LENGTH OF STAY BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2010 - 2012

Organisation	DIAGNOSTIC GROUP																													
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown			
	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR
D	0	0-0	0	0-0	0	0-0	3.9	3.9-3.9	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
E1	0	0-0	0	0-0	0	0-0	0	0-0	5.9	5.9-5.9	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	3.8	3.8-3.8	0	0-0	23.7	23.7-23.7	0	0-0	0	0-0
E2	0	0-0	0	0-0	17	6.2-23.6	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	7.7	0.7-8.7	0	0-0	0	0-0	0	0-0	0	0-0
H	0	0-0	0	0-0	5.9	2.7-14.6	15.9	2.1-29.7	3.5	1.9-10.0	0	0-0	0	0-0	0	0-0	3.4	1.0-5.7	3.1	1.7-4.3	2.8	0.2-7.2	0	0-0	3.9	2.2-14.7	0	0-0	0	0-0
K1K3	20.1	20.1-20.1	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	41.7	41.7-41.7	0	0-0	0	0-0	0	0-0	0	0-0
K2	0	0-0	0	0-0	36.9	26.5-47.3	0	0-0	1.8	1.8-1.8	17.1	17.1-17.1	0	0-0	0	0-0	1.6	1.6-1.6	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
L	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	2.9	1.8-7.8	0	0-0	0	0-0	0	0-0	0	0-0
O	0	0-0	0	0-0	0	0-0	0	0-0	4.8	4.8-4.8	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
Q	0	0-0	0.8	0.8-0.8	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	3.9	3.9-3.9	0	0-0	7	7.0-7.0	0	0-0	0	0-0	0	0-0	0	0-0
V	11.7	11.7-11.7	0	0-0	2.6	1.0-4.5	0	0-0	11.5	11.5-11.5	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	4	4.0-4.0	0	0-0	3.3	0.8-5.9	0	0-0	0	0-0
W	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	8.6	8.6-8.6	0	0-0	0	0-0	0	0-0	0	0-0
X	0	0-0	0	0-0	0	0-0	0	0-0	0.6	0.5-0.8	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	2.4	2.4-2.4	0	0-0	0	0-0	0	0-0	0	0-0
ZA	0	0-0	0	0-0	11.2	11.2-11.2	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	1.7	1.7-1.7	0	0-0	10.6	3.5-17.7	0	0-0	0	0-0	0	0-0	0	0-0
ZB	0	0-0	0	0-0	3.8	1.9-5.8	0	0-0	0	0-0	8.4	4.6-12.2	0	0-0	0	0-0	0.8	0.7-0.8	0	0-0	8.1	8.1-8.1	0	0-0	0	0-0	0	0-0	0	0-0
ZC	1.3	0.3-4.9	5.1	1.9-21.5	3.2	1.9-6.9	1.6	0.8-3.0	2.2	1.0-6.1	2.6	1.1-5.2	2	2.0-2.0	0.9	0.8-1.8	1.5	0.8-3.0	1.9	1.0-3.5	3	1.1-7.0	1.3	0.8-2.9	1.8	0.8-3.8	0	0-0	0	0-0
ZD	6.7	2.2-8.0	4.4	1.9-7.4	1.3	0.7-4.4	1.1	0.7-2.1	2.8	1.2-6.8	2.7	0.9-6.3	3.1	2.1-8.0	0.9	0.8-1.2	1.8	0.8-4.0	0.9	0.8-1.1	3.2	1.2-6.3	1.1	0.6-1.6	1.4	0.8-3.5	1.1	0.5-4.9	0	0-0

TABLE 40 ADMISSIONS BY LENGTH OF STAY BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	LOS GROUP														Total n	Total (%)
	<1h n (%)	1h to <4h n (%)	4h to <12h n (%)	12h to <24h n (%)	1d to <3d n (%)	3d to <7d n (%)	7d+ n (%)	Unknown n (%)								
2010																
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)
E2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	5 (62.5)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
K2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	5 (0.3)	** (**)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
V	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZA	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZB	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZC	** (**)	8 (0.8)	23 (2.3)	161 (16.4)	323 (32.9)	240 (24.5)	225 (22.9)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZD	** (**)	11 (2.3)	24 (5.0)	124 (25.8)	140 (29.1)	91 (18.9)	89 (18.5)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
Total	** (**)	19 (1.3)	47 (3.2)	** (**)	474 (31.8)	** (**)	323 (21.7)	0 (0.0)	** (**)	323 (21.7)	** (**)	** (**)	0 (0.0)	0 (0.0)	1489 (100.0)	** (**)
2011																
E2	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
H	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	7 (33.3)	** (**)	** (**)	** (**)	** (**)	10 (47.6)	** (**)	** (**)	0 (0.0)	0 (0.0)	21 (1.4)	** (**)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
Q	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
V	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZA	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZB	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZC	** (**)	5 (0.5)	29 (2.9)	178 (17.9)	358 (35.9)	211 (21.2)	214 (21.5)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZD	** (**)	5 (1.0)	33 (6.5)	124 (24.5)	158 (31.2)	114 (22.5)	71 (14.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
Total	** (**)	10 (0.7)	62 (4.0)	307 (20.0)	526 (34.2)	331 (21.5)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	1537 (100.0)	** (**)
2012																
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
E2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
H	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	5 (31.3)	** (**)	** (**)	6 (37.5)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	16 (1.0)	** (**)
K1K3	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
O	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
V	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
W	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
X	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZA	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZB	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)
ZC	** (**)	6 (0.6)	34 (3.2)	156 (14.8)	329 (31.3)	308 (29.3)	217 (20.6)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	1052 (67.1)	** (**)
ZD	0 (0.0)	10 (2.1)	22 (4.6)	96 (20.0)	167 (34.8)	112 (23.3)	73 (15.2)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	480 (30.6)	** (**)
Total	** (**)	16 (1.0)	** (**)	** (**)	501 (32.0)	432 (27.6)	304 (19.4)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	1567 (100.0)	** (**)
Grand Total	7 (0.2)	45 (1.0)	** (**)	848 (18.5)	1501 (32.7)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	4593 (100.0)	** (**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 41 ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE, 2010 - 2012

Discharge Status	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Alive	2410	(55.2)	1074	(24.6)	520	(11.9)	363	(8.3)	4367	(95.1)
Dead	156	(69.3)	36	(16.0)	14	(6.2)	19	(8.4)	225	(4.9)
Unknown	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	1110	(24.2)	534	(11.6)	382	(8.3)	**	(**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
 Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 42 ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE (<1 YEARS), 2010 - 2012

Discharge Status	AGE GROUP (MONTHS)									
	<1		1-2		3-5		6-11		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Alive	898	(37.3)	514	(21.3)	491	(20.4)	507	(21.0)	2410	(93.9)
Dead	105	(67.3)	26	(16.7)	15	(9.6)	10	(6.4)	156	(6.1)
Unknown	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Total	1003	(39.1)	540	(21.0)	506	(19.7)	**	(**)	**	(**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
 Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 43 ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX, 2010 - 2012

Removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 44 ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX (<1 YEAR), 2010 - 2012

Removed for anonymisation

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 45 ADMISSIONS BY UNIT DISCHARGE STATUS, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	DISCHARGE STATUS							
	Alive		Dead		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
2010								
E1	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	0	(0.0)	**	(**)
H	8	(100.0)	0	(0.0)	0	(0.0)	8	(0.5)
K2	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.3)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	**	(**)	0	(0.0)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	930	(94.8)	51	(5.2)	0	(0.0)	981	(65.9)
ZD	460	(95.6)	21	(4.4)	0	(0.0)	481	(32.3)
Total	1415	(95.0)	**	(**)	0	(0.0)	**	(**)
2011								
E2	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	19	(90.5)	**	(**)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Q	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	944	(94.7)	53	(5.3)	0	(0.0)	997	(64.9)
ZD	477	(94.3)	29	(5.7)	0	(0.0)	506	(32.9)
Total	1452	(94.5)	85	(5.5)	0	(0.0)	1537	(100.0)
2012								
D	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	15	(93.8)	**	(**)	0	(0.0)	**	(**)
K1K3	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	**	(**)
W	**	(**)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	1004	(95.4)	47	(4.5)	**	(**)	**	(**)
ZD	462	(96.3)	18	(3.8)	0	(0.0)	480	(30.6)
Total	1500	(95.7)	**	(**)	**	(**)	1567	(100.0)
Grand								
Total	4367	(95.1)	225	(4.9)	**	(**)	**	(**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 46 ADMISSIONS BY UNIT DISCHARGE DESTINATION AND AGE, 2010 - 2012

Discharge Destination	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Normal residence	9	(16.4)	34	(61.8)	9	(16.4)	**	(**)	**	(**)
Hospice	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Same hospital	2145	(53.7)	1009	(25.2)	495	(12.4)	348	(8.7)	3997	(91.5)
Other hospital	255	(81.7)	31	(9.9)	15	(4.8)	11	(3.5)	312	(7.1)
Unknown	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Total	**	(**)	1074	(24.6)	**	(**)	363	(8.3)	4368	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
 Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 46a VENTILATOR FREE DAYS, BY PIM2r GROUP, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	PIM2r GROUP										Total	
	<1%		1 - <5%		5 - <15%		15 - <30%		30%+			
	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR
2010												
E1	6.0	(5-7)									6.0	(5-7)
E2					24.0	(24-24)	6.5	(0-13)			13.0	(0-24)
H	28.0	(28-28)	26.0	(25-28)	27.0	(27-27)			11.0	(11-11)	26.5	(25-28)
K2			0.0	(0-0)	21.0	(14-28)					15.0	(13-27)
L			23.0	(23-23)							23.0	(23-23)
V			23.0	(17-27)							23.0	(17-27)
ZA			27.0	(27-27)	0.0	(0-0)					13.5	(0-27)
ZB			27.5	(27-28)	22.0	(22-22)					27.0	(22-28)
ZC	28.0	(27-28)	26.0	(23-27)	22.0	(0-26)	21.0	(0-24)	4.0	(0-21)	26.0	(22-28)
ZD	28.0	(27-28)	26.0	(23-28)	23.0	(17-26)	23.0	(18-24)	0.0	(0-18)	27.0	(23-28)
Total	28.0	(27-28)	26.0	(23-28)	22.0	(13-26)	21.0	(0-24)	0.0	(0-18)	26.0	(22-28)
2011												
E2	28.0	(28-28)	16.0	(16-16)	22.0	(22-22)					22.0	(16-28)
H	27.0	(27-27)	25.0	(21-27)	25.0	(18-27)	20.0	(6-23)			24.0	(18-27)
L	28.0	(28-28)	25.0	(25-25)							26.5	(25-28)
Q	27.0	(27-27)	24.0	(24-24)	22.0	(22-22)					24.0	(22-27)
V			24.0	(24-24)							24.0	(24-24)
X					0.0	(0-0)					0.0	(0-0)
ZA					10.0	(10-10)					10.0	(10-10)
ZB					25.0	(23-27)					25.0	(23-27)
ZC	28.0	(27-28)	26.0	(23-28)	23.0	(9-26)	15.5	(0-24)	0.0	(0-0)	26.0	(23-28)
ZD	28.0	(27-28)	26.0	(24-28)	23.0	(18-26)	1.0	(0-24)	0.0	(0-0)	27.0	(24-28)
Total	28.0	(27-28)	26.0	(24-28)	23.0	(12-26)	12.0	(0-24)	0.0	(0-0)	26.0	(23-28)
2012												
D	28.0	(28-28)									28.0	(28-28)
E1	23.0	(23-23)	22.0	(22-22)							22.5	(22-23)
E2	18.0	(18-18)	0.0	(0-0)	21.0	(21-21)	20.0	(20-20)			19.0	(9-21)
H	28.0	(28-28)	26.0	(25-28)	0.0	(0-26)	13.5	(2-25)			26.0	(16-28)
K1K3					7.5	(0-15)					7.5	(0-15)
L	22.0	(22-22)									22.0	(22-22)
O			27.0	(27-27)							27.0	(27-27)
V	22.0	(22-22)							27.0	(27-27)	24.5	(22-27)
W	27.0	(27-27)									27.0	(27-27)
X			27.0	(27-27)							27.0	(27-27)
ZA	25.0	(25-25)									25.0	(25-25)
ZB			20.0	(20-20)			20.0	(20-20)			20.0	(20-20)
ZC	28.0	(26-28)	26.0	(24-28)	23.0	(15-26)	0.0	(0-24)	0.0	(0-22)	26.0	(23-28)
ZD	28.0	(27-28)	27.0	(25-28)	24.0	(20-26)	19.0	(0-24)	14.0	(14-14)	27.0	(24-28)
Total	28.0	(26-28)	26.0	(24-28)	24.0	(16-26)	2.0	(0-24)	0.0	(0-22)	26.0	(24-28)
Grand Total	28.0	(27-28)	26.0	(24-28)	23.0	(14-26)	17.5	(0-24)	0.0	(0-14)	26.0	(23 - 28)

* A blank cell means that there are no cases in that cell; a zero means that there are and their median VFD is zero.

TABLE 46b EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012

Year / Organisation	Planned - following surgery			Unplanned - following surgery			ADMISSION TYPE Planned - other			Unplanned - other			Unknown			Total		
	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)
2010																		
E1	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
E2	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	**	(**)
H	6	0	(0.0)	0	0	(0.0)	**	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
K2	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)	**	0	(0.0)	0	0	(0.0)	5	0	(0.0)
L	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
V	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
ZA	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
ZB	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
ZC	463	**	(**)	39	**	(**)	186	**	(**)	293	12	(4.1)	0	0	(0.0)	981	18	(1.8)
Total	477	**	(**)	40	**	(**)	189	**	(**)	303	12	(4.0)	0	0	(0.0)	1009	19	(1.9)
2011																		
E2	0	0	(0.0)	**	0	(0.0)	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
H	9	**	(**)	**	0	(0.0)	**	0	(0.0)	7	**	(**)	0	0	(0.0)	21	**	(**)
L	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
Q	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
V	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
X1	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
ZA	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
ZB	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
ZC	471	**	(**)	45	**	(**)	181	0	(0.0)	300	**	(**)	0	0	(0.0)	997	6	(0.6)
Total	482	**	(**)	49	**	(**)	188	0	(0.0)	313	**	(**)	0	0	(0.0)	1032	8	(0.8)
2012																		
D	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
E1	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
E2	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
H	6	0	(0.0)	**	0	(0.0)	**	0	(0.0)	**	0	(0.0)	0	0	(0.0)	16	0	(0.0)
K1K3	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
L	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
O	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
V	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
W	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
X2	**	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
ZA	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)	0	0	(0.0)	**	0	(0.0)
ZB	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	**	(**)
ZC	464	**	(**)	37	**	(**)	154	0	(0.0)	397	**	(**)	0	0	(0.0)	1052	9	(0.9)
Total	476	**	(**)	40	**	(**)	161	0	(0.0)	410	5	(1.2)	0	0	(0.0)	1087	10	(0.9)
Grand Total	1435	8	(**)	129	5	(3.9)	538	**	(**)	1026	21	(2.0)	0	0	(0.0)	3128	37	(1.2)

Due to improvements in the linkage of records Organisation ZC has a higher re-admission rate than shown in the 2013 PICANet annual report
No data are presented in this table for Organisation ZD as it is not possible to identify repeat admissions there.

FIGURE 46b EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2010 - 2012





FIGURE 46c RELATIVE RATES OF EMERGENCY READMISSION WITHIN 48 HOURS OF DISCHARGE, 2010 - 2012



Due to improvements in the linkage of records Organisation ZC has a higher re-admission rate than shown in the 2013 PICANet annual report. This chart shows the relative re-admission rate for all admissions except Organisation ZD.

TABLE 47 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2010

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	580	0.70	0.40	1.13	1.03	0.59	1.65
B	482	0.00	0.00	0.19	0.00	0.00	0.72
C	263	1.06	0.54	1.87	0.84	0.43	1.49
D	719	1.49	1.08	1.99	1.41	1.02	1.89
E1	943	1.75	1.36	2.21	1.20	0.93	1.52
E2	771	0.76	0.48	1.13	0.72	0.46	1.07
F	1,116	0.96	0.69	1.29	0.90	0.66	1.21
G	40	1.27	0.16	4.31	0.54	0.07	1.81
H	589	1.25	0.85	1.78	1.12	0.76	1.59
I	719	1.06	0.72	1.50	1.14	0.77	1.61
J	78	0.33	0.01	1.77	0.96	0.02	5.18
K1K3	575	0.84	0.51	1.30	1.09	0.66	1.69
K2	359	1.06	0.60	1.73	1.07	0.60	1.74
L	333	0.76	0.37	1.39	0.99	0.48	1.80
M	373	1.16	0.68	1.83	0.79	0.46	1.25
N	247	1.85	1.11	2.87	1.53	0.92	2.37
O	675	0.45	0.23	0.79	0.81	0.42	1.41
P	1,162	1.51	1.18	1.90	1.38	1.08	1.73
Q	518	0.98	0.60	1.50	0.80	0.49	1.22
R	925	0.72	0.47	1.04	0.79	0.52	1.15
S	211	0.12	0.00	0.66	0.20	0.01	1.12
T	490	0.93	0.56	1.46	0.93	0.56	1.46
U	332	1.61	1.01	2.42	0.98	0.61	1.48
V	1,270	1.46	1.15	1.83	1.00	0.79	1.25
W	672	1.02	0.68	1.47	0.86	0.57	1.24
X	707	0.58	0.33	0.93	0.70	0.40	1.13
Y	471	0.70	0.38	1.19	1.16	0.62	1.96
Z	435	0.47	0.20	0.91	1.05	0.46	2.06
ZA	935	0.41	0.23	0.67	1.01	0.56	1.65
ZB	449	0.79	0.44	1.32	0.90	0.49	1.49
ZC	990	1.34	1.00	1.74	1.09	0.82	1.41
ZD	489	1.09	0.68	1.65	1.00	0.63	1.52
ZE	119	0.43	0.05	1.51	1.15	0.14	4.05

FIGURE 47a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010: UNADJUSTED





FIGURE 47b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010: PIM2r ADJUSTED



*J - The Lewisham Hospital NHS Trust stopped submitting data in August 2010.

TABLE 48 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2011

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	612	0.45	0.22	0.79	0.81	0.41	1.44
B	147	0.00	0.00	0.62	0.00	0.00	1.69
C	262	1.42	0.81	2.30	1.23	0.70	2.00
D	736	1.49	1.09	1.98	1.28	0.93	1.70
E1	990	2.11	1.70	2.59	1.39	1.12	1.71
E2	789	0.79	0.51	1.15	0.85	0.55	1.24
F	1158	0.84	0.60	1.14	0.82	0.58	1.11
G	23	4.33	1.23	9.65	1.98	0.56	4.41
H	580	1.20	0.80	1.72	0.86	0.58	1.23
I	799	1.25	0.90	1.68	1.34	0.96	1.81
K1K3	587	1.10	0.72	1.60	1.15	0.76	1.67
K2	320	1.01	0.54	1.70	1.03	0.55	1.74
L	329	0.60	0.26	1.18	0.63	0.27	1.23
M	355	0.70	0.34	1.27	0.71	0.34	1.29
N	238	1.15	0.58	2.02	0.76	0.39	1.34
O	611	0.33	0.14	0.64	0.51	0.22	1.00
P	1095	1.34	1.03	1.72	1.10	0.84	1.41
Q	620	0.68	0.40	1.08	0.62	0.37	0.99
R	976	0.61	0.39	0.90	0.74	0.48	1.09
S	256	0.49	0.16	1.12	0.76	0.25	1.76
T	501	0.65	0.35	1.09	0.59	0.32	1.00
U	293	1.36	0.78	2.17	1.01	0.58	1.61
V	1269	1.43	1.13	1.79	1.00	0.79	1.24
W	681	1.31	0.93	1.80	1.00	0.71	1.38
X	697	0.75	0.47	1.14	0.86	0.54	1.31
Y	473	0.53	0.25	0.96	1.03	0.50	1.87
Z	420	0.53	0.24	1.00	0.84	0.39	1.58
ZA	899	0.33	0.17	0.58	0.73	0.38	1.27
ZB	440	1.02	0.61	1.59	1.20	0.72	1.87
ZC	1020	1.29	0.97	1.68	1.22	0.92	1.58
ZD	520	1.43	0.98	2.02	1.31	0.89	1.85
ZE	455	0.44	0.19	0.85	1.13	0.49	2.20

FIGURE 48a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2011: UNADJUSTED




FIGURE 48b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2011: PIM2r ADJUSTED




TABLE 49 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2012

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	636	0.62	0.35	1.01	1.10	0.62	1.79
B	203	0.13	0.00	0.71	0.50	0.01	2.73
C	319	0.65	0.28	1.27	0.59	0.26	1.15
D	773	1.52	1.12	2.01	1.34	0.98	1.77
E1	942	1.77	1.38	2.24	1.17	0.91	1.48
E2	829	1.01	0.69	1.41	1.12	0.77	1.57
F	1218	0.88	0.63	1.18	0.92	0.66	1.24
G	20	0.00	0.00	4.39	0.00	0.00	4.20
H	659	1.15	0.77	1.63	0.96	0.65	1.37
I	835	1.19	0.85	1.62	1.24	0.88	1.68
K1K3	547	0.81	0.48	1.29	0.96	0.56	1.53
K2	309	1.01	0.53	1.74	0.87	0.45	1.49
L	321	0.49	0.18	1.05	0.49	0.18	1.05
M	456	1.20	0.75	1.81	1.14	0.71	1.73
N	551	0.95	0.58	1.45	1.31	0.80	2.00
O	566	0.55	0.29	0.96	0.77	0.40	1.34
P	1163	1.23	0.93	1.59	0.99	0.75	1.28
Q	508	0.92	0.55	1.45	0.87	0.52	1.36
R	903	0.66	0.42	0.99	0.64	0.41	0.95
S	169	0.31	0.04	1.10	0.43	0.05	1.52
T	527	0.69	0.38	1.15	0.72	0.40	1.20
U	341	1.76	1.13	2.60	1.01	0.65	1.49
V	1428	1.24	0.97	1.57	0.92	0.72	1.16
W	680	1.38	0.97	1.89	1.09	0.77	1.49
X	830	1.29	0.93	1.73	1.29	0.93	1.74
Y	493	0.58	0.29	1.03	0.81	0.41	1.44
Z	353	0.37	0.12	0.85	0.55	0.18	1.27
ZA	963	0.49	0.29	0.77	0.80	0.48	1.26
ZB	447	0.93	0.54	1.50	1.03	0.59	1.65
ZC	1096	1.21	0.91	1.58	1.21	0.90	1.58
ZD	512	0.92	0.55	1.43	0.97	0.58	1.52
ZE	442	0.47	0.20	0.92	1.35	0.59	2.64

FIGURE 49a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2012: UNADJUSTED




FIGURE 49b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2012: PIM2r ADJUSTED




TABLE 50 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2010-2012

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	1,828	0.59	0.42	0.79	0.98	0.71	1.32
B	832	0.03	0.00	0.17	0.11	0.00	0.60
C	844	1.03	0.71	1.42	0.88	0.61	1.22
D	2,228	1.50	1.26	1.77	1.34	1.12	1.58
E1	2,875	1.89	1.65	2.15	1.26	1.10	1.43
E2	2,389	0.85	0.68	1.06	0.89	0.71	1.10
F	3,492	0.89	0.74	1.06	0.88	0.73	1.04
G	83	1.84	0.69	3.84	0.91	0.34	1.91
H	1,828	1.20	0.96	1.47	0.97	0.78	1.19
I	2,353	1.17	0.96	1.40	1.24	1.02	1.49
J*	78	0.33	0.01	1.77	0.96	0.02	5.18
K1K3	1,709	0.92	0.71	1.18	1.08	0.83	1.37
K2	988	1.03	0.74	1.39	0.99	0.71	1.34
L	983	0.62	0.40	0.92	0.68	0.44	1.01
M	1,184	1.03	0.77	1.36	0.89	0.66	1.17
N	1,036	1.20	0.90	1.58	1.18	0.88	1.55
O	1,852	0.44	0.30	0.62	0.70	0.48	0.98
P	3,420	1.36	1.18	1.57	1.15	0.99	1.33
Q	1,646	0.85	0.64	1.10	0.75	0.57	0.98
R	2,804	0.66	0.52	0.83	0.72	0.57	0.90
S	636	0.32	0.14	0.63	0.50	0.21	0.97
T	1,518	0.76	0.55	1.01	0.74	0.54	0.99
U	966	1.58	1.22	2.02	1.00	0.77	1.27
V	3,967	1.37	1.20	1.56	0.97	0.85	1.11
W	2,033	1.24	1.01	1.50	0.99	0.81	1.19
X	2,234	0.89	0.71	1.11	0.99	0.79	1.23
Y	1,437	0.60	0.42	0.84	0.98	0.68	1.37
Z	1,208	0.46	0.29	0.70	0.80	0.50	1.21
ZA	2,797	0.41	0.30	0.55	0.84	0.61	1.12
ZB	1,336	0.92	0.68	1.21	1.04	0.77	1.37
ZC	3,106	1.28	1.09	1.49	1.17	0.99	1.36
ZD	1,521	1.16	0.90	1.45	1.11	0.87	1.39
ZE	1,016	0.45	0.27	0.71	1.22	0.72	1.92

FIGURE 50a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010-2012: UNADJUSTED





FIGURE 50b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2010-2012: PIM2r ADJUSTED



*J - The Lewisham Hospital NHS Trust stopped submitting data in August 2010.

TABLE 51 CHILDREN BY FOLLOW-UP STATUS AND AGE, 2010 - 2012

Removed for anonymisation

This table (and 52 -55) now report numbers of children rather than admissions.

The total is the number of children discharged alive from their final PICU admission other than to normal residence. In future 30 day follow up will be requested for children discharged to normal residence.

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality. Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 52 CHILDREN BY FOLLOW-UP STATUS AND AGE (<1 YEAR), 2010 - 2012

Age Group (Months)	30 DAY FOLLOW-UP STATUS						Total	
	Alive		Dead		Unknown		n	%
	n	%	n	%	n	%	n	%
< 1 month	799	(90.8)	30	(3.4)	51	(5.8)	880	(37.3)
1-2months	461	(91.5)	8	(1.6)	35	(6.9)	504	(21.4)
3-5 months	457	(94.6)	**	(**)	23	(4.8)	**	(**)
6-11 months	470	(95.9)	**	(**)	18	(3.7)	**	(**)
Total	2,187	(100.0)	43	(100.0)	127	(100.0)	2,357	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 53 CHILDREN BY FOLLOW-UP STATUS AND SEX, 2010 - 2012

Sex	30 DAY FOLLOW-UP STATUS						Total	
	Alive		Dead		Unknown		n	%
	n	%	n	%	n	%	n	%
Male	2,211	(93.5)	36	(1.5)	117	(4.9)	2,364	(55.8)
Female	1,739	(92.8)	26	(1.4)	109	(5.8)	1,874	(44.2)
Total	3,950	(93.2)	62	(1.5)	226	(5.3)	4,238	(100.0)

TABLE 54 CHILDREN BY FOLLOW-UP STATUS AND SEX (AGE <1 YEAR), 2010 - 2012

Sex	30 DAY FOLLOW-UP STATUS						Total	
	Alive		Dead		Unknown		n	%
	n	%	n	%	n	%	n	%
Male	1,254	(92.8)	28	(2.1)	70	(5.2)	1,352	(57.4)
Female	933	(92.8)	15	(1.5)	57	(5.7)	1,005	(42.6)
Total	2,187	(92.8)	43	(1.8)	127	(5.4)	2,357	(100.0)

TABLE 55 CHILDREN BY FOLLOW-UP STATUS, BY HEALTH ORGANISATION OF LAST ADMISSION, 2010 - 2012

Year / Organisation	30 DAY FOLLOW-UP STATUS							
	Alive		Dead		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
2010								
E1	0	(0.0)	0	(0.0)	**	(**)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	**	(**)
H	0	(0.0)	0	(0.0)	8	(100.0)	8	(0.6)
K2	0	(0.0)	0	(0.0)	**	(**)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	830	(96.2)	11	(1.3)	22	(2.5)	863	(64.4)
ZD	397	(86.5)	7	(1.5)	55	(12.0)	459	(34.2)
Total	**	(**)	18	(1.3)	93	(6.9)	**	(**)
2011								
E2	0	(0.0)	0	(0.0)	**	(**)	**	(**)
H	0	(0.0)	0	(0.0)	12	(100.0)	12	(0.8)
Q	**	(**)	0	(0.0)	**	(**)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	886	(95.4)	14	(1.5)	29	(3.1)	929	(65.1)
ZD	459	(96.2)	6	(1.3)	12	(2.5)	477	(33.5)
Total	1,349	(94.6)	20	(1.4)	**	(**)	**	(**)
2012								
D	0	(0.0)	0	(0.0)	**	(**)	**	(**)
E1	0	(0.0)	0	(0.0)	**	(**)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	**	(**)
H	0	(0.0)	0	(0.0)	13	(100.0)	13	(0.9)
K1K3	0	(0.0)	0	(0.0)	**	(**)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZB	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	917	(92.7)	17	(1.7)	55	(5.6)	989	(67.2)
ZD	451	(98.5)	7	(1.5)	0	(0.0)	458	(31.1)
Total	1,371	(93.2)	24	(1.6)	76	(5.2)	1,471	(100.0)
Grand Total	**	(**)	62	(1.5)	**	(**)	4,238	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 56 RE-ADMISSIONS BY HEALTH ORGANISATION AND SOURCE OF PREVIOUS ADMISSION, 2010 - 2012

Organisation	SOURCE OF PREVIOUS ADMISSION						Total	
	Same Organisation		Other Organisation		No Previous Admission			
	n	(%)	n	(%)	n	(%)	n	(%)
D	0	(0.0)	0	(0.0)	**	(**)	**	(**)
E1	0	(0.0)	**	(**)	**	(**)	**	(**)
E2	**	(**)	**	(**)	7	(70.0)	10	(0.2)
H	9	(20.0)	0	(0.0)	36	(80.0)	45	(1.0)
K1K3	**	(**)	0	(0.0)	**	(**)	**	(**)
K2	**	(**)	0	(0.0)	**	(**)	5	(0.1)
L	**	(**)	0	(0.0)	**	(**)	**	(**)
O	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Q	0	(0.0)	0	(0.0)	**	(**)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	6	(0.1)
W	0	(0.0)	0	(0.0)	**	(**)	**	(**)
X	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZB	**	(**)	0	(0.0)	6	(85.7)	**	(**)
ZC	55	(1.8)	0	(0.0)	2975	(98.2)	3030	(66.0)
ZD	46	(3.1)	0	(0.0)	1421	(96.9)	1467	(31.9)
Total	**	(**)	**	(**)	4469	(97.3)	4593	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 57 NUMBER OF ADMISSIONS OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION OF FIRST ADMISSION, 2010 - 2012

Organisation	NUMBER OF ADMISSIONS												Total					
	1		2		3		4		5		6				7		8+	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	7	(0.2)
H	29	(80.6)	5	(13.9)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K1K3	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Q	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
W	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	5	(83.3)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	2929	(98.5)	39	(1.3)	5	(0.2)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZD	1418	(99.9)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Total	4404	(98.6)	50	(1.1)	8	(0.2)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	4468	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 58 NUMBER OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION AND DIAGNOSTIC GROUP OF FIRST ADMISSION, 2010 - 2012

Organisation	DIAGNOSTIC GROUP																				Total											
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology			Respiratory		Trauma		Other		Missing				
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		n	(%)	n	(%)	n	(%)	n	(%)			
D	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	5	(71.4)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	**	(**)	13	(36.1)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	13	(36.1)	0	(0.0)	36	(0.8)		
K1K3	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Q	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
W	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZA	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZB	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(0.1)
ZC	31	(1.0)	67	(2.3)	1437	(48.3)	46	(1.5)	232	(7.8)	76	(2.6)	**	(**)	99	(3.3)	114	(3.8)	104	(3.5)	601	(20.2)	34	(1.1)	133	(4.5)	0	(0.0)	**	(**)		
ZD	13	(0.9)	68	(4.8)	31	(2.2)	45	(3.2)	152	(10.7)	71	(5.0)	14	(1.0)	131	(9.2)	242	(17.0)	76	(5.4)	413	(29.1)	48	(3.4)	106	(7.5)	0	(0.0)	1420	(31.8)		
Total	**	(**)	**	(**)	1482	(33.2)	94	(2.1)	401	(9.0)	**	(**)	**	(**)	230	(5.1)	362	(8.1)	**	(**)	1025	(22.9)	82	(1.8)	255	(5.7)	0	(0.0)	4468	(100.0)		

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 59 INDIVIDUAL CHILD ADMISSIONS BY DIAGNOSTIC GROUP AND READMISSION STATUS, 2010 - 2012

Diagnostic Group	NUMBER OF ADMISSIONS							
	Single		Multiple (1 organisation)		Multiple (2+ organisations)		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
Blood / lymphatic	45	(100.0)	0	(0.0)	0	(0.0)	45	(1.0)
Body wall and cavities	136	(100.0)	0	(0.0)	0	(0.0)	136	(3.0)
Cardiovascular	1456	(98.2)	26	(1.8)	0	(0.0)	1482	(33.2)
Endocrine / metabolic	93	(98.9)	**	(**)	0	(0.0)	**	(**)
Gastrointestinal	393	(98.0)	8	(2.0)	0	(0.0)	401	(9.0)
Infection	147	(99.3)	**	(**)	0	(0.0)	**	(**)
Multisystem	15	(100.0)	0	(0.0)	0	(0.0)	15	(0.3)
Musculoskeletal	229	(99.6)	**	(**)	0	(0.0)	**	(**)
Neurological	361	(99.7)	**	(**)	0	(0.0)	**	(**)
Oncology	183	(100.0)	0	(0.0)	0	(0.0)	183	(4.1)
Other	251	(98.4)	**	(**)	0	(0.0)	**	(**)
Respiratory	1005	(98.0)	19	(1.9)	**	(**)	**	(**)
Trauma	81	(98.8)	**	(**)	0	(0.0)	**	(**)
Unknown	9	(90.0)	**	(**)	0	(0.0)	**	(**)
Total	4404	(98.6)	**	(**)	**	(**)	4468	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 60 AGE SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF CHILDREN TO PAEDIATRIC INTENSIVE CARE, 2010-2012


Sex	Age Group (Years)	Population	PREVALENCE RATES											
			2010 (95% CI)			2011 (95% CI)			2012 (95% CI)			2010-12 (95% CI)		
			Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper
Male	<1 year	36851	1370	1252	1489	1324	1208	1441	1327	1210	1444	1341	1273	1408
	1-4 years	145225	138	119	158	124	106	142	154	134	174	139	128	150
	5-10 years	195550	37	29	46	50	40	60	54	43	64	47	41	52
	11-15 years	152977	44	33	54	49	38	60	41	31	51	45	39	51
Female	<1 year	35561	936	836	1037	1156	1045	1267	956	855	1057	1016	956	1076
	1-4 years	138692	131	112	150	107	90	124	126	108	145	121	111	132
	5-10 years	186650	42	33	52	45	35	55	51	41	62	46	41	52
	11-15 years	145310	34	24	43	37	27	47	51	39	63	41	35	47
Total		1036816	144	136	151	148	141	156	151	144	159	148	143	152

Populations for calculation of prevalence are taken from the Irish Central Statistical Office
<http://www.cso.ie/en/census/census2011reports/census2011profile2-olderandyounger/>

TABLE 61 AGE-SEX SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF CHILDREN TO PAEDIATRIC INTENSIVE CARE BY COUNTY, 2010-2012

Country /County	Population	PREVALENCE												
		2010 (95% CI)			2011 (95% CI)			2012 (95% CI)			2010 - 2012 (95% CI)			
		Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper	
Republic of Ireland														
Carlow	12835	142	77	208	173	101	245	118	59	178	145	107	183	
Cavan	18159	123	72	173	150	93	206	155	98	212	142	111	174	
Clare	27558	106	67	145	114	74	155	112	71	152	110	87	134	
Cork	115969	118	99	138	123	103	143	131	110	152	124	112	136	
Donegal	39081	169	127	210	154	115	194	145	107	184	156	133	179	
Dublin	260462	171	155	186	167	152	182	190	173	206	176	167	185	
Galway	55405	125	96	154	183	147	218	125	96	154	144	126	162	
Kerry	31118	111	73	149	184	135	232	143	100	186	146	121	171	
Kildare	54241	162	129	196	173	139	208	188	152	224	175	155	195	
Kilkenny	22428	82	44	120	146	96	196	109	66	153	112	87	138	
Laois	20856	167	113	221	56	24	87	125	78	172	116	90	142	
Leitrim	7238	126	44	208	125	43	206	82	16	147	111	67	155	
Limerick	41679	113	81	146	138	102	173	125	92	159	126	106	145	
Longford	9525	84	26	142	170	87	252	147	70	224	134	91	176	
Louth	30194	168	122	214	76	45	107	126	86	166	124	101	146	
Mayo	28965	160	113	207	152	106	198	186	135	237	166	138	194	
Meath	48704	145	112	178	162	127	197	144	111	177	150	131	170	
Monaghan	14291	231	153	309	188	117	258	84	36	131	168	129	206	
Offaly	18957	199	135	263	103	57	149	97	52	142	133	103	163	
Roscommon	14344	145	82	208	146	82	209	29	1	58	107	75	138	
Sligo	13994	82	33	130	177	106	247	156	89	222	138	102	174	
Tipperary	36406	77	48	105	110	76	145	116	80	151	101	82	120	
Waterford	26011	142	96	188	106	66	145	169	119	219	139	113	165	
Westmeath	20599	139	88	191	124	76	173	149	96	202	137	108	167	
Wexford	34890	124	87	161	143	103	183	153	112	194	140	117	163	
Wicklow	32907	153	112	195	154	112	196	160	117	203	156	131	180	
Total	1036816	144	136	151	148	141	156	151	144	159	148	144	153	

FIGURE 61 PREVALENCE (PER 100,000 PER YEAR) 2010-2012, WITH 95% CONFIDENCE INTERVALS



UNIVERSITY OF LEEDS

ROGER PARSLow
PHIL McSHANE
THOMAS FLEMING
LEE NORMAN
JODIE BATCHELOR

PICANet

DIVISION OF EPIDEMIOLOGY & BIostatISTICS
THE LEEDS INSTITUTE OF GENETICS
HEALTH AND THERAPEUTICS
UNIVERSITY OF LEEDS
WORSLEY BUILDING
LEEDS
LS2 9LN

R.C.PARSLow@LEEDS.AC.UK
0113 343 4856

UNIVERSITY OF LEICESTER

ELIZABETH DRAPER
CAROLINE LAMMING
CAROLINE LOVETT
MARTIN PERKINS

PICANet

DEPARTMENT OF HEALTH SCIENCES
UNIVERSITY OF LEICESTER
22-28 PRINCESS ROAD WEST
LEICESTER
LE1 6TP

MSN@LEICESTER.AC.UK
0116 252 5414

www.PICANet.org.uk
PICANet@leeds.ac.uk