

Paediatric Intensive Care Audit Network

KEY

A	Cambridge University Hospitals NHS Foundation Trust
B	Brighton & Sussex University Hospitals NHS Trust
C	Cardiff & Vale University Health Board
D	Central Manchester University Hospitals NHS Foundation Trust
E	Great Ormond Street Hospital for Children NHS Trust
E1	PICU/NICU
E2	CCCU
F	Guy's & St. Thomas' NHS Foundation Trust
G	Hull & East Yorkshire Hospitals NHS Trust
H	King's College Hospital NHS Trust
I	Leeds Teaching Hospitals NHS Trust
K	Newcastle upon Tyne Hospitals NHS Foundation Trust
K1/K3	Great North Children's Hospital
K2	Newcastle Freeman Hospital (In 2010 Newcastle General and Royal Victoria Infirmary PICUs merged within the Great North Children's Hospital)
L	University Hospital of North Staffordshire NHS Trust
M	Queens Medical Centre Nottingham University Hospitals NHS Trust
N	Oxford University Hospitals NHS Trust
O	Royal Brompton & Harefield NHS Foundation Trust
P	Royal Liverpool Children's NHS Trust
Q	Sheffield Children's NHS Foundation Trust
R	Southampton University Hospitals NHS Trust
S	South Tees Hospitals NHS Trust
T	St. George's Healthcare NHS Trust
U	Imperial College Healthcare NHS Trust (SMH)
V	Birmingham Children's Hospital NHS Trust
W	University Hospitals Bristol NHS Foundation Trust
X	University Hospitals of Leicester NHS Trust
X1	Leicester Glenfield Hospital
X2	Leicester Royal Infirmary
Y	NHS Lothian – University Hospitals Division
Z	Barts and the London NHS Trust
ZA	NHS Greater Glasgow and Clyde – Women and Children's Division
ZB	The Royal Group of Hospitals and Dental Hospitals HSS Trust
ZC	Our Lady's Hospital for Sick Children, Dublin
ZD	The Children's University Hospital, Dublin
ZE	Harley Street Clinic (non-NHS)
ZF	The Portland Hospital for Women and Children (non-NHS)

Published in the UK by the Paediatric Intensive Care Audit Network (PICANet). This work is copyright. Apart from any use as permitted under the Copyright, Designs and Patents Act 1988, no part may be reproduced by any process without permission from PICANet.

Requests and enquiries concerning reproduction rights should be directed to PICANet at:

PICANet
School of Medicine
Room 8.49, Worsley Building
University Of Leeds
Leeds, LS2 9JT
Telephone: 0113 343 8125
E-mail: picanet@leeds.ac.uk

In all cases PICANet must be acknowledged as the source when reproducing or quoting any part of this publication. Please use the following format when citing this report:

Paediatric Intensive Care Audit Network: National Report for Wales 2014 (published March 2015): Universities of Leeds and Leicester

CONTENTS

ACKNOWLEDGEMENTS	7
FOREWORD	8
EXECUTIVE SUMMARY	9
DATA INCLUDED	10
TABLE 1	ADMISSIONS BY AGE AND SEX, 2011 – 2013
FIGURE 1	ADMISSIONS BY AGE AND SEX, 2011 – 2013
TABLE 2	ADMISSIONS BY AGE (<1) AND SEX, 2011 – 2013
FIGURE 2	ADMISSIONS BY AGE (<1) AND SEX, 2011 – 2013
TABLE 3	ADMISSIONS BY AGE BY HEALTH ORGANISATION, 2011 – 2013
TABLE 4	ADMISSIONS BY AGE (<1) BY HEALTH ORGANISATION, 2011 – 2013
TABLE 5	ADMISSIONS BY AGE (16+) BY HEALTH ORGANISATION, 2011 – 2013
TABLE 6	ADMISSIONS BY MONTH AND AGE, 2011 – 2013
FIGURE 6	ADMISSIONS BY MONTH AND AGE, 2011 – 2013
TABLE 7	ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2011 – 2013
FIGURE 7	ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2011 – 2013
TABLE 8	RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2011 – 2013
FIGURE 8	RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2011 – 2013
TABLE 9	ADMISSIONS BY MONTH BY HEALTH ORGANISATION, 2011 – 2013
TABLE 10	ADMISSIONS BY HEALTH BOARD AND YEAR, 2011 – 2013
FIGURE 10	MAP SHOWING LOCAL HEALTH BOARD BOUNDARIES
TABLE 11	ADMISSIONS BY PREDICTED MORTALITY RISK GROUP BY HEALTH ORGANISATION, 2011 – 2013
TABLE 12	ADMISSIONS BY ADMISSION TYPE AND AGE, 2011 – 2013
FIGURE 12	ADMISSIONS BY ADMISSION TYPE, 2011 – 2013
TABLE 13	ADMISSIONS BY ADMISSION TYPE BY HEALTH ORGANISATION, 2011 – 2013
FIGURE 13	ADMISSIONS BY ADMISSION TYPE BY HEALTH ORGANISATION, 2011 – 2013
TABLE 14	ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2011 – 2013
FIGURE 14	ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2011 – 2013
TABLE 15	ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED – OTHER, ADMITTED FROM HOSPITAL) BY HEALTH ORGANISATION, 2011 – 2013
FIGURE 15	ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED – OTHER, ADMITTED FROM HOSPITAL) BY HEALTH ORGANISATION, 2011 – 2013
TABLE 16	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE, 2011 – 2013
FIGURE 16	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP, 2011 – 2013

TABLE 17	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2011 – 2013	33
FIGURE 17	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (AND AGE (16+ YEARS), 2011 – 2013	33
TABLE 18	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2011 – 2013	34
TABLE 19	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - FOLLOWING SURGERY) BY HEALTH ORGANISATION, 2011 – 2013	35
TABLE 20	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - FOLLOWING SURGERY) BY HEALTH ORGANISATION, 2011 – 2013	36
TABLE 21	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - OTHER) BY HEALTH ORGANISATION, 2011 – 2013	37
TABLE 22	ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - OTHER) BY HEALTH ORGANISATION, 2011 – 2013	38
TABLE 26	RETRIEVALS BY TEAM TYPE AND AGE, 2011 – 2013	39
FIGURE 26	RETRIEVALS BY TEAM TYPE, 2011 – 2013	39
TABLE 27	NON-SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2011 – 2013	40
FIGURE 27	NON-SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2011 – 2013	40
TABLE 27A	SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2011 – 2013	41
FIGURE 27A	SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2011 – 2013	41
TABLE 28	RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2011 – 2013	42
FIGURE 28	RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2011 – 2013	42
TABLE 29	INTERVENTIONS RECEIVED BY HEALTH ORGANISATION, 2011 – 2013	43
TABLE 30	ADMISSIONS BY VENTILATION STATUS AND AGE, 2011 – 2013	44
TABLE 31	ADMISSIONS BY VENTILATION STATUS BY HEALTH ORGANISATION, 2011 – 2013	45
TABLE 32	BED DAYS BY AGE AND SEX, 2011 – 2013	46
FIGURE 32	BED DAYS BY AGE AND SEX, 2011 – 2013	46
TABLE 33	BED DAYS BY AGE BY HEALTH ORGANISATION, 2011 – 2013	47
TABLE 34	BED CENSUS BY MONTH, 2011 – 2013	48
FIGURE 34	BED CENSUS BY MONTH, 2011 – 2013	48
TABLE 35	BED CENSUS BY HEALTH ORGANISATION, 2011 – 2013	49
FIGURE 35A	BED CENSUS BY HEALTH ORGANISATION, 2011	49
FIGURE 35B	BED CENSUS BY HEALTH ORGANISATION, 2012	49
FIGURE 35C	BED CENSUS BY HEALTH ORGANISATION, 2013	49
TABLE 36	BED ACTIVITY BY MONTH, 2011 – 2013	50
FIGURE 36	BED ACTIVITY BY MONTH, 2011 – 2013	50
TABLE 37	BED ACTIVITY BY HEALTH ORGANISATION, 2011 – 2013	51
FIGURE 37A	BED ACTIVITY BY HEALTH ORGANISATION, 2011	51
FIGURE 37B	BED ACTIVITY BY HEALTH ORGANISATION, 2012	51
FIGURE 37C	BED ACTIVITY BY HEALTH ORGANISATION, 2013	51

TABLE 38	LENGTH OF STAY BY AGE BY HEALTH ORGANISATION, 2011 – 2013	52
TABLE 39	LENGTH OF STAY BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2011 – 2013	53
TABLE 40	ADMISSIONS BY LENGTH OF STAY BY HEALTH ORGANISATION, 2011 – 2013	54
TABLE 41	ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE, 2011 – 2013	55
TABLE 42	ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE (<1), 2011 – 2013	56
TABLE 43	ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX, 2011 – 2013	57
TABLE 44	ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX (AGE <1), 2011 – 2013	58
TABLE 45	ADMISSIONS BY UNIT DISCHARGE STATUS BY HEALTH ORGANISATION, 2011 – 2013	59
TABLE 46	ADMISSIONS BY UNIT DISCHARGE DESTINATION AND AGE, 2011 – 2013	60
TABLE 46A	VENTILATOR FREE DAYS, BY PIM2R GROUP, BY HEALTH ORGANISATION, 2011 – 2013	61
TABLE 46B	EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2011 – 2013	62
FIGURE 46B	EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2011 – 2013	62
FIGURE 46C	RELATIVE RATES OF EMERGENCY READMISSION WITHIN 48 HOURS OF DISCHARGE, 2011 – 2013	63
TABLE 47	STANDARDISED MORTALITY RATIOS BY ORGANISATION, 2011	64
FIGURE 47A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2011: UNADJUSTED	64
FIGURE 47B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2011: PIM2R ADJUSTED	64
TABLE 48	STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2012	65
FIGURE 48A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2012: UNADJUSTED	65
FIGURE 48B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2012: PIM2R ADJUSTED	65
TABLE 49	STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2013	66
FIGURE 49A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2013: UNADJUSTED	66
FIGURE 49B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2013: PIM2R ADJUSTED	66
TABLE 50	STANDARDISED MORTALITY RATIOS COMBINED BY HEALTH ORGANISATION, 2011 – 2013	67
FIGURE 50A	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2011 – 2013: UNADJUSTED	67
FIGURE 50B	PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION WITH 99.9% CONTROL LIMITS, 2011 – 2013PIM2R ADJUSTED	67
TABLE 51	CHILDREN BY FOLLOW-UP STATUS AND AGE, 2011 – 2013	68
TABLE 52	CHILDREN BY FOLLOW-UP STATUS AND AGE (<1 YEAR), 2011 – 2013	69

TABLE 53	CHILDREN BY FOLLOW-UP STATUS AND SEX, 2011 – 2013	70
TABLE 54	CHILDREN BY FOLLOW-UP STATUS AND SEX (AGE<1 YEAR), 2011 – 2013	71
TABLE 55	CHILDREN BY FOLLOW-UP STATUS BY HEALTH ORGANISATION OF LAST ADMISSION, 2011 – 2013	72
TABLE 56	READMISSIONS BY HEALTH ORGANISATION AND SOURCE OF PREVIOUS ADMISSION, 2011 – 2013	73
TABLE 57	NUMBER OF ADMISSIONS OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION OF FIRST ADMISSION, 2011 – 2013	74
TABLE 58	NUMBER OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION AND DIAGNOSTIC GROUP OF FIRST ADMISSION, 2011 – 2013	75
TABLE 59	INDIVIDUAL CHILD ADMISSIONS BY DIAGNOSTIC GROUP AND READMISSION STATUS, 2011 – 2013	76
TABLE 60	AGE SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS TO PAEDIATRIC INTENSIVE CARE, 2011 – 2013	77
TABLE 61	AGE-SEX SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF CHILDREN TO PAEDIATRIC INTENSIVE CARE BY HEALTH BOARD, 2011 – 2013	78
FIGURE 61	PREVALENCE (PER 100,000 PER YEAR), 2011 – 2013, WITH 95% CONFIDENCE INTERVALS	79

ACKNOWLEDGEMENTS

The ongoing success of this international clinical audit is dependent on the hard work and commitment of a large number of individuals working within the paediatric intensive care community. We are very grateful to all the audit clerks, secretaries, nurses and doctors who support and contribute to the Paediatric Intensive Care Audit Network (PICANet) from their own paediatric intensive care units (PICUs).

PICANet was established in collaboration with the Paediatric Intensive Care Society (PICS) and their active support continues to be a key component of our successful progress. The PICANet Steering Group (SG) has patient, academic, clinical, government and NHS members all of whom are thanked for their continuing assistance and advice. Members of the Clinical Advisory Group (CAG) provide a formal interface between PICANet and clinical care teams and their valuable support and contribution is gratefully acknowledged.

We are also grateful for the support and commitment given by members of the PIC Families Group.

PICANet has been awarded funding to 31st March 2018 from the National Clinical Audit & Patient Outcomes Programme, administered by the Healthcare Quality Improvement Partnership (HQIP); Welsh Health Specialised Services Committee; NHS Lothian/National Service Division NHS Scotland; the Royal Belfast Hospital for Sick Children; National Office of Clinical Audit Ireland (NOCA) and HCA International.

FOREWORD

The 2014 PICANet report for Wales offers a comprehensive overview of the demand for, and outcome from, critical illness in Welsh Children. The data are reliable thanks to the efforts of clinicians and clerical staff in all the PICU's providing a service for Welsh Children, and have been collated and presented in a user-friendly format by the PICANet team.

The data continue show that 84% of admissions are ventilated, which suggests that Welsh Children are admitted to PICU only when they require level 2 and 3 critical care, and not for high dependency (level 1) care. This suggests that Welsh children are having their High Dependency Care needs met locally.

There is a striking excess of male children admitted to PICU in infancy – in the first two months of life the ratio of male to female is almost 2:1, and by the end of the first year of life things are more even. It has been recognised for decades in neonatology that male infants are at greater risk of illness and mortality than female.

The overall admissions over the 3 years covered by this report (2011-2013) show a decrease, and this is against the national trend of increasing admissions to PICU. The numbers and time-scale are relatively small, however, so it is difficult to interpret any significance into this.

It is noted that the number of patients over 16 years of age admitted to PICU has decreased, but still happens occasionally. The majority of these patients have the admission category 'Musculoskeletal' suggesting that mostly it is post-operative scoliosis surgery which is the commonest reason for admission of an over 16.

For many years, North Wales, especially Anglesey, showed the highest prevalence of admission to PICU, but the data are now provided for larger Health Board areas, and it is striking for this 3 year period that Cardiff & Vale has the highest prevalence of admission.

Importantly, crude mortality remains low and risk-adjusted mortality shows all units treating Welsh children have mortality rates well within the expected range.

I am sure this report will be useful to all stakeholders, and provide evidence of the high quality of critical care offered to the children of Wales.

ALLAN WARDHAUGH

CONSULTANT PAEDIATRIC CRITICAL CARE UNIT

CARDIFF & VALE UNIVERSITY HEALTH BOARD.

EXECUTIVE SUMMARY

This report provides information on all children admitted to paediatric intensive care in England and Wales whose usual place of residence is Wales (no Welsh children were admitted to PICUs in Scotland or Ireland).

In order to preserve confidentiality counts greater than zero but fewer than five are suppressed; other counts may also be suppressed where they would permit calculation of the small numbers, tables haven't been included where the removal of small cell counts makes the remaining figures uninformative.

- Data are presented on 1720 paediatric intensive care admissions over the three year period 1 January 2011 – 31 December 2013.
- The number of admissions per year has remained almost constant over the period.
- Slightly over half (50%) of admissions are under one year of age and the male to female ratio is 1.37:1.
- Less than half of paediatric intensive care admissions for Welsh children are to Cardiff & Vale University Health Board (47%). The vast majority of the remaining children (43% of the total) are admitted to the Royal Liverpool Children's NHS Trust or the University Hospitals Bristol NHS Foundation Trust.
- Prevalence for admission varies between Health Boards from 94-125 per 100,000 per year, reduced compared to previous years although this may be partly due to the increased size of the new Health Boards.
- Unplanned admissions accounted for 62% of all admissions.
- 84% of admissions received invasive ventilation.
- 9,888 bed days were provided for Welsh children treated in paediatric intensive care, 61% of which were received by patients under one year of age.
- Crude mortality for Welsh children treated in paediatric intensive care has remained almost constant since the last Welsh report at 4.9%. Risk-adjusted standardised mortality ratios remain within control limits.

DATA INCLUDED

This report is based on children admitted to paediatric intensive care in England and Wales whose usual place of residence is Wales (no Welsh children were admitted to PICUs in Scotland or Ireland). The data are presented for the three year period January 2011 – December 2013. All data are based on admissions aged 0 – 15 years unless clearly stated otherwise.

There are 28 participating NHS organisations (Health Boards, Trusts or other governing bodies) located in the United Kingdom, 27 of whom collected data for the entire reporting period. These, together with some non-NHS bodies, are referred to as Health Organisations.

In order to preserve confidentiality counts greater than zero but fewer than five are suppressed; other counts may also be suppressed where they would permit calculation of the small numbers. Tables haven't been included where the removal of small cell counts makes the remaining figures uninformative.

This report should be read in conjunction with the National Report of the Paediatric Intensive Care Audit Network National Report January 2011 - December 2013 (published September 2014: Universities of Leeds and Leicester.), which may be accessed at www.picanet.org.uk.

ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP

The primary reason for admission has been categorised into 13 diagnostic groups to enable a simple comparison between organisations. The classification is based on CT3 (The Read Codes). The groups are mutually exclusive:

- Infection excludes any respiratory or gastrointestinal infection but includes meningitis.
- Neurological disorders include neurovascular complications.

- Oncology includes neuro-oncology (brain tumours).
- Other includes those diagnoses not covered by the other 12 groups.

Read codes are five characters in length and can be made up of numbers, letters, or periods. The ordering of the individual characters does not indicate the hierarchy (e.g. patent ductus arteriosus (P70..) is a subset of congenital abnormality of ductus arteriosus (Xa6aC)).

ADMISSIONS BY LOCAL HEALTH BOARD

The number of admissions by Local Health Board (HB) was obtained by linking the validated home addresses of children admitted to PICU to HB via the National Statistics Postcode Directory (NSPD). Note that these are the new Boards (effective from Oct 2009).

ADMISSIONS BY ADMISSION TYPE

We have used the following definitions for admission type:

- An admission that is *planned - following surgery* is one that the unit is aware of before the surgery begins or one that could have been delayed for 24 hours without risk (e.g. spinal surgery).
- An admission that is *unplanned - following surgery* is one that the unit was not aware of before surgery began and one that could not have been delayed without risk (e.g. bleeding tonsillectomy).
- A *planned - other* admission is any other planned admission that is not an emergency (e.g. liver biopsy).

- An *unplanned - other* admission is one that the unit was not expecting and is therefore an emergency admission (e.g. status epilepticus).

Surgery is defined as undergoing all or part of a procedure or anaesthesia for a procedure in an operating theatre or anaesthetic room. Patients admitted from the operating theatre where surgery is not the main reason for admission (e.g. a patient with a head injury who is admitted from theatre after insertion of an ICP monitor) are not included here. In such patients the main reason for admission is head injury and thus the admission type would be *unplanned - other*.

RETRIEVAL DATA

Data are collected on whether or not a child was retrieved / transferred into the PICU. We have used the following definitions:

- *Own team* identifies that the team from the admitting hospital collected the child from the referring hospital.
- *Other specialist team (PICU)* identifies that another PICU retrieval team transferred the child to the admitting unit.
- *Other specialist team (non PICU)* identifies that another transport team, not a PICU team (e.g. Accident and Emergency Department (A&E), theatre teams or neonatal teams), transferred the child to the admitting unit.
- *Non-specialist team* identifies that a non-PICU, non-specialist team transported the child to the admitting unit. (e.g. ward staff).

VENTILATION STATUS

Length of ventilation has been calculated in days. Any ventilation episode during the period midnight to midnight was counted as one complete day (e.g. a child intubated and ventilated at 23.45 on 7 March and extubated at

02.30 on 8 March would count as two days of ventilation). Intubation and extubation times are not recorded in the PICANet dataset therefore more precise ventilation duration times are not available.

STANDARDISED MORTALITY RATIOS

Tables and figures showing the standardised mortality ratios for all units have been reproduced from the National Report so that table and figure numbering is consistent across both reports. These tables include all patients admitted to PICU regardless of age. These ratios are calculated using the recalibrated PIM2, described in the 2014 Annual Report.

ANONYMISATION

Regional reports have been anonymised to suppress cell counts less than 5 to prevent the possibility of individuals being identified. In some cases this has led to whole tables or figures being suppressed and a number of other tables having data missing.


In future years data may be aggregated to prevent the presence of small numbers.

If you require access to the complete versions of the tables a request can be made to PICANet using the standard data request form available on the PICANet website.

TABLE 1 ADMISSIONS BY AGE AND SEX, 2011 - 2013

Age Years	SEX					
	Male		Female		Unknown	
	n	(%)	n	(%)	n	(%)
0	517	(59.6)	349	(40.3)	0	(0.0)
1	94	(56.3)	73	(43.7)	0	(0.0)
2	61	(60.4)	40	(39.6)	0	(0.0)
3	44	(61.1)	28	(38.9)	0	(0.0)
4	42	(60.0)	28	(40.0)	0	(0.0)
5	30	(50.8)	29	(49.2)	0	(0.0)
6	35	(64.8)	19	(35.2)	0	(0.0)
7	22	(61.1)	14	(38.9)	0	(0.0)
8	24	(66.7)	12	(33.3)	0	(0.0)
9	14	(53.8)	12	(46.2)	0	(0.0)
10	19	(59.4)	13	(40.6)	0	(0.0)
11	12	(38.7)	19	(61.3)	0	(0.0)
12	10	(40.0)	15	(60.0)	0	(0.0)
13	22	(48.9)	23	(51.1)	0	(0.0)
14	30	(54.5)	25	(45.5)	0	(0.0)
15	20	(44.4)	25	(55.6)	0	(0.0)
Grand Total	995	(57.8)	724	(42.1)	0	(0.0)

FIGURE 1 ADMISSIONS BY AGE AND SEX, 2011 - 2013




As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

For admissions where the sex of the child was Ambiguous the number has been included within the Male category (n<5)

TABLE 2 ADMISSIONS BY AGE (<1 YEAR) AND SEX, 2011 - 2013

Age Months	SEX					
	Male		Female		Unknown	
	n	(%)	n	(%)	n	(%)
0	189	(63.7)	106	(35.9)	0	(0.0)
1	90	(63.8)	51	(36.2)	0	(0.0)
2	41	(56.9)	31	(43.1)	0	(0.0)
3	34	(54.0)	29	(46.0)	0	(0.0)
4	32	(55.2)	26	(44.8)	0	(0.0)
5	25	(52.1)	23	(47.9)	0	(0.0)
6	26	(61.9)	16	(38.1)	0	(0.0)
7	22	(56.4)	17	(43.6)	0	(0.0)
8	16	(50.0)	16	(50.0)	0	(0.0)
9	13	(52.0)	12	(48.0)	0	(0.0)
10	12	(44.4)	15	(55.6)	0	(0.0)
11	17	(70.8)	7	(29.2)	0	(0.0)
Grand Total	516	(59.6)	349	(40.3)	0	(0.0)

FIGURE 2 ADMISSIONS BY AGE (<1 YEAR) AND SEX, 2011 - 2013



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

For admissions where the sex of the child was Ambiguous the number has been included within the Male category (n<5)

TABLE 3 ADMISSIONS BY AGE, BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011										
C	85	(32.9)	71	(27.5)	45	(17.4)	57	(22.1)	258	(43.7)
D	5	(62.5)	0	(0.0)	**	(**)	**	(**)	8	(1.4)
E1	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	**	(**)	0	(0.0)	5	(0.8)
F	**	(**)	0	(0.0)	**	(**)	**	(**)	6	(1.0)
H	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
K2	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	70	(53.4)	30	(22.9)	13	(9.9)	18	(13.7)	131	(22.2)
R	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
V	7	(29.2)	10	(41.7)	6	(25.0)	**	(**)	**	(**)
W	92	(63.0)	34	(23.3)	15	(10.3)	5	(3.4)	146	(24.7)
X	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	271	(45.9)	150	(25.4)	85	(14.4)	84	(14.2)	590	(100.0)
2012										
C	128	(43.0)	87	(29.2)	42	(14.1)	41	(13.8)	298	(49.3)
D	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)
E1	**	(**)	**	(**)	**	(**)	0	(0.0)	6	(1.0)
E2	5	(83.3)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
I	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)
N	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
O	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
P	62	(54.9)	16	(14.2)	24	(21.2)	11	(9.7)	113	(18.7)
R	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	18	(54.5)	7	(21.2)	**	(**)	6	(18.2)	33	(5.5)
W	87	(68.5)	24	(18.9)	11	(8.7)	5	(3.9)	127	(21.0)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	315	(52.2)	139	(23.0)	84	(13.9)	66	(10.9)	604	(100.0)
2013										
C	113	(44.7)	67	(26.5)	40	(15.8)	33	(13.0)	253	(48.1)
E1	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
E2	6	(60.0)	**	(**)	**	(**)	0	(0.0)	10	(1.9)
F	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
L	6	(66.7)	**	(**)	**	(**)	0	(0.0)	9	(1.7)
N	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	53	(55.2)	22	(22.9)	13	(13.5)	8	(8.3)	96	(18.3)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	10	(50.0)	**	(**)	5	(25.0)	**	(**)	20	(3.8)
W	78	(66.1)	24	(20.3)	12	(10.2)	**	(**)	**	(**)
X	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZC	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZE	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	280	(53.2)	121	(23.0)	74	(14.1)	51	(9.7)	526	(100.0)
Grand										
Total	866	(50.3)	410	(23.8)	243	(14.1)	201	(11.7)	1720	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 4 ADMISSIONS BY AGE (<1) BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	AGE GROUP (MONTHS)									
	<1		1-2		3-5		6-11		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011										
C	19	(22.4)	18	(21.2)	25	(29.4)	23	(27.1)	85	(31.4)
D	**	(**)	0	(0.0)	**	(**)	**	(**)	5	(1.8)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)
F	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	29	(41.4)	17	(24.3)	8	(11.4)	16	(22.9)	70	(25.8)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	**	(**)	7	(2.6)
W	42	(45.7)	15	(16.3)	23	(25.0)	12	(13.0)	92	(33.9)
X	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	101	(37.3)	54	(19.9)	61	(22.5)	55	(20.3)	271	(100.0)
2012										
C	29	(22.7)	45	(35.2)	21	(16.4)	33	(25.8)	128	(40.6)
D	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)
E1	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
E2	**	(**)	**	(**)	0	(0.0)	**	(**)	5	(1.6)
H	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
N	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
O	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
P	20	(32.3)	20	(32.3)	12	(19.4)	10	(16.1)	62	(19.7)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	13	(72.2)	0	(0.0)	**	(**)	**	(**)	18	(5.7)
W	34	(39.1)	21	(24.1)	20	(23.0)	12	(13.8)	87	(27.6)
X	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	101	(32.1)	92	(29.2)	54	(17.1)	68	(21.6)	315	(100.0)
2013										
C	29	(25.7)	29	(25.7)	22	(19.5)	33	(29.2)	113	(40.4)
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	5	(83.3)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	**	(**)	**	(**)	6	(2.1)
N	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	25	(47.2)	11	(20.8)	9	(17.0)	8	(15.1)	53	(18.9)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	**	(**)	**	(**)	10	(3.6)
W	25	(32.1)	17	(21.8)	19	(24.4)	17	(21.8)	78	(27.9)
X	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZE	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Total	93	(33.2)	67	(23.9)	54	(19.3)	66	(23.6)	280	(100.0)
Grand										
Total	295	(34.1)	213	(24.6)	169	(19.5)	189	(21.8)	866	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 5 ADMISSIONS BY AGE (16+) BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	AGE GROUP (YEARS)									
	16		17-20		21-25		26+		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011										
C	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	6	(75.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
W	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	0	(0.0)	0	(0.0)	15	(100.0)
2012										
C	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	0	(0.0)	0	(0.0)	9	(100.0)
2013										
C	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(100.0)
Grand										
Total	18	(62.1)	11	(37.9)	0	(0.0)	0	(0.0)	29	(100.0)


As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 6 ADMISSIONS BY MONTH AND AGE, 2011 - 2013

Year / Month	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011										
1	22	(47.8)	16	(34.8)	**	(**)	**	(**)	46	(7.8)
2	25	(49.0)	15	(29.4)	**	(**)	**	(**)	51	(8.6)
3	33	(56.9)	10	(17.2)	**	(**)	**	(**)	58	(9.8)
4	10	(25.6)	15	(38.5)	5	(12.8)	9	(23.1)	39	(6.6)
5	19	(41.3)	14	(30.4)	7	(15.2)	6	(13.0)	46	(7.8)
6	20	(41.7)	11	(22.9)	8	(16.7)	9	(18.8)	48	(8.1)
7	17	(39.5)	10	(23.3)	8	(18.6)	8	(18.6)	43	(7.3)
8	24	(44.4)	12	(22.2)	13	(24.1)	5	(9.3)	54	(9.2)
9	27	(46.6)	16	(27.6)	8	(13.8)	7	(12.1)	58	(9.8)
10	22	(47.8)	10	(21.7)	7	(15.2)	7	(15.2)	46	(7.8)
11	18	(39.1)	8	(17.4)	11	(23.9)	9	(19.6)	46	(7.8)
12	34	(61.8)	13	(23.6)	**	(**)	**	(**)	55	(9.3)
Total	271	(45.9)	150	(25.4)	85	(14.4)	84	(14.2)	590	(100.0)
2012										
1	25	(48.1)	15	(28.8)	**	(**)	**	(**)	52	(8.6)
2	22	(44.9)	14	(28.6)	**	(**)	**	(**)	49	(8.1)
3	31	(48.4)	15	(23.4)	10	(15.6)	8	(12.5)	64	(10.6)
4	29	(60.4)	9	(18.8)	**	(**)	**	(**)	48	(7.9)
5	20	(44.4)	13	(28.9)	6	(13.3)	6	(13.3)	45	(7.5)
6	20	(43.5)	13	(28.3)	7	(15.2)	6	(13.0)	46	(7.6)
7	30	(49.2)	13	(21.3)	10	(16.4)	8	(13.1)	61	(10.1)
8	24	(54.5)	12	(27.3)	**	(**)	**	(**)	44	(7.3)
9	23	(54.8)	7	(16.7)	5	(11.9)	7	(16.7)	42	(7.0)
10	25	(49.0)	13	(25.5)	6	(11.8)	7	(13.7)	51	(8.4)
11	31	(60.8)	7	(13.7)	8	(15.7)	5	(9.8)	51	(8.4)
12	35	(68.6)	8	(15.7)	**	(**)	**	(**)	51	(8.4)
Total	315	(52.2)	139	(23.0)	84	(13.9)	66	(10.9)	604	(100.0)
2013										
1	21	(44.7)	10	(21.3)	11	(23.4)	5	(10.6)	47	(8.9)
2	25	(53.2)	13	(27.7)	**	(**)	**	(**)	47	(8.9)
3	20	(48.8)	12	(29.3)	**	(**)	**	(**)	41	(7.8)
4	24	(53.3)	8	(17.8)	8	(17.8)	5	(11.1)	45	(8.6)
5	30	(53.6)	15	(26.8)	6	(10.7)	5	(8.9)	56	(10.6)
6	15	(37.5)	9	(22.5)	9	(22.5)	7	(17.5)	40	(7.6)
7	18	(52.9)	8	(23.5)	**	(**)	**	(**)	34	(6.5)
8	24	(57.1)	7	(16.7)	6	(14.3)	5	(11.9)	42	(8.0)
9	13	(56.5)	5	(21.7)	**	(**)	**	(**)	23	(4.4)
10	25	(52.1)	11	(22.9)	7	(14.6)	5	(10.4)	48	(9.1)
11	29	(56.9)	11	(21.6)	**	(**)	**	(**)	51	(9.7)
12	36	(69.2)	12	(23.1)	**	(**)	**	(**)	52	(9.9)
Total	280	(53.2)	121	(23.0)	74	(14.1)	51	(9.7)	526	(100.0)
Grand										
Total	866	(50.3)	410	(23.8)	243	(14.1)	201	(11.7)	1720	(100.0)

FIGURE 6 ADMISSIONS BY MONTH AND AGE, 2011 - 2013



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 7 ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2011 - 2013

Year / Month	Blood / lymphatic		Body wall and cavities		Cardiovascular		Endocrine / metabolic		Gastro - intestinal		Infection		DIAGNOSTIC GROUP Multisystem		Musculo - skeletal		Neurological		Oncology		Other		Respiratory		Trauma		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011																														
1	0	(0.0)	0	(0.0)	12	(26.1)	**	(**)	0	(0.0)	9	(19.6)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	16	(34.8)	**	(**)	0	(0.0)	46	(7.8)
2	0	(0.0)	**	(**)	16	(31.4)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	22	(43.1)	**	(**)	0	(0.0)	51	(8.6)
3	0	(0.0)	**	(**)	23	(39.7)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	5	(8.6)	**	(**)	0	(0.0)	14	(24.1)	**	(**)	0	(0.0)	58	(9.8)
4	0	(0.0)	0	(0.0)	16	(41.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	5	(12.8)	6	(15.4)	0	(0.0)	**	(**)	7	(17.9)	**	(**)	0	(0.0)	39	(6.6)
5	0	(0.0)	**	(**)	15	(32.6)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	8	(17.4)	0	(0.0)	**	(**)	11	(23.9)	**	(**)	0	(0.0)	46	(7.8)
6	0	(0.0)	**	(**)	15	(31.3)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	5	(10.4)	**	(**)	**	(**)	**	(**)	8	(16.7)	5	(10.4)	0	(0.0)	48	(8.1)
7	0	(0.0)	0	(0.0)	18	(41.9)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	5	(11.6)	7	(16.3)	0	(0.0)	**	(**)	8	(18.6)	0	(0.0)	0	(0.0)	43	(7.3)
8	**	(**)	**	(**)	24	(44.4)	**	(**)	**	(**)	6	(11.1)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	6	(11.1)	**	(**)	0	(0.0)	54	(9.2)
9	0	(0.0)	0	(0.0)	21	(36.2)	**	(**)	**	(**)	**	(**)	0	(0.0)	5	(8.6)	**	(**)	**	(**)	5	(8.6)	15	(25.9)	**	(**)	**	(**)	58	(9.8)
10	0	(0.0)	0	(0.0)	22	(47.8)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	11	(23.9)	0	(0.0)	**	(**)	46	(7.8)
11	**	(**)	**	(**)	10	(21.7)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	8	(17.4)	**	(**)	**	(**)	**	(**)	11	(23.9)	**	(**)	0	(0.0)	46	(7.8)
12	0	(0.0)	**	(**)	10	(18.2)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(9.1)	**	(**)	**	(**)	25	(45.5)	**	(**)	0	(0.0)	55	(9.3)
Total	**	(**)	13	(2.2)	202	(34.2)	8	(1.4)	20	(3.4)	35	(5.9)	**	(**)	43	(7.3)	53	(9.0)	16	(2.7)	17	(2.9)	154	(26.1)	22	(3.7)	**	(**)	590	(100.0)
2012																														
1	**	(**)	**	(**)	13	(25.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	5	(9.6)	0	(0.0)	**	(**)	14	(26.9)	5	(9.6)	0	(0.0)	52	(8.6)
2	0	(0.0)	0	(0.0)	15	(30.6)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	9	(18.4)	**	(**)	**	(**)	13	(26.5)	**	(**)	0	(0.0)	49	(8.1)
3	**	(**)	0	(0.0)	26	(40.6)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	8	(12.5)	**	(**)	**	(**)	14	(21.9)	0	(0.0)	0	(0.0)	64	(10.6)
4	0	(0.0)	0	(0.0)	19	(39.6)	**	(**)	5	(10.4)	**	(**)	0	(0.0)	0	(0.0)	5	(10.4)	**	(**)	**	(**)	10	(20.8)	0	(0.0)	**	(**)	48	(7.9)
5	0	(0.0)	0	(0.0)	15	(33.3)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	7	(15.6)	**	(**)	0	(0.0)	12	(26.7)	**	(**)	0	(0.0)	45	(7.5)
6	0	(0.0)	**	(**)	15	(32.6)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	15	(32.6)	**	(**)	0	(0.0)	46	(7.6)
7	0	(0.0)	**	(**)	18	(29.5)	**	(**)	**	(**)	5	(8.2)	0	(0.0)	**	(**)	8	(13.1)	**	(**)	**	(**)	20	(32.8)	0	(0.0)	0	(0.0)	61	(10.1)
8	0	(0.0)	0	(0.0)	16	(36.4)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	6	(13.6)	**	(**)	**	(**)	10	(22.7)	**	(**)	0	(0.0)	44	(7.3)
9	0	(0.0)	**	(**)	13	(31.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	14	(33.3)	**	(**)	0	(0.0)	42	(7.0)
10	0	(0.0)	0	(0.0)	14	(27.5)	**	(**)	**	(**)	6	(11.8)	0	(0.0)	6	(11.8)	**	(**)	**	(**)	0	(0.0)	15	(29.4)	0	(0.0)	0	(0.0)	51	(8.4)
11	0	(0.0)	0	(0.0)	16	(31.4)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	21	(41.2)	**	(**)	0	(0.0)	51	(8.4)
12	0	(0.0)	**	(**)	9	(17.6)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	6	(11.8)	**	(**)	**	(**)	21	(41.2)	**	(**)	0	(0.0)	51	(8.4)
Total	**	(**)	8	(1.3)	189	(31.3)	9	(1.5)	33	(5.5)	39	(6.5)	**	(**)	22	(3.6)	65	(10.8)	23	(3.8)	16	(2.6)	179	(29.6)	17	(2.8)	**	(**)	604	(100.0)
2013																														
1	0	(0.0)	**	(**)	19	(40.4)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	12	(25.5)	**	(**)	0	(0.0)	47	(8.9)
2	0	(0.0)	**	(**)	15	(31.9)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	6	(12.8)	**	(**)	0	(0.0)	14	(29.8)	0	(0.0)	0	(0.0)	47	(8.9)
3	0	(0.0)	0	(0.0)	12	(29.3)	**	(**)	0	(0.0)	5	(12.2)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	11	(26.8)	**	(**)	**	(**)	41	(7.8)
4	0	(0.0)	**	(**)	12	(26.7)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	8	(17.8)	5	(11.1)	0	(0.0)	8	(17.8)	0	(0.0)	**	(**)	45	(8.6)
5	**	(**)	0	(0.0)	24	(42.9)	**	(**)	**	(**)	5	(8.9)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	14	(25.0)	**	(**)	0	(0.0)	56	(10.6)
6	0	(0.0)	0	(0.0)	13	(32.5)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	5	(12.5)	0	(0.0)	**	(**)	10	(25.0)	0	(0.0)	0	(0.0)	40	(7.6)
7	0	(0.0)	0	(0.0)	15	(44.1)	0	(0.0)	6	(17.6)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	34	(6.5)
8	0	(0.0)	**	(**)	12	(28.6)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	7	(16.7)	**	(**)	**	(**)	5	(11.9)	5	(11.9)	0	(0.0)	42	(8.0)
9	0	(0.0)	0	(0.0)	12	(52.2)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	23	(4.4)
10	0	(0.0)	**	(**)	18	(37.5)	**	(**)	**	(**)	8	(16.7)	0	(0.0)	**	(**)	6	(12.5)	0	(0.0)	**	(**)	10	(20.8)	0	(0.0)	0	(0.0)	48	(9.1)
11	0	(0.0)	**	(**)	15	(29.4)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	6	(11.8)	**	(**)	**	(**)	21	(41.2)	0	(0.0)	0	(0.0)	51	(9.7)
12	0	(0.0)	**	(**)	11	(21.2)	0	(0.0)	0	(0.0)	5	(9.6)	0	(0.0)	0	(0.0)	7	(13.5)	0	(0.0)	**	(**)	26	(50.0)	**	(**)	0	(0.0)	52	(9.9)
Total	**	(**)	12	(2.3)	178	(33.8)	7	(1.3)	20	(3.8)	41	(7.8)	**	(**)	20	(3.8)	57	(10.8)	18	(3.4)	14	(2.7)	138	(26.2)	15	(2.9)	**	(**)	526	(100.0)
Grand																														
Total	7	(0.4)	33	(1.9)	569	(33.1)	24	(1.4)	73	(4.2)	115	(6.7)	**	(**)	85	(4.9)	175	(10.2)	57	(3.3)	47	(2.7)	471	(27.4)	54	(3.1)	**	(**)	1720	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 7 ADMISSIONS BY MONTH AND PRIMARY DIAGNOSTIC GROUP, 2011 - 2013




TABLE 8 RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2011 - 2013

Year / Month	AGE GROUP (YEARS)								Total	
	<1	1-4	5-10	11-15						
	n	(%)	n	(%)	n	(%)	n	(%)		
2011										
1	10	(62.5)	5	(31.3)	0	(0.0)	**	(**)	16	(10.4)
2	12	(54.5)	6	(27.3)	**	(**)	**	(**)	22	(14.3)
3	7	(50.0)	7	(50.0)	0	(0.0)	0	(0.0)	14	(9.1)
4	**	(**)	**	(**)	**	(**)	**	(**)	7	(4.5)
5	5	(45.5)	**	(**)	**	(**)	**	(**)	11	(7.1)
6	5	(62.5)	**	(**)	**	(**)	0	(0.0)	8	(5.2)
7	**	(**)	**	(**)	**	(**)	0	(0.0)	8	(5.2)
8	**	(**)	**	(**)	**	(**)	**	(**)	6	(3.9)
9	7	(46.7)	**	(**)	**	(**)	**	(**)	15	(9.7)
10	**	(**)	**	(**)	0	(0.0)	**	(**)	11	(7.1)
11	7	(63.6)	**	(**)	**	(**)	0	(0.0)	11	(7.1)
12	17	(68.0)	**	(**)	**	(**)	0	(0.0)	25	(16.2)
Total	78	(50.6)	53	(34.4)	14	(9.1)	9	(5.8)	154	(100.0)
2012										
1	9	(64.3)	**	(**)	**	(**)	0	(0.0)	14	(7.8)
2	7	(53.8)	**	(**)	**	(**)	0	(0.0)	13	(7.3)
3	10	(71.4)	**	(**)	**	(**)	0	(0.0)	14	(7.8)
4	7	(70.0)	**	(**)	**	(**)	**	(**)	10	(5.6)
5	6	(50.0)	**	(**)	0	(0.0)	**	(**)	12	(6.7)
6	**	(**)	7	(46.7)	**	(**)	**	(**)	15	(8.4)
7	8	(40.0)	7	(35.0)	5	(25.0)	0	(0.0)	20	(11.2)
8	**	(**)	**	(**)	**	(**)	0	(0.0)	10	(5.6)
9	10	(71.4)	**	(**)	**	(**)	0	(0.0)	14	(7.8)
10	8	(53.3)	**	(**)	**	(**)	0	(0.0)	15	(8.4)
11	17	(81.0)	**	(**)	**	(**)	**	(**)	21	(11.7)
12	18	(85.7)	**	(**)	**	(**)	0	(0.0)	21	(11.7)
Total	108	(60.3)	40	(22.3)	26	(14.5)	5	(2.8)	179	(100.0)
2013										
1	6	(50.0)	**	(**)	**	(**)	**	(**)	12	(8.7)
2	7	(50.0)	**	(**)	**	(**)	**	(**)	14	(10.1)
3	6	(54.5)	**	(**)	**	(**)	0	(0.0)	11	(8.0)
4	**	(**)	**	(**)	0	(0.0)	0	(0.0)	8	(5.8)
5	8	(57.1)	**	(**)	**	(**)	0	(0.0)	14	(10.1)
6	5	(50.0)	**	(**)	**	(**)	**	(**)	10	(7.2)
7	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
8	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(3.6)
9	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
10	**	(**)	5	(50.0)	**	(**)	0	(0.0)	10	(7.2)
11	12	(57.1)	5	(23.8)	**	(**)	**	(**)	21	(15.2)
12	20	(76.9)	5	(19.2)	**	(**)	**	(**)	26	(18.8)
Total	81	(58.7)	40	(29.0)	10	(7.2)	7	(5.1)	138	(100.0)
Grand										
Total	267	(56.7)	133	(28.2)	50	(10.6)	21	(4.5)	471	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 8 RESPIRATORY ADMISSIONS BY MONTH AND AGE, 2011 - 2013




TABLE 9 ADMISSIONS BY MONTH, BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	MONTH														Total n (%)
	January n (%)	February n (%)	March n (%)	April n (%)	May n (%)	June n (%)	July n (%)	August n (%)	September n (%)	October n (%)	November n (%)	December n (%)			
2011															
C	23 (8.9)	21 (8.1)	27 (10.5)	18 (7.0)	24 (9.3)	23 (8.9)	18 (7.0)	15 (5.8)	17 (6.6)	17 (6.6)	27 (10.5)	28 (10.9)	258 (43.7)		
D	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	8 (1.4)		
E1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
E2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	5 (0.8)		
F	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0 (0.0)	0 (0.0)	6 (1.0)		
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
K2	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
P	12 (9.2)	12 (9.2)	11 (8.4)	6 (4.6)	11 (8.4)	7 (5.3)	10 (7.6)	15 (11.5)	15 (11.5)	9 (6.9)	8 (6.1)	15 (11.5)	131 (22.2)		
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)		
V	** (**)	5 (20.8)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	24 (4.1)		
W	6 (4.1)	10 (6.8)	16 (11.0)	12 (8.2)	9 (6.2)	15 (10.3)	13 (8.9)	16 (11.0)	17 (11.6)	15 (10.3)	9 (6.2)	8 (5.5)	146 (24.7)		
X	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
Total	46 (7.8)	51 (8.6)	58 (9.8)	39 (6.6)	46 (7.8)	48 (8.1)	43 (7.3)	54 (9.2)	58 (9.8)	46 (7.8)	46 (7.8)	55 (9.3)	590 (100.0)		
2012															
C	26 (8.7)	24 (8.1)	26 (8.7)	27 (9.1)	24 (8.1)	24 (8.1)	28 (9.4)	18 (6.0)	21 (7.0)	28 (9.4)	29 (9.7)	23 (7.7)	298 (49.3)		
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)		
E1	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (1.0)		
E2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	6 (1.0)		
F	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
I	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)		
L	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)		
N	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)		
O	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
P	12 (10.6)	8 (7.1)	12 (10.6)	** (**)	7 (6.2)	11 (9.7)	19 (16.8)	9 (8.0)	7 (6.2)	6 (5.3)	6 (5.3)	12 (10.6)	113 (18.7)		
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)		
V	7 (21.2)	** (**)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	** (**)	33 (5.5)		
W	6 (4.7)	10 (7.9)	19 (15.0)	11 (8.7)	10 (7.9)	8 (6.3)	12 (9.4)	9 (7.1)	10 (7.9)	12 (9.4)	11 (8.7)	9 (7.1)	127 (21.0)		
X	** (**)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)		
Total	52 (8.6)	49 (8.1)	64 (10.6)	48 (7.9)	45 (7.5)	46 (7.6)	61 (10.1)	44 (7.3)	42 (7.0)	51 (8.4)	51 (8.4)	51 (8.4)	604 (100.0)		
2013															
C	18 (7.1)	24 (9.5)	24 (9.5)	27 (10.7)	27 (10.7)	17 (6.7)	19 (7.5)	17 (6.7)	9 (3.6)	23 (9.1)	22 (8.7)	26 (10.3)	253 (48.1)		
E1	** (**)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)		
E2	** (**)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	** (**)	0 (0.0)	10 (1.9)		
F	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)		
H	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
L	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	6 (66.7)	9 (1.7)		
N	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)		
P	11 (11.5)	7 (7.3)	** (**)	9 (9.4)	9 (9.4)	6 (6.3)	6 (6.3)	8 (8.3)	7 (7.3)	11 (11.5)	12 (12.5)	6 (6.3)	96 (18.3)		
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)		
V	** (**)	** (**)	** (**)	** (**)	** (**)	6 (30.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0 (0.0)	20 (3.8)		
W	12 (10.2)	12 (10.2)	10 (8.5)	7 (5.9)	13 (11.0)	11 (9.3)	8 (6.8)	9 (7.6)	** (**)	13 (11.0)	10 (8.5)	9 (7.6)	118 (22.4)		
X	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)		
ZC	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
ZE	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
Total	47 (8.9)	47 (8.9)	41 (7.8)	45 (8.6)	56 (10.6)	40 (7.6)	34 (6.5)	42 (8.0)	23 (4.4)	48 (9.1)	51 (9.7)	52 (9.9)	526 (100.0)		
Grand															
Total	145 (8.4)	147 (8.5)	163 (9.5)	132 (7.7)	147 (8.5)	134 (7.8)	138 (8.0)	140 (8.1)	123 (7.2)	145 (8.4)	148 (8.6)	158 (9.2)	1720 (100.0)		

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 10 ADMISSIONS BY HEALTH BOARD AND YEAR, 2011 - 2013

Country/Health Board	2011		YEAR 2012		2013		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
Wales								
Abertawe Bro Morgannwg University	90	(15.3)	100	(16.6)	75	(14.3)	265	(14.6)
Aneurin Bevan	103	(17.5)	116	(19.2)	100	(19.0)	319	(17.5)
Betsi Cadwaladr University	145	(24.6)	118	(19.5)	102	(19.4)	365	(20.1)
Cardiff and Vale University	102	(17.3)	128	(21.2)	120	(22.8)	350	(19.2)
Cwm Taf	55	(9.3)	55	(9.1)	68	(12.9)	178	(9.8)
Hywel Dda	71	(12.0)	66	(10.9)	43	(8.2)	180	(9.9)
Powys Teaching	24	(4.1)	21	(3.5)	18	(3.4)	63	(3.5)
Total	590	(34.3)	604	(35.1)	526	(30.6)	1720	(100.0)

FIGURE 10 MAP SHOWING LOCAL HEALTH BOARD BOUNDARIES



© Crown Copyright/database right 2013 An Ordnance Survey/ONS supplied service

TABLE 11 ADMISSIONS BY PREDICTED MORTALITY RISK GROUP, BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	PIM2 (RECALIBRATED) GROUP										Total (%)	
	<1%		1-<5%		5-<15%		15-<30%		30%+			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		
2011												
C	59	(22.9)	139	(53.9)	51	(19.8)	**	(**)	**	(**)	258	(43.7)
D	**	(**)	5	(62.5)	**	(**)	0	(0.0)	0	(0.0)	8	(1.4)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(0.8)
F	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	6	(1.0)
H	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	16	(12.2)	81	(61.8)	30	(22.9)	**	(**)	**	(**)	131	(22.2)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	5	(20.8)	12	(50.0)	**	(**)	**	(**)	0	(0.0)	24	(4.1)
W	27	(18.5)	92	(63.0)	22	(15.1)	**	(**)	**	(**)	146	(24.7)
X	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Total	110	(18.6)	344	(58.3)	114	(19.3)	17	(2.9)	5	(0.8)	590	(100.0)
2012												
C	68	(22.8)	162	(54.4)	59	(19.8)	**	(**)	**	(**)	298	(49.3)
D	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.0)
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.0)
F	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
N	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	16	(14.2)	65	(57.5)	26	(23.0)	**	(**)	**	(**)	113	(18.7)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	12	(36.4)	11	(33.3)	**	(**)	**	(**)	33	(5.5)
W	20	(15.7)	78	(61.4)	26	(20.5)	**	(**)	**	(**)	127	(21.0)
X	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)
Total	116	(19.2)	335	(55.5)	125	(20.7)	14	(2.3)	14	(2.3)	604	(100.0)
2013												
C	45	(17.8)	138	(54.5)	63	(24.9)	**	(**)	**	(**)	253	(48.1)
E1	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	10	(1.9)
F	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	9	(1.7)
N	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	9	(9.4)	51	(53.1)	26	(27.1)	**	(**)	**	(**)	96	(18.3)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	12	(60.0)	5	(25.0)	**	(**)	0	(0.0)	20	(3.8)
W	28	(23.7)	71	(60.2)	14	(11.9)	**	(**)	**	(**)	118	(22.4)
X	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)
ZC	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZE	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	96	(18.3)	288	(54.8)	115	(21.9)	17	(3.2)	10	(1.9)	526	(100.0)
Grand												
Total	322	(18.7)	967	(56.2)	354	(20.6)	48	(2.8)	29	(1.7)	1720	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

Admission Type	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Planned - following surgery	261	(43.4)	155	(25.7)	93	(15.4)	93	(15.4)	602	(35.0)
Unplanned - following surgery	37	(44.0)	16	(19.0)	19	(22.6)	12	(14.3)	84	(4.9)
Planned - other	36	(72.0)	6	(12.0)	**	(**)	**	(**)	**	(**)
Unplanned - other	532	(54.1)	233	(23.7)	124	(12.6)	95	(9.7)	984	(57.2)
Total	866	(50.3)	410	(23.8)	**	(**)	**	(**)	1720	(100.0)

A horizontal bar chart titled 'Admissions' showing the number of admissions for four categories: 'Unplanned - other', 'Planned - other', 'Unplanned - following surgery', and 'Planned - following surgery'. The x-axis represents the number of admissions, ranging from 0 to 600. The y-axis lists the categories. For each category, four bars represent different age groups: <1 (darkest blue), 1-4 (lightest blue), 5-10 (medium blue), and 11-15 (dark blue). The 'Unplanned - other' category has the highest number of admissions, exceeding 500. The 'Planned - other' category has the lowest number of admissions, around 50. The 'Unplanned - following surgery' and 'Planned - following surgery' categories have similar numbers of admissions, around 250.

Category	<1	1-4	5-10	11-15
Unplanned - other	~530	~230	~130	~100
Planned - other	~40	~10	~40	~10
Unplanned - following surgery	~40	~20	~40	~10
Planned - following surgery	~260	~160	~100	~100

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 13 ADMISSIONS BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	ADMISSION TYPE											
	Planned - following surgery		Unplanned - following surgery		Planned - other		Unplanned - other		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011												
C	58	(22.5)	19	(7.4)	7	(2.7)	174	(67.4)	0	(0.0)	258	(43.7)
D	**	(**)	**	(**)	0	(0.0)	6	(75.0)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	5	(0.8)
F	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	6	(1.0)
H	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
P	50	(38.2)	**	(**)	**	(**)	72	(55.0)	0	(0.0)	131	(22.2)
R	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
V	11	(45.8)	**	(**)	**	(**)	11	(45.8)	0	(0.0)	24	(4.1)
W	103	(70.5)	**	(**)	**	(**)	40	(27.4)	0	(0.0)	146	(24.7)
X	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Total	229	(38.8)	30	(5.1)	16	(2.7)	315	(53.4)	0	(0.0)	590	(100.0)
2012												
C	70	(23.5)	**	(**)	**	(**)	203	(68.1)	0	(0.0)	298	(49.3)
D	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E1	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.0)
E2	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	6	(1.0)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
N	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	27	(23.9)	10	(8.8)	0	(0.0)	76	(67.3)	0	(0.0)	113	(18.7)
R	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
V	15	(45.5)	**	(**)	**	(**)	16	(48.5)	0	(0.0)	33	(5.5)
W	77	(60.6)	**	(**)	**	(**)	39	(30.7)	0	(0.0)	127	(21.0)
X	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Total	204	(33.8)	34	(5.6)	17	(2.8)	349	(57.8)	0	(0.0)	604	(100.0)
2013												
C	41	(16.2)	10	(4.0)	6	(2.4)	196	(77.5)	0	(0.0)	253	(48.1)
E1	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	0	(0.0)	6	(60.0)	0	(0.0)	10	(1.9)
F	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	9	(100.0)	0	(0.0)	9	(1.7)
N	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
P	26	(27.1)	5	(5.2)	0	(0.0)	65	(67.7)	0	(0.0)	96	(18.3)
R	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
V	12	(60.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	20	(3.8)
W	81	(68.6)	0	(0.0)	9	(7.6)	28	(23.7)	0	(0.0)	118	(22.4)
X	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
ZC	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
ZE	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	169	(32.1)	20	(3.8)	17	(3.2)	320	(60.8)	0	(0.0)	526	(100.0)
Grand												
Total	602	(35.0)	84	(4.9)	50	(2.9)	984	(57.2)	0	(0.0)	1720	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 13 ADMISSIONS BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2011 - 2013




TABLE 14 ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	ADMISSION SOURCE											
	Same hospital		Other hospital		Clinic		Home		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011												
C	71	(40.8)	103	(59.2)	0	(0.0)	0	(0.0)	0	(0.0)	174	(55.2)
D	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.9)
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	13	(18.1)	59	(81.9)	0	(0.0)	0	(0.0)	0	(0.0)	72	(22.9)
R	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	6	(54.5)	5	(45.5)	0	(0.0)	0	(0.0)	0	(0.0)	11	(3.5)
W	14	(35.0)	26	(65.0)	0	(0.0)	0	(0.0)	0	(0.0)	40	(12.7)
X	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	109	(34.6)	206	(65.4)	0	(0.0)	0	(0.0)	0	(0.0)	315	(100.0)
2012												
C	87	(42.9)	116	(57.1)	0	(0.0)	0	(0.0)	0	(0.0)	203	(58.2)
D	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	19	(25.0)	57	(75.0)	0	(0.0)	0	(0.0)	0	(0.0)	76	(21.8)
R	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	6	(37.5)	10	(62.5)	0	(0.0)	0	(0.0)	0	(0.0)	16	(4.6)
W	12	(30.8)	27	(69.2)	0	(0.0)	0	(0.0)	0	(0.0)	39	(11.2)
X	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	128	(36.7)	221	(63.3)	0	(0.0)	0	(0.0)	0	(0.0)	349	(100.0)
2013												
C	84	(42.9)	112	(57.1)	0	(0.0)	0	(0.0)	0	(0.0)	196	(61.3)
E1	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.9)
H	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	9	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	9	(2.8)
N	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	24	(36.9)	41	(63.1)	0	(0.0)	0	(0.0)	0	(0.0)	65	(20.3)
R	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	5	(1.6)
W	7	(25.0)	21	(75.0)	0	(0.0)	0	(0.0)	0	(0.0)	28	(8.8)
X	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	120	(37.5)	200	(62.5)	0	(0.0)	0	(0.0)	0	(0.0)	320	(100.0)
Grand												
Total	357	(36.3)	627	(63.7)	0	(0.0)	0	(0.0)	0	(0.0)	984	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 14 ADMISSIONS BY SOURCE OF ADMISSION (ADMISSION TYPE UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2011 - 2013




TABLE 15 ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED -OTHER; ADMITTED FROM HOSPITAL), BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	Accident & emergency		HDU (step - up / step - down unit)		ICU / PICU / NICU		Other intermediate care area (not ICU / PICU / NICU)		CARE AREA Recovery only		Theatre and recovery		Ward		X-ray, endoscopy, CT scanner or similar		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011																				
C	55	(31.6)	45	(25.9)	24	(13.8)	**	(**)	**	(**)	33	(19.0)	11	(6.3)	**	(**)	0	(0.0)	174	(55.2)
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(100.0)	0	(0.0)	0	(0.0)	6	(1.9)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	16	(22.2)	11	(15.3)	18	(25.0)	0	(0.0)	0	(0.0)	**	(**)	20	(27.8)	**	(**)	0	(0.0)	72	(22.9)
R	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	8	(72.7)	0	(0.0)	0	(0.0)	11	(3.5)
W	**	(**)	5	(12.5)	15	(37.5)	0	(0.0)	**	(**)	**	(**)	12	(30.0)	0	(0.0)	**	(**)	40	(12.7)
X	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	77	(24.4)	62	(19.7)	65	(20.6)	**	(**)	**	(**)	39	(12.4)	59	(18.7)	**	(**)	**	(**)	315	(100.0)
2012																				
C	47	(23.2)	49	(24.1)	22	(10.8)	**	(**)	**	(**)	48	(23.6)	29	(14.3)	**	(**)	0	(0.0)	203	(58.2)
D	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	18	(23.7)	8	(10.5)	16	(21.1)	0	(0.0)	**	(**)	**	(**)	30	(39.5)	0	(0.0)	0	(0.0)	76	(21.8)
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	0	(0.0)	6	(37.5)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	16	(4.6)
W	0	(0.0)	**	(**)	20	(51.3)	0	(0.0)	0	(0.0)	**	(**)	11	(28.2)	0	(0.0)	**	(**)	39	(11.2)
X	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	71	(20.3)	64	(18.3)	69	(19.8)	**	(**)	**	(**)	58	(16.6)	76	(21.8)	**	(**)	**	(**)	349	(100.0)
2013																				
C	56	(28.6)	42	(21.4)	30	(15.3)	**	(**)	**	(**)	48	(24.5)	13	(6.6)	0	(0.0)	0	(0.0)	196	(61.3)
E1	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.9)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	5	(55.6)	0	(0.0)	0	(0.0)	9	(2.8)
N	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	13	(20.0)	8	(12.3)	16	(24.6)	**	(**)	0	(0.0)	**	(**)	22	(33.8)	**	(**)	0	(0.0)	65	(20.3)
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	5	(1.6)
W	0	(0.0)	5	(17.9)	15	(53.6)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	28	(8.8)
X	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	73	(22.8)	58	(18.1)	72	(22.5)	6	(1.9)	**	(**)	53	(16.6)	49	(15.3)	**	(**)	**	(**)	320	(100.0)
Grand																				
Total	221	(22.5)	184	(18.7)	206	(20.9)	11	(1.1)	12	(1.2)	150	(15.2)	184	(18.7)	9	(0.9)	7	(0.7)	984	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 15 ADMISSIONS BY CARE AREA ADMITTED FROM (ADMISSION TYPE UNPLANNED -OTHER; ADMITTED FROM HOSPITAL), BY HEALTH ORGANISATION, 2011 - 2013




TABLE 16 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE, 2011 - 2013

Diagnostic Group	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Blood / lymphatic	**	(**)	**	(**)	**	(**)	**	(**)	7	(0.4)
Body wall and cavities	32	(97.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Cardiovascular	368	(64.7)	118	(20.7)	53	(9.3)	30	(5.3)	569	(33.1)
Endocrine / metabolic	10	(41.7)	8	(33.3)	**	(**)	**	(**)	24	(1.4)
Gastrointestinal	42	(57.5)	12	(16.4)	8	(11.0)	11	(15.1)	73	(4.2)
Infection	55	(47.8)	33	(28.7)	13	(11.3)	14	(12.2)	115	(6.7)
Multisystem	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)
Musculoskeletal	**	(**)	**	(**)	19	(22.4)	60	(70.6)	85	(4.9)
Neurological	47	(26.9)	65	(37.1)	34	(19.4)	29	(16.6)	175	(10.2)
Oncology	14	(24.6)	14	(24.6)	23	(40.4)	6	(10.5)	57	(3.3)
Respiratory	267	(56.7)	133	(28.2)	50	(10.6)	21	(4.5)	471	(27.4)
Trauma	11	(20.4)	9	(16.7)	18	(33.3)	16	(29.6)	54	(3.1)
Other	10	(21.3)	12	(25.5)	17	(36.2)	8	(17.0)	47	(2.7)
Unknown	**	(**)	**	(**)	**	(**)	0	(0.0)	5	(0.3)
Total	866	(50.3)	410	(23.8)	243	(14.1)	201	(11.7)	1720	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 16 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP, 2011 - 2013




TABLE 17 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2011 - 2013

Diagnostic Group	AGE GROUP (YEARS)								Total	
	16		17-20		21-25		26+			
	n	(%)	n	(%)	n	(%)	n	(%)		
Cardiovascular	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(17.2)
Endocrine / metabolic	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Musculoskeletal	10	(62.5)	6	(37.5)	0	(0.0)	0	(0.0)	16	(55.2)
Neurological	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Respiratory	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Other	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	18	(62.1)	11	(37.9)	0	(0.0)	0	(0.0)	29	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 17 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP AND AGE (16+ YEARS), 2011 - 2013




TABLE 18 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	DIAGNOSTIC GROUP																			Total										
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection	Multi- system	Musculo - skeletal	Neuro -logical	Oncology	Respiratory	Trauma	Other	Unknown											
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n		(%)									
2011																														
C	**	(**)	**	(**)	10	(3.9)	7	(2.7)	12	(4.7)	19	(7.4)	0	(0.0)	39	(15.1)	44	(17.1)	9	(3.5)	94	(36.4)	13	(5.0)	7	(2.7)	0	(0.0)	258	(43.7)
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	6	(75.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	5	(0.8)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	6	(1.0)
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	9	(6.9)	47	(35.9)	**	(**)	5	(3.8)	8	(6.1)	0	(0.0)	**	(**)	6	(4.6)	**	(**)	37	(28.2)	8	(6.1)	**	(**)	0	(0.0)	131	(22.2)
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	9	(37.5)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	24	(4.1)
W	**	(**)	**	(**)	130	(89.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	6	(4.1)	**	(**)	**	(**)	0	(0.0)	146	(24.7)
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	13	(2.2)	202	(34.2)	**	(**)	**	(**)	35	(5.9)	**	(**)	**	(**)	53	(9.0)	16	(2.7)	154	(26.1)	**	(**)	17	(2.9)	**	(**)	590	(100.0)
2012																														
C	**	(**)	**	(**)	16	(5.4)	7	(2.3)	15	(5.0)	30	(10.1)	0	(0.0)	17	(5.7)	48	(16.1)	15	(5.0)	127	(42.6)	10	(3.4)	8	(2.7)	0	(0.0)	298	(49.3)
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.0)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.0)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
I	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
N	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	**	(**)	27	(23.9)	**	(**)	10	(8.8)	6	(5.3)	**	(**)	**	(**)	14	(12.4)	**	(**)	35	(31.0)	5	(4.4)	5	(4.4)	0	(0.0)	113	(18.7)
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	22	(66.7)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	33	(5.5)
W	0	(0.0)	**	(**)	119	(93.7)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	127	(21.0)
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	8	(1.3)	189	(31.3)	**	(**)	33	(5.5)	**	(**)	**	(**)	22	(3.6)	65	(10.8)	23	(3.8)	179	(29.6)	**	(**)	**	(**)	**	(**)	604	(100.0)
2013																														
C	0	(0.0)	**	(**)	21	(8.3)	**	(**)	13	(5.1)	28	(11.1)	0	(0.0)	17	(6.7)	41	(16.2)	8	(3.2)	99	(39.1)	12	(4.7)	7	(2.8)	**	(**)	253	(48.1)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	8	(80.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	10	(1.9)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	5	(55.6)	0	(0.0)	**	(**)	0	(0.0)	9	(1.7)
N	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	**	(**)	8	(8.3)	31	(32.3)	**	(**)	**	(**)	9	(9.4)	**	(**)	**	(**)	9	(9.4)	5	(5.2)	21	(21.9)	**	(**)	**	(**)	0	(0.0)	96	(18.3)
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	20	(3.8)
W	0	(0.0)	0	(0.0)	109	(92.4)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	118	(22.4)
X	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZE	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	12	(2.3)	178	(33.8)	7	(1.3)	**	(**)	**	(**)	**	(**)	**	(**)	57	(10.8)	18	(3.4)	138	(26.2)	**	(**)	**	(**)	**	(**)	526	(100.0)
Grand																														
Total	7	(0.4)	33	(1.9)	569	(33.1)	24	(1.4)	73	(4.2)	115	(6.7)	5	(0.3)	85	(4.9)	175	(10.2)	57	(3.3)	471	(27.4)	54	(3.1)	47	(2.7)	5	(0.3)	1720	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 19 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - FOLLOWING SURGERY), BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011																														
C	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	5	(8.6)	0	(0.0)	0	(0.0)	38	(65.5)	0	(0.0)	5	(8.6)	6	(10.3)	0	(0.0)	**	(**)	0	(0.0)	58	(25.3)
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
P	0	(0.0)	**	(**)	36	(72.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	50	(21.8)
V	0	(0.0)	0	(0.0)	6	(54.5)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	11	(4.8)
W	0	(0.0)	0	(0.0)	98	(95.1)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	103	(45.0)
Total	0	(0.0)	5	(2.2)	144	(62.9)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	9	(3.9)	0	(0.0)	229	(100.0)
2012																														
C	0	(0.0)	**	(**)	**	(**)	0	(0.0)	5	(7.1)	**	(**)	0	(0.0)	17	(24.3)	**	(**)	10	(14.3)	28	(40.0)	**	(**)	**	(**)	0	(0.0)	70	(34.3)
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(2.9)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
I	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
N	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
O	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	**	(**)	13	(48.1)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	27	(13.2)
V	0	(0.0)	0	(0.0)	13	(86.7)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	15	(7.4)
W	0	(0.0)	**	(**)	75	(97.4)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	77	(37.7)
Total	0	(0.0)	**	(**)	105	(51.5)	0	(0.0)	12	(5.9)	**	(**)	**	(**)	21	(10.3)	**	(**)	**	(**)	37	(18.1)	**	(**)	5	(2.5)	0	(0.0)	204	(100.0)
2013																														
C	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	16	(39.0)	**	(**)	**	(**)	12	(29.3)	**	(**)	**	(**)	**	(**)	41	(24.3)
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
N	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	**	(**)	**	(**)	16	(61.5)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	26	(15.4)
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	12	(7.1)
W	0	(0.0)	0	(0.0)	79	(97.5)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	81	(47.9)
ZE	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	105	(62.1)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	6	(3.6)	**	(**)	**	(**)	6	(3.6)	**	(**)	169	(100.0)
Grand																														
Total	**	(**)	12	(2.0)	354	(58.8)	**	(**)	24	(4.0)	**	(**)	**	(**)	82	(13.6)	7	(1.2)	26	(4.3)	65	(10.8)	**	(**)	20	(3.3)	**	(**)	602	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 20 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - FOLLOWING SURGERY), BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		DIAGNOSTIC GROUP Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011																														
C	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	5	(26.3)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	7	(36.8)	**	(**)	0	(0.0)	0	(0.0)	19	(63.3)
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
W	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Total	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	11	(36.7)	**	(**)	**	(**)	0	(0.0)	30	(100.0)
2012																														
C	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	8	(38.1)	**	(**)	**	(**)	0	(0.0)	21	(61.8)
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	10	(29.4)
W	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Total	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	34	(100.0)
2013																														
C	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	10	(50.0)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	5	(25.0)
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Total	0	(0.0)	**	(**)	**	(**)	0	(0.0)	5	(25.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	20	(100.0)
Grand																														
Total	0	(0.0)	**	(**)	6	(7.1)	**	(**)	17	(20.2)	6	(7.1)	**	(**)	0	(0.0)	5	(6.0)	5	(6.0)	24	(28.6)	7	(8.3)	6	(7.1)	0	(0.0)	84	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 21 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (PLANNED - OTHER), BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	DIAGNOSTIC GROUP																				Total									
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology			Respiratory		Trauma		Other		Unknown		
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		n	(%)	n	(%)	n	(%)	n	(%)	
2011																														
C	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	7	(43.8)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
W	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	6	(37.5)	**	(**)	0	(0.0)	**	(**)	16	(100.0)
2012																														
C	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
W	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	9	(52.9)
Total	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	17	(100.0)
2013																														
C	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(35.3)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
W	0	(0.0)	0	(0.0)	8	(88.9)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZE	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	0	(0.0)	0	(0.0)	12	(70.6)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	17	(100.0)
Grand																														
Total	**	(**)	**	(**)	27	(54.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	11	(22.0)	**	(**)	**	(**)	**	(**)	50	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 22 ADMISSIONS BY PRIMARY DIAGNOSTIC GROUP (UNPLANNED - OTHER), BY HEALTH ORGANISATION, 2011 - 2013


Year / Organisation	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown		Total			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		
2011																																
C	**	(**)	**	(**)	9	(5.2)	6	(3.4)	**	(**)	18	(10.3)	0	(0.0)	0	(0.0)	42	(24.1)	**	(**)	79	(45.4)	11	(6.3)	**	(**)	0	(0.0)	174	(55.2)		
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.9)		
E2	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
F	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)		
L	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
P	0	(0.0)	5	(6.9)	10	(13.9)	0	(0.0)	**	(**)	7	(9.7)	0	(0.0)	0	(0.0)	6	(8.3)	**	(**)	29	(40.3)	8	(11.1)	**	(**)	0	(0.0)	72	(22.9)		
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	11	(3.5)		
W	**	(**)	**	(**)	31	(77.5)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	40	(12.7)		
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
Total	**	(**)	**	(**)	**	(**)	6	(1.9)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	51	(16.2)	6	(1.9)	123	(39.0)	**	(**)	7	(2.2)	**	(**)	315	(100.0)		
2012																																
C	**	(**)	**	(**)	13	(6.4)	5	(2.5)	6	(3.0)	28	(13.8)	0	(0.0)	0	(0.0)	44	(21.7)	**	(**)	89	(43.8)	8	(3.9)	**	(**)	0	(0.0)	203	(58.2)		
D	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
L	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
P	0	(0.0)	**	(**)	12	(15.8)	**	(**)	6	(7.9)	6	(7.9)	0	(0.0)	0	(0.0)	12	(15.8)	**	(**)	29	(38.2)	**	(**)	**	(**)	0	(0.0)	76	(21.8)		
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	0	(0.0)	0	(0.0)	8	(50.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	16	(4.6)		
W	0	(0.0)	0	(0.0)	35	(89.7)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	39	(11.2)		
X	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
Total	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)	59	(16.9)	9	(2.6)	129	(37.0)	13	(3.7)	6	(1.7)	**	(**)	349	(100.0)		
2013																																
C	0	(0.0)	0	(0.0)	18	(9.2)	**	(**)	5	(2.6)	26	(13.3)	0	(0.0)	0	(0.0)	39	(19.9)	7	(3.6)	83	(42.3)	10	(5.1)	**	(**)	0	(0.0)	196	(61.3)		
E1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
E2	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.9)		
H	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
L	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	5	(55.6)	0	(0.0)	**	(**)	0	(0.0)	9	(2.8)		
N	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
P	0	(0.0)	6	(9.2)	15	(23.1)	**	(**)	**	(**)	8	(12.3)	0	(0.0)	0	(0.0)	8	(12.3)	**	(**)	18	(27.7)	**	(**)	**	(**)	0	(0.0)	65	(20.3)		
R	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
V	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	5	(1.6)		
W	0	(0.0)	0	(0.0)	22	(78.6)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	28	(8.8)		
X	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
ZC	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)		
Total	0	(0.0)	**	(**)	60	(18.8)	**	(**)	9	(2.8)	37	(11.6)	0	(0.0)	0	(0.0)	52	(16.3)	11	(3.4)	119	(37.2)	**	(**)	7	(2.2)	0	(0.0)	320	(100.0)		
Grand																																
Total	5	(0.5)	16	(1.6)	182	(18.5)	20	(2.0)	30	(3.0)	105	(10.7)	0	(0.0)	**	(**)	162	(16.5)	26	(2.6)	371	(37.7)	44	(4.5)	20	(2.0)	**	(**)	984	(100.0)		

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 26 RETRIEVALS BY TEAM TYPE AND AGE, 2011 - 2013

Retrieval Team	AGE GROUP (YEARS)								Total	
	<1		1-4		5-10		11-15			
	n	(%)	n	(%)	n	(%)	n	(%)		
Own team	282	(55.5)	123	(24.2)	62	(12.2)	41	(8.1)	508	(75.5)
Other specialist PIC team	37	(7.1)	6	(1.2)	**	(**)	**	(**)	48	(7.1)
Other specialist non-PIC team	78	(76.5)	**	(**)	**	(**)	8	(7.8)	102	(15.2)
Non-specialist team	7	(46.7)	**	(**)	0	(0.0)	**	(**)	15	(2.2)
Total	404	(60.0)	138	(20.5)	75	(11.1)	56	(8.3)	673	(100.0)

FIGURE 26 RETRIEVALS BY TEAM TYPE, 2011 - 2013




As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 27 NON - SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2011 - 2013

Diagnostic Group	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Cardiovascular	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Neurological	0	(0.0)	**	(**)	0	(0.0)	**	(**)	6	(40.0)
Oncology	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Respiratory	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Trauma	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Total	7	(46.7)	**	(**)	0	(0.0)	**	(**)	15	(100.0)

FIGURE 27 NON - SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2011 - 2013




As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 27(a) SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP AND AGE, 2011 - 2013

Diagnostic Group	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Blood / lymphatic	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Body wall and cavities	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Cardiovascular	79	(86.8)	5	(5.5)	**	(**)	**	(**)	91	(16.4)
Endocrine / metabolic	**	(**)	**	(**)	**	(**)	**	(**)	10	(1.8)
Gastrointestinal	**	(**)	**	(**)	**	(**)	5	(35.7)	14	(2.5)
Infection	29	(52.7)	13	(23.6)	5	(9.1)	8	(14.5)	55	(9.9)
Musculoskeletal	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Neurological	21	(25.6)	37	(45.1)	15	(18.3)	9	(11.0)	82	(14.7)
Oncology	**	(**)	**	(**)	**	(**)	0	(0.0)	6	(1.1)
Respiratory	163	(64.2)	60	(23.6)	20	(7.9)	11	(4.3)	254	(45.7)
Trauma	10	(37.0)	**	(**)	**	(**)	8	(29.6)	27	(4.9)
Other	**	(**)	**	(**)	5	(62.5)	0	(0.0)	8	(1.4)
Unknown	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	319	(57.4)	129	(23.2)	64	(11.5)	44	(7.9)	556	(100.0)

FIGURE 27(a) SPECIALIST TEAM RETRIEVALS BY DIAGNOSTIC GROUP, 2011 - 2013



As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 28 RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	Own team		Other specialist team (PICU)		RETRIEVAL TYPE Other specialist team (non-PICU)		Non-specialist team		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011												
C	97	(88.2)	**	(**)	7	(6.4)	**	(**)	0	(0.0)	110	(51.2)
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	44	(71.0)	**	(**)	16	(25.8)	0	(0.0)	0	(0.0)	**	(**)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(2.8)
W	15	(71.4)	**	(**)	**	(**)	**	(**)	0	(0.0)	21	(9.8)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	173	(80.5)	12	(5.6)	26	(12.1)	**	(**)	0	(0.0)	215	(100.0)
2012												
C	112	(89.6)	5	(4.0)	**	(**)	**	(**)	0	(0.0)	125	(51.4)
D	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	0	(0.0)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
L	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	36	(60.0)	0	(0.0)	24	(40.0)	0	(0.0)	0	(0.0)	60	(24.7)
R	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	5	(41.7)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	12	(4.9)
W	22	(66.7)	0	(0.0)	11	(33.3)	0	(0.0)	0	(0.0)	33	(13.6)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	182	(74.9)	9	(3.7)	43	(17.7)	9	(3.7)	0	(0.0)	243	(100.0)
2013												
C	105	(90.5)	7	(6.0)	**	(**)	**	(**)	0	(0.0)	116	(54.0)
E2	0	(0.0)	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(2.8)
F	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	0	(0.0)	9	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	9	(4.2)
N	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	28	(68.3)	0	(0.0)	13	(31.7)	0	(0.0)	0	(0.0)	41	(19.1)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
W	14	(45.2)	**	(**)	15	(48.4)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	153	(71.2)	27	(12.6)	33	(15.3)	**	(**)	0	(0.0)	215	(100.0)
Grand												
Total	508	(75.5)	48	(7.1)	102	(15.2)	15	(2.2)	0	(0.0)	673	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 28 RETRIEVALS BY RETRIEVAL TYPE BY HEALTH ORGANISATION, 2011 - 2013




TABLE 29 INTERVENTIONS RECEIVED BY HEALTH ORGANISATIONS, 2011 - 2013

Year / Organisation	Admissions	Invasive Ventilation		Non-Invasive Ventilation		Tracheostomy		INTERVENTIONS ECMO		IV Vasoactive Drugs		LVAD		ICP Device		Renal Support	
		n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
2011																	
C	258	212	(82.2)	32	(12.4)	7	(2.7)	0	(0.0)	44	(17.1)	0	(0.0)	9	(3.5)	5	(1.9)
D	8	5	(62.5)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
E1	**	(**)	(50.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
E2	5	5	(100.0)	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
F	6	6	(100.0)	**	(**)	0	(0.0)	0	(0.0)	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
H	**	(**)	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
K2	**	(**)	(100.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)
L	**	(**)	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
P	131	110	(84.0)	17	(13.0)	**	(**)	**	(**)	49	(37.4)	0	(0.0)	**	(**)	5	(3.8)
R	**	(**)	(50.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
V	24	18	(75.0)	12	(50.0)	0	(0.0)	0	(0.0)	9	(37.5)	0	(0.0)	0	(0.0)	0	(0.0)
W	146	127	(87.0)	41	(28.1)	0	(0.0)	**	(**)	124	(84.9)	0	(0.0)	0	(0.0)	15	(10.3)
X	**	(**)	(75.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	590	491	(83.2)	109	(18.5)	12	(2.0)	8	(1.4)	240	(40.7)	**	(**)	**	(**)	28	(4.7)
2012																	
C	298	246	(82.6)	47	(15.8)	**	(**)	0	(0.0)	39	(13.1)	0	(0.0)	6	(2.0)	**	(**)
D	**	(**)	(100.0)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
E1	6	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
E2	6	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
F	**	(**)	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
H	**	(**)	(100.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
I	**	(**)	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
L	**	(**)	(66.7)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
N	**	(**)	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
O	**	(**)	(50.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
P	113	91	(80.5)	19	(16.8)	**	(**)	0	(0.0)	30	(26.5)	0	(0.0)	8	(7.1)	**	(**)
R	**	(**)	(100.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
V	33	30	(90.9)	10	(30.3)	0	(0.0)	**	(**)	26	(78.8)	0	(0.0)	**	(**)	5	(15.2)
W	127	109	(85.8)	45	(35.4)	0	(0.0)	0	(0.0)	110	(86.6)	0	(0.0)	0	(0.0)	14	(11.0)
X	**	(**)	(100.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	**	(**)	0	(0.0)	**	(**)
Total	604	503	(83.3)	125	(20.7)	7	(1.2)	**	(**)	215	(35.6)	**	(**)	**	(**)	25	(4.1)
2013																	
C	253	217	(85.8)	40	(15.8)	6	(2.4)	**	(**)	48	(19.0)	0	(0.0)	9	(3.6)	**	(**)
E1	**	(**)	(100.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
E2	10	10	(100.0)	**	(**)	0	(0.0)	**	(**)	9	(90.0)	0	(0.0)	0	(0.0)	**	(**)
F	**	(**)	(100.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
H	**	(**)	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
L	9	8	(88.9)	**	(**)	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
N	**	(**)	(66.7)	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
P	96	82	(85.4)	21	(21.9)	**	(**)	**	(**)	43	(44.8)	0	(0.0)	**	(**)	**	(**)
R	**	(**)	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
V	20	20	(100.0)	**	(**)	0	(0.0)	**	(**)	7	(35.0)	0	(0.0)	**	(**)	**	(**)
W	118	103	(87.3)	39	(33.1)	**	(**)	**	(**)	104	(88.1)	0	(0.0)	0	(0.0)	**	(**)
X	**	(**)	(100.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZC	**	(**)	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
ZE	**	(**)	(50.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)
Total	526	455	(86.5)	116	(22.1)	11	(2.1)	11	(2.1)	218	(41.4)	0	(0.0)	13	(2.5)	15	(2.9)
Grand																	
Total	1720	1449	(84.2)	350	(20.3)	30	(1.7)	23	(1.3)	673	(39.1)	**	(**)	39	(2.3)	68	(4.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 30 ADMISSIONS BY VENTILATION STATUS AND AGE, 2011 - 2013

Ventilation Status	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Invasive only	559	(48.4)	301	(26.1)	164	(14.2)	130	(11.3)	1154	(67.1)
Non-invasive only	33	(60.0)	11	(20.0)	8	(14.5)	**	(**)	**	(**)
Both	218	(73.9)	45	(15.3)	17	(5.8)	15	(5.1)	295	(17.2)
Neither	55	(25.6)	53	(24.7)	54	(25.1)	53	(24.7)	215	(12.5)
Unknown	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	**	(**)	410	(23.8)	243	(14.1)	**	(**)	1720	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 31 ADMISSIONS BY VENTILATION STATUS BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	VENTILATION STATUS										Total	
	Invasive only		Non-invasive only		Both		Neither		Unknown			
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)		
2011												
C	185	(71.7)	5	(1.9)	27	(10.5)	41	(15.9)	0	(0.0)	258	(43.7)
D	**	(**)	**	(**)	**	(**)	**	(**)	0	(0.0)	8	(1.4)
E1	**	(**)	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
E2	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	5	(0.8)
F	5	(83.3)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
P	96	(73.3)	**	(**)	14	(10.7)	18	(13.7)	0	(0.0)	**	(**)
R	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
V	9	(37.5)	**	(**)	9	(37.5)	**	(**)	0	(0.0)	24	(4.1)
W	91	(62.3)	5	(3.4)	36	(24.7)	14	(9.6)	0	(0.0)	146	(24.7)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Total	400	(67.8)	18	(3.1)	91	(15.4)	80	(13.6)	**	(**)	590	(100.0)
2012												
C	208	(69.8)	9	(3.0)	38	(12.8)	43	(14.4)	0	(0.0)	298	(49.3)
D	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E1	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	6	(1.0)
E2	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	6	(1.0)
F	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
I	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
N	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
O	0	(0.0)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
P	76	(67.3)	**	(**)	15	(13.3)	18	(15.9)	0	(0.0)	**	(**)
R	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	22	(66.7)	**	(**)	8	(24.2)	**	(**)	0	(0.0)	33	(5.5)
W	71	(55.9)	7	(5.5)	38	(29.9)	11	(8.7)	0	(0.0)	127	(21.0)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
Total	400	(66.2)	22	(3.6)	103	(17.1)	79	(13.1)	0	(0.0)	604	(100.0)
2013												
C	184	(72.7)	7	(2.8)	33	(13.0)	29	(11.5)	0	(0.0)	253	(48.1)
E1	**	(**)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	6	(60.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	10	(1.9)
F	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
L	5	(55.6)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	9	(1.7)
N	**	(**)	0	(0.0)	**	(**)	**	(**)	0	(0.0)	**	(**)
P	65	(67.7)	**	(**)	17	(17.7)	10	(10.4)	0	(0.0)	**	(**)
R	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
V	16	(80.0)	0	(0.0)	**	(**)	0	(0.0)	0	(0.0)	20	(3.8)
W	68	(57.6)	**	(**)	35	(29.7)	11	(9.3)	0	(0.0)	**	(**)
X	**	(**)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)
ZC	0	(0.0)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
ZE	**	(**)	0	(0.0)	0	(0.0)	**	(**)	0	(0.0)	**	(**)
Total	354	(67.3)	15	(2.9)	101	(19.2)	56	(10.6)	0	(0.0)	526	(100.0)
Grand												
Total	1154	(67.1)	55	(3.2)	295	(17.2)	215	(12.5)	**	(**)	1720	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 32 BED DAYS BY AGE AND SEX, 2011 - 2013

Age Years	SEX							
	Male		Female		Ambiguous		Unknown	
	n	(%)	n	(%)	n	(%)	n	(%)
0	3715	(61.5)	2313	(38.3)	10	(0.2)	0	(0.0)
1	627	(62.0)	385	(38.0)	0	(0.0)	0	(0.0)
2	255	(57.6)	188	(42.4)	0	(0.0)	0	(0.0)
3	170	(63.4)	98	(36.6)	0	(0.0)	0	(0.0)
4	160	(56.1)	125	(43.9)	0	(0.0)	0	(0.0)
5	91	(38.6)	145	(61.4)	0	(0.0)	0	(0.0)
6	117	(63.9)	66	(36.1)	0	(0.0)	0	(0.0)
7	109	(73.6)	39	(26.4)	0	(0.0)	0	(0.0)
8	176	(84.6)	32	(15.4)	0	(0.0)	0	(0.0)
9	63	(53.4)	55	(46.6)	0	(0.0)	0	(0.0)
10	51	(58.0)	37	(42.0)	0	(0.0)	0	(0.0)
11	63	(35.6)	114	(64.4)	0	(0.0)	0	(0.0)
12	27	(16.0)	142	(84.0)	0	(0.0)	0	(0.0)
13	66	(43.7)	85	(56.3)	0	(0.0)	0	(0.0)
14	122	(64.9)	66	(35.1)	0	(0.0)	0	(0.0)
15	61	(34.7)	115	(65.3)	0	(0.0)	0	(0.0)
Total	5873	(59.4)	4005	(40.5)	10	(0.1)	0	(0.0)

FIGURE 32 BED DAYS BY AGE AND SEX, 2011 - 2013




TABLE 33 BED DAYS BY AGE, BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	AGE GROUP (YEARS)								Total	
	<1 n (%)	1-4 n (%)	5-10 n (%)	11-15 n (%)						
2011										
C	516 (45.0)	330 (28.8)	131 (11.4)	170 (14.8)	1147 (35.8)					
D	36 (70.6)	0 (0.0)	8 (15.7)	7 (13.7)	51 (1.6)					
E1	** (**)	7 (63.6)	0 (0.0)	0 (0.0)	** (**)					
E2	25 (53.2)	0 (0.0)	22 (46.8)	0 (0.0)	47 (1.5)					
F	35 (81.4)	0 (0.0)	** (**)	5 (11.6)	** (**)					
H	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)					
K2	0 (0.0)	31 (100.0)	0 (0.0)	0 (0.0)	31 (1.0)					
L	0 (0.0)	9 (100.0)	0 (0.0)	0 (0.0)	9 (0.3)					
P	426 (53.5)	210 (26.3)	62 (7.8)	99 (12.4)	797 (24.9)					
R	8 (88.9)	0 (0.0)	** (**)	0 (0.0)	** (**)					
V	49 (64.5)	16 (21.1)	9 (11.8)	** (**)	** (**)					
W	688 (74.4)	159 (17.2)	45 (4.9)	33 (3.6)	925 (28.9)					
X	26 (47.3)	29 (52.7)	0 (0.0)	0 (0.0)	55 (1.7)					
Total	1813 (56.6)	791 (24.7)	281 (8.8)	319 (10.0)	3204 (100.0)					
2012										
C	630 (49.0)	307 (23.9)	175 (13.6)	175 (13.6)	1287 (36.2)					
D	12 (9.2)	108 (82.4)	0 (0.0)	11 (8.4)	131 (3.7)					
E1	21 (52.5)	9 (22.5)	10 (25.0)	0 (0.0)	40 (1.1)					
E2	19 (90.5)	** (**)	0 (0.0)	0 (0.0)	21 (0.6)					
F	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)					
H	7 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	7 (0.2)					
I	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)					
L	** (**)	0 (0.0)	** (**)	7 (53.8)	** (**)					
N	** (**)	0 (0.0)	** (**)	** (**)	6 (0.2)					
O	8 (80.0)	0 (0.0)	0 (0.0)	** (**)	** (**)					
P	445 (65.8)	60 (8.9)	119 (17.6)	52 (7.7)	676 (19.0)					
R	12 (92.3)	** (**)	0 (0.0)	0 (0.0)	** (**)					
V	255 (85.9)	26 (8.8)	5 (1.7)	11 (3.7)	297 (8.3)					
W	830 (83.0)	81 (8.1)	65 (6.5)	24 (2.4)	1000 (28.1)					
X	54 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	54 (1.5)					
Total	2301 (64.7)	596 (16.7)	380 (10.7)	282 (7.9)	3559 (100.0)					
2013										
C	599 (45.2)	384 (29.0)	158 (11.9)	183 (13.8)	1324 (42.4)					
E1	22 (88.0)	0 (0.0)	** (**)	** (**)	25 (0.8)					
E2	125 (81.2)	25 (16.2)	** (**)	0 (0.0)	154 (4.9)					
F	8 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	8 (0.3)					
H	7 (58.3)	0 (0.0)	0 (0.0)	5 (41.7)	12 (0.4)					
L	62 (88.6)	7 (10.0)	** (**)	0 (0.0)	** (**)					
N	18 (81.8)	** (**)	0 (0.0)	0 (0.0)	** (**)					
P	446 (70.2)	111 (17.5)	30 (4.7)	48 (7.6)	635 (20.3)					
R	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)					
V	46 (30.5)	13 (8.6)	82 (54.3)	10 (6.6)	151 (4.8)					
W	559 (81.1)	77 (11.2)	42 (6.1)	11 (1.6)	689 (22.0)					
X	22 (91.7)	0 (0.0)	** (**)	0 (0.0)	** (**)					
ZC	** (**)	** (**)	** (**)	0 (0.0)	** (**)					
ZE	6 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (0.2)					
Total	1924 (61.6)	621 (19.9)	320 (10.2)	260 (8.3)	3125 (100.0)					
Grand										
Total	6038 (61.1)	2008 (20.3)	981 (9.9)	861 (8.7)	9888 (100.0)					

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 34 BED CENSUS OF WELSH CHILDREN BY MONTH, 2011-2013

Year / Month	NUMBER IN PICU	
	Median	IQR
2011		
1	11	8-13
2	9	7-12
3	8	7-9
4	7	4-8
5	7	5-8
6	7	6-8
7	5	4-7
8	6	4-9
9	11	9-12
10	8	7-10
11	7	6-8
12	9	7-13
2012		
1	9	7-11
2	6	5-7
3	6	5-8
4	12	10-13
5	9	8-11
6	8	6-9
7	8	6-9
8	8	7-10
9	9	6-10
10	7	5-10
11	8	6-8
12	8	7-11
2013		
1	6	4-7
2	7	6-8
3	8	7-10
4	5	3-6
5	7	3-8
6	7	6-11
7	7	5-11
8	6	4-11
9	6	6-7
10	5	4-7
11	7	6-14
12	11	9-12

FIGURE 34 BED CENSUS BY MONTH, 2011-2013




TABLE 35 BED CENSUS OF WELSH CHILDREN BY HEALTH ORGANISATION, 2011-2013

Year / Organisation	NUMBER IN PICU	
	Median	IQR
2011		
C	2	1-4
D	0	0-0
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
N	0	0-0
O	0	0-0
P	2	1-3
R	0	0-0
V	0	0-0
W	2	1-3
X	0	0-0
ZC	0	0-0
ZE	0	0-0

2012		
C	3	2-4
D	0	0-1
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
N	0	0-0
O	0	0-0
P	2	1-2
R	0	0-0
V	1	0-1
W	2	1-3
X	0	0-0
ZC	0	0-0
ZE	0	0-0

2013		
C	3	2-4
D	0	0-0
E1	0	0-0
E2	0	0-1
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
N	0	0-0
O	0	0-0
P	1	1-2
R	0	0-0
V	0	0-1
W	1	1-2
X	0	0-0
ZC	0	0-0
ZE	0	0-0

FIGURE 35a BED CENSUS BY HEALTH ORGANISATION, 2011




FIGURE 35b BED CENSUS BY HEALTH ORGANISATION, 2012




FIGURE 35c BED CENSUS BY HEALTH ORGANISATION. 2013




TABLE 36 BED ACTIVITY OF WELSH CHILDREN BY MONTH, 2011-2013

Year / Month	BED ACTIVITY (DAYS)	
	Median	IQR
2011		
1	12	10-14
2	10	9-14
3	10	8-12
4	8	5-9
5	8	7-10
6	9	7-10
7	7	5-8
8	7	5-11
9	12	11-14
10	10	7-12
11	9	7-10
12	10	9-15
2012		
1	11	8-13
2	8	6-11
3	8	7-11
4	13	11-15
5	11	9-13
6	9	7-11
7	10	9-11
8	10	8-11
9	10	7-11
10	9	6-13
11	9	8-10
12	9	8-11
2013		
1	8	6-11
2	8	6.5-11
3	10	8-11
4	6	5-8
5	9	5-10
6	8	7-10
7	7	6-10
8	8	5-10
9	7	6-8
10	7	5-11
11	8	7-15
12	12	11-14

FIGURE 36 BED ACTIVITY BY MONTH, 2011-2013




TABLE 37 BED ACTIVITY OF WELSH CHILDREN BY HEALTH ORGANISATION, 2011-2013

Year / Organisation	NUMBER IN PICU	
	Median	IQR
2011		
C	3	2-5
D	0	0-0
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
N	0	0-0
O	0	0-0
P	2	1-3
R	0	0-0
V	0	0-0
W	3	2-4
X	0	0-0
ZC	0	0-0
ZE	0	0-0
2012		
C	4	3-5
D	0	0-1
E1	0	0-0
E2	0	0-0
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
N	0	0-0
O	0	0-0
P	2	1-3
R	0	0-0
V	1	0-1
W	3	2-4
X	0	0-0
ZC	0	0-0
ZE	0	0-0
2013		
C	3	2-5
D	0	0-0
E1	0	0-0
E2	0	0-1
F	0	0-0
H	0	0-0
I	0	0-0
K2	0	0-0
L	0	0-0
N	0	0-0
O	0	0-0
P	2	1-2
R	0	0-0
V	0	0-1
W	2	1-3
X	0	0-0
ZC	0	0-0
ZE	0	0-0

FIGURE 37a BED ACTIVITY BY HEALTH ORGANISATION, 2011




FIGURE 37b BED ACTIVITY BY HEALTH ORGANISATION, 2012




FIGURE 37c BED ACTIVITY BY HEALTH ORGANISATION, 2013




TABLE 38 LENGTH OF STAY BY AGE, BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	AGE GROUP (YEARS)							
	<1		1-4		5-10		11-15	
	Median	IQR	Median	IQR	Median	IQR	Median	IQR
2011								
C	3.1	1.5-6.5	2.3	0.9-4.5	1	0.7-1.9	0.9	0.8-1.5
D	6.1	3.9-7.4			3.2	1.9-4.5	6.3	6.3-6.3
E1	2.9	2.9-2.9	6.1	6.1-6.1				
E2	4.1	1.9-15.9			9.8	1.8-17.8		
F	6.4	4.8-10.3			2.1	2.1-2.1	3.9	3.9-3.9
H							1.9	1.9-1.9
K2			30	30.0-30.0				
L			3.7	0.5-7.0				
P	2.1	1.1-5.8	1.9	1.0-5.4	2	0.8-2.9	1.7	1.0-4.8
R	6.7	6.7-6.7			0.2	0.2-0.2		
V	5	2.0-8.8	0.4	0.3-0.9	0.7	0.5-0.9	0.8	0.8-0.8
W	3.1	1.8-5.6	1.2	0.9-2.7	1.2	1.1-2.9	1.2	1.0-1.3
X	7.5	4.7-11.2	27.6	27.6-27.6				
2012								
C	3.1	1.4-5.2	1.6	0.9-2.8	1.4	0.8-2.4	1	0.6-2.8
D	5.2	4.0-6.3	107	107.0-107.0			10.2	10.2-10.2
E1	5.7	4.0-8.0	7.9	7.9-7.9	3.8	0.8-6.8		
E2	3.1	2.1-3.4	1.1	1.1-1.1				
F			1.1	1.1-1.1				
H	5.8	5.8-5.8						
I					0.6	0.6-0.6		
L	3.7	3.7-3.7			0.2	0.2-0.2	6.2	6.2-6.2
N	2	2.0-2.0			1.7	1.7-1.7		
O	6.8	6.8-6.8					1.2	1.2-1.2
P	2.6	0.9-5.9	1.4	0.8-3.2	2.6	1.4-4.1	1.8	0.9-2.8
R	4.7	4.4-5.1	0.5	0.5-0.5				
V	4.8	1.7-18.0	1.1	0.8-1.7	1.4	0.9-1.9	0.8	0.7-0.9
W	4.1	2.2-8.9	1.6	1.1-2.2	1.1	1.0-2.6	1.3	1.2-2.2
X	10.3	4.4-20.6						
2013								
C	3.2	1.8-5.5	1.9	0.8-4.4	1.2	0.9-2.1	1.7	0.9-3.9
E1	3.9	0.8-14.2					2.1	2.1-2.1
E2	10.5	8.9-32.8	7.3	0.4-14.1	2.6	2.6-2.6		
F	2.9	2.9-2.9						
H	2.7	1.8-3.7					1.6	1.1-2.2
L	5.9	3.8-11.2	2.5	1.4-3.6	0.5	0.5-0.5		
N	8	5.6-10.3	3	3.0-3.0				
P	4.1	1.5-8.8	2.1	0.9-5.7	0.9	0.6-2.3	1.7	0.7-4.7
R	3	3.0-3.0						
V	2	1.1-3.2	5.4	0.9-9.9	1.6	1.3-2.5	0.8	0.3-6.0
W	4.1	2.0-7.8	2	1.3-2.9	1.9	1.1-2.6	1.9	1.3-2.0
X	10.3	2.4-18.3			1.1	1.1-1.1		
ZC					0.5	0.5-0.5		
ZE	2	0.8-3.3						

TABLE 39 LENGTH OF STAY BY PRIMARY DIAGNOSTIC GROUP BY HEALTH ORGANISATION, 2011 - 2013

Organisation	DIAGNOSTIC GROUP																											
	Blood / lymphatic		Body wall and cavities		Cardio - vascular		Endocrine / metabolic		Gastro - intestinal		Infection		Multisystem		Musculo - skeletal		Neurological		Oncology		Respiratory		Trauma		Other		Unknown	
	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR	Med	IQR
C	0.5	0.3-7.6	1	0.1-2.6	2.2	0.7-5.5	2.6	1.0-6.3	1.8	0.9-3.3	3	1.7-4.8	0	0-0	0.9	0.8-1.0	1.2	0.7-2.1	1.6	0.9-2.7	3.2	1.6-5.5	1.7	0.8-3.4	1	0.5-2.1	2.2	2.2-2.2
D	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	8.2	6.3-10.2	0	0-0	0	0-0	0	0-0	4.5	4.5-4.5	6.1	3.9-7.4	0	0-0	0	0-0	0	0-0
E1	0	0-0	1.8	0.8-2.9	0	0-0	0	0-0	5.7	4.0-7.9	0	0-0	0	0-0	2.1	2.1-2.1	0	0-0	0	0-0	6.1	0.8-8.0	0	0-0	0	0-0	0	0-0
E2	0	0-0	0	0-0	7.3	2.1-14.1	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	4	2.5-7.1	0	0-0	0	0-0	0	0-0
F	0	0-0	0	0-0	3.4	2.9-6.9	0	0-0	0	0-0	2.1	2.1-2.1	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	4.8	3.8-5.9
H	0	0-0	0	0-0	0	0-0	0	0-0	2.2	2.2-2.2	0	0-0	0	0-0	0	0-0	0	0-0	3.7	1.8-5.8	0	0-0	0	0-0	1.5	1.1-1.9	0	0-0
I	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0.6	0.6-0.6	0	0-0	0	0-0	0	0-0	0	0-0
K2	0	0-0	0	0-0	30	30.0-30.0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
L	0	0-0	0	0-0	28.9	28.9-28.9	3.7	3.7-3.7	0	0-0	0	0-0	0	0-0	0.4	0.2-0.6	1.4	1.1-6.2	0	0-0	4.3	3.8-7.5	0	0-0	1	0.5-1.5	0	0-0
N	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	2	1.7-3.0	0	0-0	0	0-0	8	5.6-10.3	0	0-0	0	0-0	0	0-0
O	0	0-0	0	0-0	6.8	6.8-6.8	0	0-0	1.2	1.2-1.2	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
P	0.9	0.9-0.9	2.6	1.2-5.6	1.8	1.0-4.1	2.4	0.9-13.4	1.6	0.7-2.5	2.7	1.1-4.1	0.7	0.6-0.8	1	0.7-5.9	1.8	0.8-4.2	2	0.9-4.9	4.4	2.2-8.1	2.4	0.6-4.6	2.2	0.3-3.0	0	0-0
R	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0.3	0.2-0.5	0	0-0	0	0-0	0	0-0	0	0-0	4.7	3.7-5.9	0	0-0	0	0-0	0	0-0
V	0	0-0	0	0-0	1	0.9-3.3	0	0-0	1.9	1.6-5.8	6	2.0-9.9	0.8	0.7-2.0	0	0-0	2	0.7-2.0	1	0.4-2.4	10.5	2.0-15.8	0.7	0.6-0.9	1.7	0.7-6.0	0	0-0
W	13.4	2.9-23.8	29.5	3.1-55.9	2.7	1.3-5.2	0	0-0	0	0-0	1.7	0.8-3.2	0	0-0	13.6	13.6-13.6	5.5	5.1-5.9	41.9	41.9-41.9	12.5	2.9-20.1	2.3	2.3-2.3	2	1.1-4.2	2.2	1.9-2.6
X	0	0-0	18.3	18.3-18.3	0	0-0	0	0-0	0	0-0	11.3	7.5-15.2	0	0-0	0	0-0	0	0-0	0	0-0	5.1	2.8-18.6	0	0-0	0	0-0	0	0-0
ZC	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0.5	0.5-0.5	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0
ZE	0	0-0	0	0-0	2	0.8-3.3	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0	0	0-0

TABLE 40 ADMISSIONS BY LENGTH OF STAY BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	LOS GROUP										Unknown	Total
	n	<1h (%)	1h to <4h (%)	4h to <12h (%)	12h to <24h (%)	1d to <3d (%)	3d to <7d (%)	7d+ (%)	n	(%)		
2011												
C	0	(0.0)	5 (1.9)	14 (5.4)	77 (29.8)	74 (28.7)	54 (20.9)	34 (13.2)	0	(0.0)		258 (43.7)
D	0	(0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0	(0.0)		8 (1.4)
E1	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0	(0.0)		** (**)
E2	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0	(0.0)		5 (0.8)
F	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0	(0.0)		6 (1.0)
H	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0	(0.0)		** (**)
K2	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0	(0.0)		** (**)
L	0	(0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0	(0.0)		** (**)
P	0	(0.0)	** (**)	8 (6.1)	21 (16.0)	51 (38.9)	27 (20.6)	22 (16.8)	0	(0.0)		** (**)
R	0	(0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0	(0.0)		** (**)
V	0	(0.0)	** (**)	6 (25.0)	8 (33.3)	** (**)	** (**)	** (**)	0	(0.0)		24 (4.1)
W	0	(0.0)	** (**)	5 (3.4)	15 (10.3)	65 (44.5)	36 (24.7)	24 (16.4)	0	(0.0)		** (**)
X	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0	(0.0)		** (**)
Total	0	(0.0)	9 (1.5)	34 (5.8)	123 (20.8)	200 (33.9)	132 (22.4)	92 (15.6)	0	(0.0)		590 (100.0)
2012												
C	0	(0.0)	** (**)	20 (6.7)	60 (20.1)	109 (36.6)	78 (26.2)	27 (9.1)	0	(0.0)		** (**)
D	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0	(0.0)		** (**)
E1	0	(0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	0	(0.0)		6 (1.0)
E2	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0	(0.0)		6 (1.0)
F	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0	(0.0)		** (**)
H	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0	(0.0)		** (**)
I	0	(0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0	(0.0)		** (**)
L	0	(0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0	(0.0)		** (**)
N	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0	(0.0)		** (**)
O	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0	(0.0)		** (**)
P	0	(0.0)	** (**)	12 (10.6)	19 (16.8)	34 (30.1)	29 (25.7)	17 (15.0)	0	(0.0)		** (**)
R	0	(0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0	(0.0)		** (**)
V	0	(0.0)	0 (0.0)	0 (0.0)	13 (39.4)	8 (24.2)	** (**)	8 (24.2)	0	(0.0)		** (**)
W	** (**)	0 (0.0)	** (**)	** (**)	9 (7.1)	54 (42.5)	31 (24.4)	30 (23.6)	0	(0.0)		127 (21.0)
X	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0	(0.0)		** (**)
Total	** (**)	6 (1.0)	** (**)	103 (17.1)	212 (35.1)	158 (26.2)	88 (14.6)	0 (0.0)	0 (0.0)			604 (100.0)
2013												
C	0	(0.0)	** (**)	18 (7.1)	46 (18.2)	86 (34.0)	63 (24.9)	37 (14.6)	0	(0.0)		** (**)
E1	0	(0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	** (**)	0	(0.0)		** (**)
E2	0	(0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	7 (70.0)	0	(0.0)		** (**)
F	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0	(0.0)		** (**)
H	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0	(0.0)		** (**)
L	0	(0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	0	(0.0)		9 (1.7)
N	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	** (**)	0	(0.0)		** (**)
P	** (**)	0 (0.0)	5 (5.2)	20 (20.8)	28 (29.2)	22 (22.9)	20 (20.8)	0 (0.0)	0	(0.0)		** (**)
R	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0	(0.0)		** (**)
V	0	(0.0)	** (**)	** (**)	** (**)	8 (40.0)	** (**)	** (**)	0	(0.0)		20 (3.8)
W	0	(0.0)	** (**)	** (**)	6 (5.1)	60 (50.8)	27 (22.9)	22 (18.6)	0	(0.0)		118 (22.4)
X	0	(0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0	(0.0)		** (**)
ZC	0	(0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0	(0.0)		** (**)
ZE	0	(0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0	(0.0)		** (**)
Total	** (**)	5 (1.0)	** (**)	77 (14.6)	195 (37.1)	124 (23.6)	95 (18.1)	0 (0.0)	0 (0.0)			526 (100.0)
Grand												
Total	** (**)	20 (1.2)	99 (5.8)	303 (17.6)	607 (35.3)	414 (24.1)	275 (16.0)	0 (0.0)	0 (0.0)			1720 (100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 41 ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE, 2011 - 2013

Discharge Status	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Alive	821	(50.2)	393	(24.0)	233	(14.2)	189	(11.6)	1636	(95.1)
Dead	45	(53.6)	17	(20.2)	10	(11.9)	12	(14.3)	84	(4.9)
Total	866	(50.3)	410	(23.8)	243	(14.1)	201	(11.7)	1720	(100.0)

TABLE 42 ADMISSIONS BY UNIT DISCHARGE STATUS AND AGE (<1 YEARS), 2011 - 2013

Discharge Status	AGE GROUP (MONTHS)									
	<1		1-2		3-5		6-11		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Alive	268	(32.6)	205	(25.0)	164	(20.0)	184	(22.4)	821	(94.8)
Dead	27	(60.0)	8	(17.8)	5	(11.1)	5	(11.1)	45	(5.2)
Total	295	(34.1)	213	(24.6)	169	(19.5)	189	(21.8)	866	(100.0)

TABLE 43 ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX, 2011 - 2013

Discharge Status	SEX					
	Male		Female		Unknown	
	n	(%)	n	(%)	n	(%)
Alive	948	(57.9)	688	(42.1)	0	(0.0)
Dead	48	(57.1)	36	(42.9)	0	(0.0)
Total	996	(57.8)	724	(42.1)	0	(0.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

For admissions where the sex of the child was Ambiguous the number has been included within the Male category (n<5)

TABLE 44 ADMISSIONS BY UNIT DISCHARGE STATUS AND SEX (<1 YEAR), 2011 - 2013

Discharge Status	Male		Sex Female		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
Alive	488	(59.3)	333	(40.6)	0	(0.0)	821	(94.8)
Dead	29	(64.4)	16	(35.6)	0	(0.0)	45	(5.2)
Total	517	(59.6)	349	(40.3)	0	(0.0)	866	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

For admissions where the sex of the child was Ambiguous the number has been included within the Male category (n<5)

TABLE 45 ADMISSIONS BY UNIT DISCHARGE STATUS, BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	DISCHARGE STATUS							
	Alive		Dead		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
2011								
C	243	(94.2)	15	(5.8)	0	(0.0)	258	(43.7)
D	7	(87.5)	**	(**)	0	(0.0)	**	(**)
E1	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	5	(100.0)	0	(0.0)	0	(0.0)	5	(0.8)
F	6	(100.0)	0	(0.0)	0	(0.0)	6	(1.0)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	123	(93.9)	8	(6.1)	0	(0.0)	131	(22.2)
R	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	23	(95.8)	**	(**)	0	(0.0)	**	(**)
W	139	(95.2)	7	(4.8)	0	(0.0)	146	(24.7)
X	**	(**)	**	(**)	0	(0.0)	**	(**)
Total	557	(94.4)	33	(5.6)	0	(0.0)	590	(100.0)
2012								
C	290	(97.3)	8	(2.7)	0	(0.0)	298	(49.3)
D	**	(**)	**	(**)	0	(0.0)	**	(**)
E1	6	(100.0)	0	(0.0)	0	(0.0)	6	(1.0)
E2	6	(100.0)	0	(0.0)	0	(0.0)	6	(1.0)
F	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
N	**	(**)	0	(0.0)	0	(0.0)	**	(**)
O	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	108	(95.6)	5	(4.4)	0	(0.0)	113	(18.7)
R	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	27	(81.8)	6	(18.2)	0	(0.0)	33	(5.5)
W	119	(93.7)	8	(6.3)	0	(0.0)	127	(21.0)
X	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	576	(95.4)	28	(4.6)	0	(0.0)	604	(100.0)
2013								
C	244	(96.4)	9	(3.6)	0	(0.0)	253	(48.1)
E1	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E2	9	(90.0)	**	(**)	0	(0.0)	**	(**)
F	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	9	(100.0)	0	(0.0)	0	(0.0)	9	(1.7)
N	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	89	(92.7)	7	(7.3)	0	(0.0)	96	(18.3)
R	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	19	(95.0)	**	(**)	0	(0.0)	**	(**)
W	114	(96.6)	**	(**)	0	(0.0)	**	(**)
X	**	(**)	**	(**)	0	(0.0)	**	(**)
ZC	**	(**)	0	(0.0)	0	(0.0)	**	(**)
ZE	**	(**)	0	(0.0)	0	(0.0)	**	(**)
Total	503	(95.6)	23	(4.4)	0	(0.0)	526	(100.0)
Grand								
Total	1636	(95.1)	84	(4.9)	0	(0.0)	1720	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 46 ADMISSIONS BY UNIT DISCHARGE DESTINATION AND AGE, 2011 - 2013

Discharge Destination	AGE GROUP (YEARS)									
	<1		1-4		5-10		11-15		Total	
	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)
Normal residence	**	(**)	6	(50.0)	**	(**)	**	(**)	12	(0.7)
Hospice	**	(**)	0	(0.0)	**	(**)	**	(**)	**	(**)
Same hospital	663	(47.4)	343	(24.5)	213	(15.2)	179	(12.8)	1398	(85.5)
Other hospital	154	(69.1)	44	(19.7)	18	(8.1)	7	(3.1)	223	(13.6)
Total	821	(50.2)	393	(24.0)	233	(14.2)	189	(11.6)	1636	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 46a VENTILATOR FREE DAYS, BY PIM2r GROUP, BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	PIM2r GROUP										Total	
	<1% Med	IQR	1 - <5% Med	IQR	5 - <15% Med	IQR	15 - <30% Med	IQR	30%+ Med	IQR		
2011												
C	28.0	(27-28)	26.0	(23-27)	25.0	(20-27)	6.0	(0-25)	0.0	(0-20)	26.0	(23-27)
D	21.5	(19-24)	23.0	(0-24)	26.0	(26-26)					23.5	(10-25)
E1			25.0	(22-28)							25.0	(22-28)
E2	20.0	(20-20)	26.0	(25-27)	20.0	(17-23)					23.0	(20-25)
F			24.5	(23-26)	24.5	(23-26)					24.5	(23-26)
H			28.0	(28-28)							28.0	(28-28)
K2					0.0	(0-0)					0.0	(0-0)
L			24.0	(21-27)							24.0	(21-27)
P	28.0	(27-28)	26.0	(22-27)	25.0	(21-26)	3.0	(0-23)	0.0	(0-0)	26.0	(22-27)
R			26.5	(25-28)							26.5	(25-28)
V	26.0	(26-27)	27.0	(27-28)	25.0	(20-27)	23.5	(20-27)			27.0	(26-28)
W	27.0	(25-28)	26.0	(25-27)	24.5	(20-26)	0.0	(0-13)	16.0	(16-16)	26.0	(24-27)
X			14.0	(0-28)			11.0	(0-22)			11.0	(0-25)
Total	28.0	(26-28)	26.0	(24-27)	25.0	(20-26)	3.0	(0-23)	0.0	(0-16)	26.0	(23-27)
2012												
C	27.0	(26-28)	26.0	(24-27)	25.0	(22-26)	23.0	(11-25)	7.5	(0-20)	26.0	(24-27)
D			19.5	(9-22)							19.5	(9-22)
E1	22.0	(22-25)	22.5	(22-23)							22.0	(22-23)
E2	27.5	(27-28)	26.0	(26-27)							26.5	(26-28)
F			27.0	(27-27)							27.0	(27-27)
H					23.0	(23-23)					23.0	(23-23)
I	28.0	(28-28)									28.0	(28-28)
L	28.0	(28-28)	26.0	(26-26)			24.0	(24-24)			26.0	(24-28)
N	28.0	(28-28)	26.0	(26-26)							27.0	(26-28)
O	28.0	(28-28)	23.0	(23-23)							25.5	(23-28)
P	28.0	(27-28)	26.0	(23-27)	24.0	(21-25)	13.0	(0-26)	0.0	(0-9)	26.0	(23-27)
R			24.0	(23-27)							24.0	(23-27)
V	27.0	(27-27)	26.5	(26-27)	26.0	(0-27)	25.0	(20-28)	0.0	(0-0)	26.0	(17-27)
W	27.0	(26-28)	26.0	(24-27)	23.0	(8-26)	0.0	(0-0)	10.5	(0-21)	26.0	(23-27)
X			24.0	(24-24)	11.0	(1-21)	13.0	(13-13)			17.0	(7-23)
Total	27.0	(26-28)	26.0	(24-27)	24.0	(21-26)	23.0	(11-26)	0.0	(0-15)	26.0	(23-27)
2013												
C	27.0	(25-28)	26.0	(24-27)	24.0	(21-26)	21.0	(0-25)	13.5	(0-27)	26.0	(23-27)
E1	26.0	(26-26)	27.0	(27-27)	26.0	(26-26)	25	(25-25)			26.0	(26-27)
E2	22.0	(19-25)	11.0	(0-22)	20.0	(18-22)	3.5	(0-7)	16.0	(16-16)	18.5	(7-22)
F			25.0	(25-25)	26.0	(26-26)					25.5	(25-26)
H	28.0	(28-28)	26.0	(25-28)							27.0	(26-28)
L	22.0	(16-24)	24.5	(23-27)	26.0	(26-26)					24.0	(22-26)
N	28.0	(28-28)	22.0	(21-23)							23.0	(21-28)
P	28.0	(28-28)	26.0	(23-27)	23.5	(19-26)	7.5	(0-22)	10.0	(0-22)	26.0	(21-27)
R	24.0	(24-24)									24.0	(24-24)
V	27.0	(26-27)	26.0	(24-27)	27.0	(25-27)					26.0	(25-27)
W	27.0	(26-28)	26.0	(24-27)	18.0	(0-25)	12.5	(0-25)	11.0	(0-26)	26.0	(23-27)
X			25.0	(25-25)	10.0	(10-10)	0.0	(0-0)			10.0	(0-25)
ZC			28.0	(28-28)							28.0	(28-28)
ZE	28.0	(28-28)	26.0	(26-26)							27.0	(26-28)
Total	27.0	(25-28)	26.0	(24-27)	24.0	(19-26)	7.0	(0-25)	13.5	(0-23)	26.0	(23-27)
Grand Total	27.0	(26-28)	26.0	(24-27)	24.0	(20-26)	14.0	(0-25)	0.0	(0-17)	26.0	(23 - 27)

* A blank cell means that there are no cases in that cell; a zero means that there are and their median VFD is zero.

TABLE 46b EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2011 - 2013

Year / Organisation	Planned - following surgery			Unplanned - following surgery			ADMISSION TYPE Planned - other			Unplanned - other			Unknown			Total		
	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)	n	re-ad	(%)
2011																		
C	58	**	(**)	19	0	(0.0)	7	0	(0.0)	174	**	(**)	0	0	(0.0)	258	**	(**)
D	**	**	(**)	**	**	(**)	0	0	(0.0)	6	0	(0.0)	0	0	(0.0)	8	0	(0.0)
E1	**	**	(**)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
E2	**	**	(**)	**	**	(**)	**	**	(**)	**	**	(**)	0	0	(0.0)	5	0	(0.0)
F	**	**	(**)	0	0	(0.0)	**	**	(**)	**	**	(**)	0	0	(0.0)	6	0	(0.0)
H	**	**	(**)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
K2	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
L	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
P	50	0	(0.0)	7	0	(0.0)	**	**	(**)	72	**	(**)	0	0	(0.0)	131	**	(**)
R	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
V	11	0	(0.0)	**	**	(**)	**	**	(**)	11	**	(**)	0	0	(0.0)	24	**	(**)
W	103	0	(0.0)	**	**	(**)	**	**	(**)	40	**	(**)	0	0	(0.0)	146	**	(**)
X	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
Total	229	**	(**)	30	0	(0.0)	16	**	(**)	315	7	(2.2)	0	0	(0.0)	590	9	(1.5)
2012																		
C	70	0	(0.0)	21	**	(**)	**	**	(**)	203	**	(**)	0	0	(0.0)	298	**	(**)
D	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
E1	6	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	6	0	(0.0)
E2	**	**	(**)	0	0	(0.0)	**	**	(**)	**	**	(**)	0	0	(0.0)	6	**	(**)
F	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
H	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
I	**	**	(**)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
L	**	**	(**)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
N	**	**	(**)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
O	**	**	(**)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
P	27	0	(0.0)	10	**	(**)	0	0	(0.0)	76	**	(**)	0	0	(0.0)	113	**	(**)
R	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
V	15	0	(0.0)	0	0	(0.0)	**	**	(**)	16	**	(**)	0	0	(0.0)	33	**	(**)
W	77	0	(0.0)	**	**	(**)	9	0	(0.0)	39	0	(0.0)	0	0	(0.0)	127	0	(0.0)
X	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
Total	204	0	(0.0)	34	**	(**)	17	**	(**)	349	**	(**)	0	0	(0.0)	604	7	(1.2)
2013																		
C	41	0	(0.0)	10	0	(0.0)	6	0	(0.0)	196	**	(**)	0	0	(0.0)	253	**	(**)
E1	**	**	(**)	**	**	(**)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	4	0	(0.0)
E2	**	**	(**)	0	0	(0.0)	0	0	(0.0)	6	0	(0.0)	0	0	(0.0)	10	0	(0.0)
F	0	0	(0.0)	**	**	(**)	**	**	(**)	0	0	(0.0)	0	0	(0.0)	**	**	(**)
H	**	**	(**)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
L	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	9	0	(0.0)	0	0	(0.0)	9	0	(0.0)
N	**	**	(**)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
P	26	0	(0.0)	5	0	(0.0)	0	0	(0.0)	65	**	(**)	0	0	(0.0)	96	**	(**)
R	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
V	12	0	(0.0)	**	**	(**)	0	0	(0.0)	5	0	(0.0)	0	0	(0.0)	20	0	(0.0)
W	81	0	(0.0)	0	0	(0.0)	9	0	(0.0)	28	0	(0.0)	0	0	(0.0)	118	0	(0.0)
X	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
ZC	0	0	(0.0)	0	0	(0.0)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	**	0	(0.0)
ZE	**	**	(**)	0	0	(0.0)	**	**	(**)	0	0	(0.0)	0	0	(0.0)	**	0	(0.0)
Total	169	0	(0.0)	20	0	(0.0)	17	**	(**)	320	**	(**)	0	0	(0.0)	526	**	(**)
Grand Total	602	**	(**)	84	**	(**)	50	**	(**)	984	14	(1.4)	0	0	(0.0)	1720	20	(1.2)

As in all tables in this report, counts >0 and <5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

FIGURE 46b EMERGENCY READMISSIONS WITHIN 48 HOURS OF DISCHARGE BY ADMISSION TYPE, BY HEALTH ORGANISATION, 2011 - 2013




TABLE 47 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2011

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	611	0.45	0.23	0.80	0.82	0.41	1.46
B	147	0.00	0.00	0.62	0.00	0.00	1.73
C	263	1.42	0.81	2.30	1.28	0.73	2.08
D	736	1.49	1.09	1.98	1.30	0.95	1.73
E1	990	2.12	1.70	2.59	1.41	1.14	1.73
E2	789	0.79	0.51	1.16	0.86	0.56	1.26
F	1,157	0.84	0.60	1.14	0.84	0.60	1.14
G	23	4.34	1.24	9.68	2.04	0.58	4.55
H	580	1.20	0.81	1.72	0.86	0.57	1.23
I	800	1.25	0.90	1.68	1.34	0.96	1.81
K1K3	587	1.11	0.73	1.60	1.15	0.76	1.67
K2	320	1.01	0.54	1.71	1.03	0.55	1.73
L	329	0.61	0.26	1.18	0.65	0.28	1.26
M	355	0.70	0.34	1.28	0.72	0.35	1.32
N	238	1.15	0.58	2.03	0.78	0.39	1.37
O	611	0.33	0.14	0.64	0.52	0.22	1.01
P	1,095	1.34	1.03	1.72	1.12	0.86	1.44
Q	631	0.67	0.39	1.07	0.62	0.36	0.98
R	976	0.61	0.39	0.91	0.75	0.48	1.11
S	256	0.49	0.16	1.12	0.76	0.25	1.76
T	501	0.65	0.35	1.10	0.59	0.32	1.00
U	293	1.36	0.79	2.17	1.04	0.60	1.66
V	1,269	1.44	1.13	1.79	1.00	0.79	1.25
W	681	1.32	0.93	1.81	1.00	0.71	1.37
X	756	0.69	0.43	1.05	0.81	0.51	1.23
Y	473	0.53	0.25	0.96	1.04	0.50	1.90
Z	420	0.53	0.25	1.01	0.83	0.38	1.57
ZA	899	0.33	0.17	0.58	0.74	0.38	1.29
ZB	440	1.02	0.61	1.59	1.23	0.73	1.92
ZC	1,019	1.30	0.98	1.68	1.23	0.93	1.60
ZD	515	1.45	0.99	2.05	1.32	0.89	1.85
ZE	453	0.44	0.19	0.86	1.10	0.48	2.16

FIGURE 47a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2011: UNADJUSTED




FIGURE 47b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2011: PIM2r ADJUSTED




TABLE 48 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2012

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	636	0.62	0.35	1.01	1.11	0.62	1.81
B	207	0.13	0.00	0.70	0.49	0.01	2.69
C	319	0.65	0.28	1.27	0.64	0.28	1.24
D	773	1.55	1.15	2.05	1.40	1.03	1.84
E1	926	1.83	1.43	2.31	1.25	0.97	1.58
E2	812	0.96	0.65	1.37	1.14	0.77	1.61
F	1202	0.89	0.64	1.20	0.98	0.71	1.32
G	20	0.00	0.00	4.40	0.00	0.00	4.34
H	659	1.15	0.77	1.63	0.96	0.65	1.36
I	834	1.19	0.85	1.62	1.24	0.89	1.69
K1K3	552	0.80	0.47	1.28	0.97	0.57	1.54
K2	308	1.02	0.53	1.75	0.86	0.45	1.49
L	322	0.49	0.18	1.05	0.50	0.18	1.08
M	456	1.20	0.75	1.82	1.15	0.72	1.73
N	551	0.95	0.58	1.45	1.31	0.80	2.00
O	563	0.60	0.32	1.02	0.85	0.45	1.44
P	1163	1.23	0.94	1.60	1.01	0.77	1.31
Q	508	0.93	0.55	1.45	0.87	0.52	1.36
R	903	0.67	0.42	0.99	0.65	0.41	0.97
S	169	0.31	0.04	1.10	0.42	0.05	1.50
T	527	0.69	0.38	1.15	0.72	0.39	1.19
U	341	1.76	1.13	2.60	1.03	0.66	1.52
V	1427	1.24	0.97	1.57	0.92	0.72	1.16
W	680	1.38	0.98	1.89	1.10	0.77	1.50
X	895	1.20	0.86	1.61	1.24	0.89	1.66
Y	493	0.58	0.29	1.03	0.81	0.41	1.44
Z	353	0.37	0.12	0.85	0.55	0.18	1.26
ZA	962	0.46	0.27	0.73	0.76	0.44	1.21
ZB	447	0.93	0.54	1.50	1.06	0.61	1.70
ZC	1095	1.22	0.91	1.59	1.23	0.92	1.60
ZD	509	0.92	0.55	1.44	1.00	0.60	1.57
ZE	441	0.47	0.21	0.93	1.29	0.56	2.51

FIGURE 48a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2012: UNADJUSTED




FIGURE 48b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2012: PIM2r ADJUSTED




TABLE 49 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2013

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	677	0.85	0.53	1.28	1.18	0.74	1.80
B	254	0.21	0.03	0.77	0.78	0.09	2.79
C	264	1.14	0.57	2.00	0.98	0.49	1.72
D	645	1.01	0.65	1.50	0.77	0.50	1.13
E1	965	1.75	1.35	2.22	1.25	0.96	1.58
E2	807	0.78	0.49	1.16	0.86	0.55	1.28
F	1149	0.69	0.46	0.98	0.73	0.49	1.04
G	20	0.00	0.00	4.59	0.00	0.00	4.50
H	657	0.95	0.61	1.42	0.83	0.53	1.24
I	845	1.26	0.90	1.71	1.21	0.87	1.64
K1K3	556	1.13	0.72	1.67	1.10	0.70	1.63
K2	329	0.83	0.40	1.50	0.68	0.33	1.23
L	317	0.34	0.09	0.87	0.39	0.11	0.98
M	368	1.11	0.63	1.81	1.05	0.59	1.71
N	787	0.52	0.29	0.85	0.85	0.48	1.40
O	569	0.72	0.40	1.18	0.86	0.48	1.41
P	1086	1.28	0.96	1.67	0.96	0.72	1.25
Q	514	1.22	0.78	1.81	1.16	0.74	1.72
R	990	0.72	0.47	1.04	0.58	0.38	0.84
S	127	0.43	0.05	1.52	0.71	0.09	2.51
T	547	0.80	0.46	1.28	0.88	0.51	1.42
U	337	1.13	0.62	1.87	0.85	0.47	1.40
V	1307	1.75	1.41	2.15	1.14	0.91	1.40
W	668	1.35	0.93	1.87	0.96	0.66	1.33
X	813	1.24	0.88	1.70	1.36	0.96	1.86
Y	497	0.33	0.12	0.71	0.60	0.22	1.29
Z	367	0.52	0.21	1.06	0.60	0.24	1.23
ZA	1079	0.73	0.49	1.05	1.55	1.04	2.21
ZB	441	0.87	0.48	1.44	1.09	0.60	1.81
ZC	1085	1.13	0.83	1.50	1.11	0.81	1.47
ZD	501	1.47	0.98	2.11	1.39	0.93	2.00
ZE	486	0.39	0.16	0.80	0.69	0.28	1.41
ZF	38	0.00	0.00	2.52	0.00	0.00	4.53

FIGURE 49a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2013: UNADJUSTED




FIGURE 49b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2013: PIM2r ADJUSTED




TABLE 50 STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, 2011-2013

Organisation	Number of Admissions	STANDARDISED MORTALITY RATIO					
		Unadjusted (95% CI)			PIM2r Adjusted (95% CI)		
		SMR	Lower	Upper	SMR	Lower	Upper
A	1,924	0.64	0.47	0.84	1.05	0.77	1.39
B	608	0.13	0.03	0.37	0.45	0.09	1.30
C	846	1.05	0.73	1.45	0.96	0.67	1.33
D	2,154	1.38	1.14	1.65	1.16	0.96	1.39
E1	2,881	1.91	1.67	2.18	1.31	1.14	1.49
E2	2,408	0.85	0.67	1.05	0.95	0.75	1.18
F	3,508	0.81	0.67	0.97	0.85	0.70	1.02
G	63	1.66	0.46	4.04	1.15	0.32	2.80
H	1,896	1.10	0.88	1.36	0.88	0.70	1.09
I	2,479	1.23	1.02	1.47	1.26	1.05	1.51
K1K3	1,695	1.02	0.79	1.29	1.08	0.84	1.37
K2	957	0.95	0.67	1.32	0.85	0.59	1.17
L	968	0.49	0.29	0.76	0.52	0.31	0.82
M	1,179	1.02	0.75	1.35	0.99	0.73	1.31
N	1,576	0.76	0.56	1.01	0.98	0.72	1.30
O	1,743	0.54	0.38	0.74	0.75	0.52	1.03
P	3,344	1.29	1.10	1.49	1.03	0.88	1.20
Q	1,653	0.92	0.70	1.18	0.85	0.65	1.09
R	2,869	0.66	0.52	0.83	0.65	0.51	0.81
S	552	0.43	0.20	0.80	0.64	0.29	1.20
T	1,575	0.71	0.52	0.95	0.72	0.52	0.97
U	971	1.42	1.07	1.85	0.98	0.74	1.27
V	4,003	1.47	1.29	1.66	1.02	0.89	1.16
W	2,029	1.35	1.11	1.63	1.02	0.84	1.23
X	2,464	1.05	0.86	1.27	1.15	0.94	1.39
Y	1,463	0.48	0.32	0.70	0.81	0.54	1.18
Z	1,140	0.48	0.30	0.73	0.67	0.41	1.01
ZA	2,940	0.51	0.39	0.66	1.01	0.77	1.30
ZB	1,328	0.94	0.70	1.24	1.13	0.83	1.48
ZC	3,199	1.22	1.03	1.42	1.19	1.01	1.39
ZD	1,525	1.28	1.01	1.60	1.25	0.99	1.55
ZE	1,380	0.43	0.28	0.65	0.97	0.62	1.45
ZF	38	0.00	0.00	2.41	0.00	0.00	4.53

FIGURE 50a PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2011-2013: UNADJUSTED




FIGURE 50b PICU STANDARDISED MORTALITY RATIOS BY HEALTH ORGANISATION, WITH 99.9% CONTROL LIMITS, 2011-2013: PIM2r ADJUSTED




TABLE 51 WELSH CHILDREN BY FOLLOW-UP STATUS AND AGE, 2011 - 2013

Age Group	30 DAY FOLLOW-UP STATUS							
	Alive		Dead		Unknown		Total	
	n	%	n	%	n	%	n	%
<1 year	534	(89.6)	8	(1.3)	54	(9.1)	596	(46.1)
1-4 years	307	(93.3)	**	(**)	20	(6.1)	**	(**)
5-10 years	181	(91.9)	**	(**)	15	(7.6)	**	(**)
11-15 years	155	(90.6)	**	(**)	13	(7.6)	**	(**)
Total	1,177	(91.0)	14	(1.1)	102	(7.9)	1,293	(100.0)

This table (and 52 -55) now report numbers of children rather than admissions.

The total is the number of children discharged alive from their final PICU admission other than to normal residence.

In future 30 day follow up will be requested for children discharged to normal residence.

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 52 WELSH CHILDREN BY FOLLOW-UP STATUS AND AGE (<1 YEAR), 2011 - 2013

Age Group (Months)	30 DAY FOLLOW-UP STATUS							
	Alive		Dead		Unknown		Total	
	n	%	n	%	n	%	n	%
< 1 month	148	(84.6)	**	(**)	26	(14.9)	**	(**)
1-2months	139	(90.8)	**	(**)	10	(6.5)	**	(**)
3-5 months	117	(95.9)	**	(**)	**	(**)	**	(**)
6-11 months	130	(89.0)	**	(**)	**	(**)	**	(**)
Total	534	(89.6)	8	(1.3)	54	(9.1)	596	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 53 CHILDREN BY FOLLOW-UP STATUS AND SEX, 2011 - 2013

Sex	30 DAY FOLLOW-UP STATUS							
	Alive		Dead		Unknown		Total	
	n	%	n	%	n	%	n	%
Male	673	(91.7)	5	(0.7)	56	(7.6)	734	(56.8)
Female	503	(90.1)	9	(1.6)	46	(8.2)	558	(43.2)
Total	1,176	(91.0)	14	(1.1)	102	(7.9)	1,292	(100.0)

TABLE 54 CHILDREN BY FOLLOW-UP STATUS AND SEX (AGE <1 YEAR), 2011 - 2013

Sex	30 DAY FOLLOW-UP STATUS							
	Alive		Dead		Unknown		Total	
	n	%	n	%	n	%	n	%
Male	316	(90.8)	**	(**)	30	(8.6)	**	(**)
Female	217	(87.9)	6	(2.4)	24	(9.7)	247	(41.5)
Total	533	(89.6)	**	(**)	54	(9.1)	**	(**)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 55 WELSH CHILDREN BY FOLLOW-UP STATUS, BY HEALTH ORGANISATION OF LAST ADMISSION, 2011 - 2013

Year / Organisation	30 DAY FOLLOW-UP STATUS							
	Alive		Dead		Unknown		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
2011								
C	189	(99.5)	**	(**)	0	(0.0)	190	(46.5)
D	**	(**)	0	(0.0)	**	(**)	**	(**)
E1	0	(0.0)	0	(0.0)	**	(**)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	**	(**)
F	**	(**)	0	(0.0)	0	(0.0)	**	(**)
K2	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
P	88	(98.9)	**	(**)	0	(0.0)	89	(21.8)
R	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	15	(100.0)	15	(3.7)
W	99	(100.0)	0	(0.0)	0	(0.0)	99	(24.2)
X	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Total	384	(93.9)	**	(**)	23	(5.6)	409	(100.0)
2012								
C	232	(97.5)	6	(2.5)	0	(0.0)	238	(51.9)
D	**	(**)	0	(0.0)	0	(0.0)	**	(**)
E1	0	(0.0)	0	(0.0)	**	(**)	**	(**)
E2	0	(0.0)	0	(0.0)	**	(**)	**	(**)
F	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	**	(**)
I	**	(**)	0	(0.0)	0	(0.0)	**	(**)
L	**	(**)	0	(0.0)	0	(0.0)	**	(**)
N	0	(0.0)	0	(0.0)	**	(**)	**	(**)
O	0	(0.0)	0	(0.0)	**	(**)	**	(**)
P	80	(95.2)	**	(**)	**	(**)	84	(18.3)
R	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	23	(100.0)	23	(5.0)
W	88	(100.0)	0	(0.0)	0	(0.0)	88	(19.2)
X	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Total	411	(89.5)	**	(**)	39	(8.5)	459	(100.0)
2013								
C	212	(99.1)	**	(**)	0	(0.0)	214	(50.4)
E1	0	(0.0)	0	(0.0)	**	(**)	**	(**)
E2	0	(0.0)	0	(0.0)	5	(100.0)	5	(1.2)
F	**	(**)	0	(0.0)	0	(0.0)	**	(**)
H	0	(0.0)	0	(0.0)	**	(**)	**	(**)
L	9	(100.0)	0	(0.0)	0	(0.0)	9	(2.1)
N	0	(0.0)	0	(0.0)	**	(**)	**	(**)
P	71	(100.0)	0	(0.0)	0	(0.0)	71	(16.7)
R	**	(**)	0	(0.0)	0	(0.0)	**	(**)
V	0	(0.0)	0	(0.0)	15	(100.0)	15	(3.5)
W	88	(90.7)	**	(**)	8	(8.2)	97	(22.8)
X	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZC	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZE	0	(0.0)	0	(0.0)	**	(**)	**	(**)
Total	382	(89.9)	**	(**)	40	(9.4)	425	(100.0)
Grand Total	1,177	(91.0)	14	(1.1)	102	(7.9)	1,293	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 56 RE-ADMISSIONS BY HEALTH ORGANISATION AND SOURCE OF PREVIOUS ADMISSION, 2011 - 2013

Organisation	SOURCE OF PREVIOUS ADMISSION							
	Same Organisation		Other Organisation		No Previous Admission		Total	
	n	(%)	n	(%)	n	(%)	n	(%)
C	101	(12.5)	28	(3.5)	680	(84.1)	809	(47.0)
D	**	(**)	0	(0.0)	8	(66.7)	12	(0.7)
E1	**	(**)	**	(**)	8	(66.7)	12	(0.7)
E2	**	(**)	6	(28.6)	13	(61.9)	**	(**)
F	**	(**)	**	(**)	**	(**)	9	(0.5)
H	**	(**)	**	(**)	**	(**)	6	(0.3)
I	0	(0.0)	0	(0.0)	**	(**)	**	(**)
K2	0	(0.0)	0	(0.0)	**	(**)	**	(**)
L	0	(0.0)	0	(0.0)	14	(100.0)	14	(0.8)
N	0	(0.0)	0	(0.0)	5	(100.0)	5	(0.3)
O	0	(0.0)	0	(0.0)	**	(**)	**	(**)
P	67	(19.7)	8	(2.4)	265	(77.9)	340	(19.8)
R	0	(0.0)	0	(0.0)	6	(100.0)	6	(0.3)
V	15	(19.5)	**	(**)	59	(76.6)	**	(**)
W	62	(15.9)	21	(5.4)	308	(78.8)	391	(22.7)
X	0	(0.0)	5	(45.5)	6	(54.5)	11	(0.6)
ZC	0	(0.0)	0	(0.0)	**	(**)	**	(**)
ZE	**	(**)	0	(0.0)	**	(**)	**	(**)
Total	259	(15.1)	77	(4.5)	1384	(80.5)	1720	(100.0)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality
Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 57 NUMBER OF ADMISSIONS OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION OF FIRST ADMISSION, 2011 - 2013

Organisation	NUMBER OF ADMISSIONS											Total
	1	2	3	4	5	6	7	8+				
	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)			
C	591 (86.9)	62 (9.1)	18 (2.6)	6 (0.9)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	680 (49.4)		
D	5 (62.5)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	8 (0.6)		
E1	7 (87.5)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
E2	8 (66.7)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	12 (0.9)		
F	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
H	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
I	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
K2	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
L	14 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	14 (1.0)		
N	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (0.4)		
O	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
P	214 (80.8)	36 (13.6)	7 (2.6)	** (**)	** (**)	** (**)	** (**)	** (**)	** (**)	265 (19.2)		
R	6 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (0.4)		
V	48 (81.4)	7 (11.9)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
W	244 (80.8)	36 (11.9)	12 (4.0)	** (**)	5 (1.7)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	302 (21.9)		
X	5 (83.3)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
ZC	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
ZE	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)		
Total	1157 (84.0)	148 (10.7)	43 (3.1)	15 (1.1)	9 (0.7)	** (**)	** (**)	** (**)	** (**)	1377 (100.0)		

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 58 NUMBER OF INDIVIDUAL CHILDREN BY HEALTH ORGANISATION AND DIAGNOSTIC GROUP OF FIRST ADMISSION, 2011 - 2013

Organisation	DIAGNOSTIC GROUP																	Total
	Blood / lymphatic	Body wall and cavities	Cardio - vascular	Endocrine / metabolic	Gastro - intestinal	Infection	Multisystem	Musculo - skeletal	Neurological	Oncology	Respiratory	Trauma	Other	Missing				
	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)				
C	** (**)	** (**)	36 (5.3)	13 (1.9)	36 (5.3)	69 (10.1)	0 (0.0)	64 (9.4)	113 (16.6)	26 (3.8)	265 (39.0)	34 (5.0)	15 (2.2)	0 (0.0)	680 (49.4)			
D	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (75.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)			
E1	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	8 (0.6)			
E2	0 (0.0)	0 (0.0)	9 (75.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	12 (0.9)			
F	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)			
H	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	** (**)			
I	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)			
K2	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)			
L	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	5 (35.7)	0 (0.0)	5 (35.7)	0 (0.0)	** (**)	** (**)			
N	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	5 (0.4)			
O	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)			
P	0 (0.0)	17 (6.4)	81 (30.6)	** (**)	15 (5.7)	20 (7.5)	** (**)	6 (2.3)	24 (9.1)	10 (3.8)	60 (22.6)	16 (6.0)	10 (3.8)	0 (0.0)	265 (19.2)			
R	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	6 (0.4)			
V	0 (0.0)	0 (0.0)	30 (50.8)	0 (0.0)	7 (11.9)	** (**)	** (**)	0 (0.0)	** (**)	7 (11.9)	** (**)	** (**)	** (**)	0 (0.0)	59 (4.3)			
W	0 (0.0)	0 (0.0)	284 (94.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	** (**)	** (**)	** (**)	7 (2.3)	** (**)	** (**)	0 (0.0)	302 (21.9)			
X	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	6 (0.4)			
ZC	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)			
ZE	0 (0.0)	0 (0.0)	** (**)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	** (**)			
Total	** (**)	25 (1.8)	446 (32.4)	18 (1.3)	61 (4.4)	97 (7.0)	** (**)	76 (5.5)	148 (10.7)	46 (3.3)	364 (26.4)	53 (3.8)	34 (2.5)	0 (0.0)	1377 (100.0)			

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 59 INDIVIDUAL CHILD ADMISSIONS BY DIAGNOSTIC GROUP AND READMISSION STATUS, 2011 - 2013

Diagnostic Group	NUMBER OF ADMISSIONS					
	Single		Multiple (1 organisation)		Multiple (2+ organisations)	
	n	(%)	n	(%)	n	(%)
Blood / lymphatic	**	(**)	0	(0.0)	**	(**)
Body wall and cavities	20	(80.0)	**	(**)	**	(**)
Cardiovascular	348	(78.0)	66	(14.8)	32	(7.2)
Endocrine / metabolic	17	(94.4)	0	(0.0)	**	(**)
Gastrointestinal	55	(90.2)	**	(**)	**	(**)
Infection	88	(90.7)	7	(7.2)	**	(**)
Multisystem	**	(**)	0	(0.0)	0	(0.0)
Musculoskeletal	70	(92.1)	6	(7.9)	0	(0.0)
Neurological	133	(89.9)	14	(9.5)	**	(**)
Oncology	37	(80.4)	8	(17.4)	**	(**)
Other	26	(76.5)	6	(17.6)	**	(**)
Respiratory	302	(83.0)	48	(13.2)	14	(3.8)
Trauma	53	(100.0)	0	(0.0)	0	(0.0)
Unknown	**	(**)	0	(0.0)	0	(0.0)
Total	1157	(84.0)	162	(11.8)	58	(4.2)

As in all tables in this report, counts >0 and < 5 are replaced by asterisks to ensure confidentiality

Other counts may also be suppressed to make it impossible to calculate the numbers.

TABLE 60 AGE SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF WELSH CHILDREN TO PAEDIATRIC INTENSIVE CARE, 2011-2013

Sex	Age Group (Years)	Population	PREVALENCE RATES											
			2011 (95% CI)			2012 (95% CI)			2013 (95% CI)			2011-13 (95% CI)		
			Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper
Male	<1 year	18151.0	870.5	735.3	1005.6	1052.3	903.8	1200.7	920.1	781.2	1059.0	947.6	866.2	1029.0
	1-4 years	74005.0	127.0	101.4	152.7	108.1	84.4	131.8	90.5	68.9	112.2	108.6	94.9	122.2
	5-10 years	102365.0	51.8	37.8	65.7	49.8	36.2	63.5	39.1	27.0	51.2	46.9	39.2	54.5
	11-15 years	90986.0	39.6	26.6	52.5	34.1	22.1	46.1	29.7	18.5	40.9	34.4	27.5	41.4
Female	<1 year	17404	649.3	530.0	768.6	712.5	587.5	837.4	643.5	524.7	762.3	668.4	598.5	738.3
	1-4 years	70289	79.7	58.8	100.5	83.9	62.5	105.3	76.8	56.3	97.3	80.1	68.1	92.2
	5-10 years	97133	32.9	21.5	44.4	34.0	22.4	45.6	35.0	23.2	46.8	34.0	27.3	40.7
	11-15 years	86219	55.7	39.9	71.4	40.6	27.1	54.0	27.8	16.7	39.0	41.4	33.5	49.2
Total		556552	106.0	97.5	114.5	108.5	99.9	117.2	94.3	86.3	102.4	103.0	98.1	107.8

Populations for calculation of prevalence are taken from the Office for National Statistics mid_2011 estimates


<http://www.ons.gov.uk/ons/publications/re-reference-tables.html?edition=tcn%3A77-262039>

Adjustments were made to match PICANet age groups

TABLE 61 AGE-SEX SPECIFIC PREVALENCE (PER 100,000 PER YEAR) FOR ADMISSIONS OF WELSH CHILDREN TO PAEDIATRIC INTENSIVE CARE BY HEALTH BOARD, 2011-2013

Country / Region	Population	PREVALENCE											
		2011 (95% CI)			2012 (95% CI)			2013 (95% CI)			2011 - 2013 (95% CI)		
		Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper	Rate	Lower	Upper
Wales													
Betsi Cadwaladr University	123684	117.9	98.8	137.0	95.9	78.7	113.2	82.0	66.0	98.0	98.6	88.5	108.7
Hywel Dda	66071	110.9	85.1	136.6	103.6	78.6	128.5	67.4	47.3	87.6	94.0	80.3	107.7
Abertawe Bro Morgannwg University	91617	97.6	77.5	117.7	107.4	86.4	128.4	81.2	62.8	99.5	95.4	83.9	106.9
Cardiff & Vale University	87695	110.1	88.7	131.5	137.4	113.6	161.2	128.6	105.6	151.6	125.4	112.3	138.5
Cwm Taf	55385	97.7	71.9	123.4	97.6	71.9	123.4	120.4	91.9	148.9	105.2	89.8	120.6
Aneurin Bevan	109700	95.8	77.3	114.3	108.7	88.9	128.4	94.0	75.6	112.4	99.5	88.6	110.4
Powys Teaching	22400	116.3	69.8	162.9	99.0	56.5	141.5	91.0	49.0	132.9	102.1	76.8	127.3
Total	556552	106.0	97.5	114.5	108.5	99.9	117.2	94.3	86.3	102.4	103.0	98.1	107.8

FIGURE 61 PREVALENCE IN WALES (PER 100,000 PER YEAR) 2011-2013, WITH 95% CONFIDENCE INTERVALS



UNIVERSITY OF LEEDS

ROGER PARSLow
PHIL McSHANE
THOMAS FLEMING
SARAH FLEMING
LEE NORMAN
JODIE BATCHELOR

PICANet
SCHOOL OF MEDICINE
UNIVERSITY OF LEEDS
WORSLEY BUILDING
LEEDS
LS2 9JT

R.C.PARSLow@LEEDS.AC.UK
0113 343 4856

UNIVERSITY OF LEICESTER

ELIZABETH DRAPER
CAROLINE LAMMING
CAROLINE LOVETT
MARTIN PERKINS
ALUN EVANS

PICANet
DEPARTMENT OF HEALTH SCIENCES
UNIVERSITY OF LEICESTER
22-28 PRINCESS ROAD WEST
LEICESTER
LE1 6TP

MSN@LEICESTER.AC.UK
0116 252 5414

www.PICANet.org.uk
PICANet@leeds.ac.uk