

## Paediatric Intensive Care Audit Network · Data Collection Form

## Admission

| Patient details (or hospital label)                   |   |
|---|---|
| Family name   | NHS/CHI/H&C number  |
|   | Tick if patient is not  |
| First name  | Case note number  |
|   |   |
|   |   |
| Address   | Date of birth (dd/mm/yyyy)                                    |
|   |   |
|   | Indicate if date of birth is                                  |
|   | Estimated Anonymised Unknown                                  |
|   | Sex   |
|   | Male Female Ambiguous Unknown                                 |
|   |   |
| Ethnic category                                       | Gestational age at delivery (if patient is under 2 years old) |
| White British   | weeks   |
| White Irish Asian other (specify                      |   |
| White other (specify below) Black Caribbean           | Birth order Multiplicity                                      |
| Mixed White and Black Caribbean Black African         | of  |
| Mixed White and Black African Black other (specify)   |   |
| Mixed White and Asian Chinese                         |   |
| Mixed other (specify below)     Other (specify below) | N)  |
| Asian Indian Not stated (declined                     |   |
| Asian Pakistani Unknown                               |   |
|   |   |
| Other ethnic category                                 |   |
|   |   |
|   |   |
| Admission details                                     |   |
| Date and time of admission to unit (dd/mm/yyyy)       | Source of admission   |
|   | Same hospital   |
|   | Cther hospital Home   |
| Admission number                                      | Care area admitted from (includes transfers in)               |
|   | X-ray / endoscopy / CT scanner ICU / PICU / NICU              |
|   | Recovery only     Ward  |
| Type of admission to unit                             | HDU (step up/step down unit) Theatre and recovery             |
| Planned – following surgery                           | Other intermediate care area                                  |
| Unplanned – following surgery                         | Retrieval / transfer?   |
| Planned – other                                       | ☐ Yes — ☐ No  |
| Unplanned – other                                     | ▼<br>Type of transport team                                   |
| Previous ICU admission (during current hospital stay) | PICU Other specialist team                                    |
|   | Centralised transport service (PIC) Non-specialist team       |
| PICU  | Transport team from neonates Unknown                          |
|   | Transport team  |
| None None   |   |
| Unknown   |   |
|   | Collection unit   |
|   | Collection unit   |

## Contact us • picanet@leeds.ac.uk • 0113 343 8125 For more contact details, go to For forms, dataset manuals and guidance, go to www.picanet.org.uk/contact-us www.picanet.org.uk/data-collection

PICANet Admission data collection form · Version 10.1 · May 2022 · Copyright © 2022 Universities of Leeds and Leicester

| PIM  |   |  |  |  |  |  |  |  |  |  |  |
|--|---|--|--|--|--|--|--|--|--|--|--|
| This applies to observations recorded between the first face-to-<br>face contact with ICU doctor <b>until one hour after admission</b> .<br>Always use the first recorded measurement during this time | Systolic blood pressure<br>mmHg                                     |  |  |  |  |  |  |  |  |  |  |
| period.  | $SpO_2$ (via pulse oximetry) $FiO_2$ (at the time $SpO_2$ measured) |  |  |  |  |  |  |  |  |  |  |
| Elective admission   |   |  |  |  |  |  |  |  |  |  |  |
| Tick if this is an elective admission  |   |  |  |  |  |  |  |  |  |  |  |
| Main reason for PICU admission   | Blood gas measured?   |  |  |  |  |  |  |  |  |  |  |
| Asthma   |   |  |  |  |  |  |  |  |  |  |  |
| Bronchiolitis  | Arterial PaO <sub>2</sub> Arterial PaO <sub>2</sub>                 |  |  |  |  |  |  |  |  |  |  |
|  | kPa OR mmHg   |  |  |  |  |  |  |  |  |  |  |
| Obstructive sleep apnoea     Bypass cardiac procedure  | FiO <sub>2</sub>  |  |  |  |  |  |  |  |  |  |  |
| Recovery from surgery  |   |  |  |  |  |  |  |  |  |  |  |
| Diabetic ketoacidosis  |   |  |  |  |  |  |  |  |  |  |  |
| C Seizure disorder   | Intubation? At the time of arterial                                 |  |  |  |  |  |  |  |  |  |  |
| Other (none of the above)  | $\Box$ Yes $\Box$ No $PaO_2$ sample                                 |  |  |  |  |  |  |  |  |  |  |
|  | Headbox?  |  |  |  |  |  |  |  |  |  |  |
| Is evidence available to assess past medical history?  | Yes No  |  |  |  |  |  |  |  |  |  |  |
|  | Base excess (specify source)  |  |  |  |  |  |  |  |  |  |  |
| If yes, tick all that apply  | Arterial mmol/l — Capillary   |  |  |  |  |  |  |  |  |  |  |
| Cardiac arrest before ICU admission  |   |  |  |  |  |  |  |  |  |  |  |
| Cardiac arrest OUT of hospital   | Lactate (specify source)  |  |  |  |  |  |  |  |  |  |  |
| Cardiomyopathy or myocarditis  | mmol/l — Capillary  |  |  |  |  |  |  |  |  |  |  |
| Severe combined immune deficiency  |   |  |  |  |  |  |  |  |  |  |  |
| Hypoplastic left heart syndrome  | Mechanical ventilation?   |  |  |  |  |  |  |  |  |  |  |
| Leukaemia or lymphoma after first induction  | Yes No  |  |  |  |  |  |  |  |  |  |  |
| Liver failure main reason for ICU admission  | CPAP?   |  |  |  |  |  |  |  |  |  |  |
| Acute NEC main reason for ICU admission  |   |  |  |  |  |  |  |  |  |  |  |
| Spontaneous cerebral haemorrhage   | Pupil reaction  |  |  |  |  |  |  |  |  |  |  |
| Neurodegenerative disorder   | Both fixed and dilated  |  |  |  |  |  |  |  |  |  |  |
| Human Immunodeficiency Virus (HIV)   |   |  |  |  |  |  |  |  |  |  |  |
| Bone marrow transplant recipient   | Unknown   |  |  |  |  |  |  |  |  |  |  |
| Diagnesses and pressedures   |   |  |  |  |  |  |  |  |  |  |  |
| Diagnoses and procedures<br>Primary diagnosis for this admission   |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
| Other reasons for this admission   |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
| Operations and procedures performed during and prior to th   | is admission  |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
| Co-morbidity   |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |
| Was a tracheostomy performed during this admission?  |   |  |  |  |  |  |  |  |  |  |  |
|  |   |  |  |  |  |  |  |  |  |  |  |

| Daily interve     | entions  |          |          |          |     |          |                   |    |          |          |               |      |      |               |
|-------------------|--|----------|----------|----------|-----|----------|-------------------|----|----------|----------|---------------|------|------|---------------|
| Please record     | all interventions given on each day of admission using a cross $oxtimes$   | Admis    | ssio     | n da     | te: |          |                   |    |          |          |               |      |      |               |
| unless otherwi    | •  |          |          |          |     |          |                   |    |          |          |               |      |      |               |
| lf no interventio | ions given, select No defined critical care activity.  |          | ♦        |          |     |          |                   |    |          |          |               |      |      |               |
|                   |  | Dav      | 0        | 1        | 2   | 3        | 4 !               | 56 | 7        | 8        | 9 ·           | 10 1 | 1 12 | 2 13          |
| Resia             | No defined critical care activity Coc  | de 99    |          |          | _   | -<br>-   |                   |    | T.       | -        |               |      | Т    | T             |
| Baolo             | Continuous ECG monitoring  | 50       |          |          |     | -        | -                 |    |          |          |               | -    | +    | +             |
|                   | Continuous pulse oximetry  | 73       | ··       |          |     | +        | -                 |    |          |          |               | +    | -    | +             |
| <del>_</del>      |  | -        | <u> </u> |          | -   | +        | +                 |    | +        |          |               |      | -    | +             |
|                   | Invasive ventilation via endotracheal tube   | 51<br>52 |          |          | _   | _        | +                 | _  | -        |          |               | _    |      | +             |
|                   | Invasive ventilation via tracheostomy tube<br>Non-invasive ventilatory support   | 52       |          |          |     | _        | +                 |    |          |          | _             |      |      | +             |
|                   | Advanced ventilatory support (jet ventilation)   | 56       | ··       |          | _   |          | +                 |    | -        |          | _             |      |      | +             |
|                   | Advanced ventilatory support (escillatory ventilation)   | 56       |          |          | -   | -        | +                 | _  | ⊢        |          | $\rightarrow$ | _    | _    | +             |
| ••                | Nasopharyngeal airway  | 55       |          |          | -   | -        | +                 |    | ┢        |          | -             |      |      | +             |
|                   | Tracheostomy cared for by nursing staff  | 13       |          |          |     | -        | -                 |    | -        |          | _             |      | _    | +             |
|                   | Supplemental oxygen therapy (irrespective of ventilatory state)  | 09       |          |          |     | -        | +                 |    |          |          | _             |      |      | +             |
|                   |  | 00       |          |          | _   |          | -                 |    |          |          | -             |      |      | +             |
| ŀ                 | High flow nasal cannula therapy (record maximum daily flow in l/min)   | 88       |          |          |     |          |                   |    |          |          |               |      |      |               |
| ï                 | Upper airway obstruction requiring nebulised adrenaline (epinephrine)  | 57       |          |          |     | +        | +                 |    |          |          |               |      |      | +             |
| ••                | Apnoea requiring intervention (>3 in 24 hours or need for bag-mask ventilation)  | 58       |          |          |     | +        |                   |    |          |          |               |      |      | +             |
|                   | Acute severe asthma requiring IV bronchodilator therapy or continuous nebuliser  | 59       |          |          |     | +        | -                 |    |          |          |               |      |      | +             |
|                   | Unplanned extubation (record number of unplanned extubations)  | 90       |          |          |     |          | T                 |    |          |          |               |      |      | 1             |
| -                 |  |          |          |          |     |          |                   |    |          |          |               |      |      |               |
| Cardio-           | Arterial line monitoring   | 60       |          |          |     |          |                   |    |          |          |               |      |      |               |
| vascular          | External pacing  | 61       |          |          |     |          |                   |    |          |          |               |      |      |               |
|                   | Central venous pressure monitoring   | 62       |          |          |     |          |                   |    |          |          |               |      |      |               |
|                   | Continuous infusion of inotrope, vasodilator or prostaglandin  | 06       |          |          |     |          |                   |    |          |          |               |      |      |               |
| ••                | Bolus IV fluids (>80 ml/kg/day) in addition to maintenance IV fluids<br>Cardio-pulmonary resuscitation   | 63<br>64 | -        |          |     | +        | ┿                 |    | ┝        |          |               |      | -    | +             |
| E                 | Extracorporeal membrane oxygenation (ECMO)   | 65       |          |          |     |          |                   |    |          |          |               |      |      | 1             |
| Ň                 | Ventricular assist device (VAD)  | 65       |          |          |     |          |                   |    |          |          |               |      |      |               |
| ŀ                 | Aortic balloon pump  | 65       |          |          |     |          |                   |    |          |          |               |      |      | T             |
| F                 | Arrhythmia requiring intravenous anti-arrhythmic therapy   | 94       |          |          |     |          |                   |    |          |          |               |      |      |               |
|                   | Peritoneal dialysis  | 05       |          |          |     | <b>—</b> | $\overline{}$     |    | Г        |          |               |      |      | $\overline{}$ |
|                   | Haemofiltration  | 16       |          |          |     | -        | -                 |    |          |          | -             |      |      | +             |
|                   | Haemodialysis  | 66       | ··       |          | -   | +        | -                 |    | ┢        |          | -             |      |      | +-            |
|                   | Plasma filtration  | 67       |          |          |     | -        | -                 |    |          |          |               |      |      | +             |
|                   | Plasma exchange  | 67       |          |          |     | -        | -                 |    |          |          |               |      |      | +             |
|                   |  |          | <u> </u> |          |     | <u> </u> | <u> </u>          |    | -        |          |               |      |      | <u> </u>      |
|                   | ICP-intracranial pressure monitoring   | 68       | ··       |          |     |          | _                 |    |          |          |               |      |      | _             |
|                   | Intraventricular catheter or external ventricular drain  | 69       |          |          | _   | +        | +                 |    |          |          | _             |      |      | +             |
|                   | Status epilepticus requiring treatment with continuous infusion of anti-epileptic drugs<br>Reduced conscious level (GCS ≤ 12) AND hourly (or more frequent) GCS monitoring |          |          |          | _   | +        | +                 |    |          |          | _             |      |      | +             |
| -                 | Reduced conscious level (GCS \$ 12) AND hourry (or more frequency GCS monitoring   | g 95     |          |          |     |          |                   |    |          |          |               |      |      |               |
| Analgesia/        | Epidural catheter in situ  | 85       |          |          |     |          |                   |    |          |          |               |      |      |               |
| sedation          | Continuous intravenous infusion of a sedative agent  | 96       |          |          |     |          |                   |    |          |          |               |      |      |               |
| Metabolic         | Diabetic ketoacidosis (DKA) requiring continuous infusion of insulin   | 70       |          |          |     | Τ        | Τ                 |    | Γ        |          |               |      |      | Τ             |
|                   | Exchange transfusion   | 04       |          |          |     |          | $\overline{\top}$ |    | Γ        |          |               |      |      |               |
|                   | Intravenous thrombolysis   | 71       |          | $\vdash$ | +   | +        | +                 |    | $\vdash$ |          | -+            |      |      | +             |
|                   | Extracorporeal liver support using molecular absorbent recirculating system (MARS)   |          |          | $\vdash$ | +   | +        | +                 |    | ┢        |          | +             | +    |      | +             |
|                   | Patient nursed in single occupancy cubicle (state reason for isolation below)  | 74       |          | $\vdash$ | +   | +        | +                 |    | $\vdash$ |          | +             | +    | +    | +             |
|                   |  |          | _        |          |     | <u> </u> | <u> </u>          |    | -        | <u> </u> |               |      |      | <u> </u>      |
|                   | Medical gases Band 1 - nitric oxide  | X841     |          |          |     | $\perp$  | $\perp$           |    |          |          |               |      |      | $\perp$       |
|                   | Surfactant   | X842     |          |          |     |          |                   |    |          |          |               |      |      |               |

## Reason for isolation (if patient nursed in single occupancy cubicle)

| Clinical trial (if required by your unit)   | Follow-up 30 days post-discharge from your unit  |
|---|--|
| Is the patient on a clinical trial?   | Status   |
| Name of trial   | Date of death (dd/mm/yyyy)   |
|   |  |
|   |  |
| Growth measurements (if required by your unit)  |  |
| Height   weight     Meight     kg     Abdominal circumference     cm  | Normal residence       Same hospital         Hospice       Other hospital         NICU         HDU         SCBU         Ward         Other |
| Discharge information   | Comments   |
| Status at discharge from your unit       Alive       Dead   |  |
| Date and time of discharge (dd/mm/yyyy hh:mm)         /       /       2       0       :       :   |  |
| If alive at discharge         Discharged for palliative care?         Yes       No  |  |
| Destination following discharge from your unit         Normal residence       Same hospital         Hospice       Other hospital         NICU         HDU         SCBU         Ward         Other | Customised data collection (for local use)   |
| r If dead at discharge  |  |
| Date and time of death (dd/mm/yyyy hh:mm)         /       /       2       0       :       :   |  |
| Mode of death   |  |
| Treatment withdrawn   |  |
| Treatment limitation Brain stem death   |  |
| Failed cardiopulmonary resuscitation  |  |
| Transplant donor?   |  |
| □ No  |  |
| Yes – solid organs only   |  |
| <ul> <li>Yes – tissues only</li> <li>Yes – both solid organs and tissues</li> </ul>   |  |
|   |  |
|   |  |
|   |  |
|   | Form completed by  |
|   |  |