

**Daily interventions (continued)**

For each day of admission, record (using an X unless otherwise specified) all applicable interventions and observations from the list below. If none apply, select **No defined critical care activity**

Page number \_\_\_\_\_ of \_\_\_\_\_

		Day																	
<b>Basic</b>	No defined critical care activity	Code 99																	
	Continuous ECG monitoring	50																	
	Continuous pulse oximetry	73																	
<b>Airway and ventilatory</b>	Invasive ventilation via endotracheal tube	51																	
	Invasive ventilation via tracheostomy tube	52																	
	Non-invasive ventilatory support	53																	
	Advanced ventilatory support (jet ventilation)	56																	
	Advanced ventilatory support (oscillatory ventilation)	56																	
	Nasopharyngeal airway	55																	
	Tracheostomy cared for by nursing staff	13																	
	Supplemental oxygen therapy (irrespective of ventilatory state)	09																	
	Heated humidified high flow therapy (HHFT)	80																	
	Upper airway obstruction requiring nebulised adrenaline (epinephrine)	57																	
	Apnoea requiring intervention (>3 in 24 hours or need for bag-mask ventilation)	58																	
Acute severe asthma requiring IV bronchodilator therapy or continuous nebuliser	59																		
Unplanned extubation (record number of unplanned extubations)	90																		
<b>Cardio-vascular</b>	Arterial line monitoring	60																	
	External pacing	61																	
	Central venous catheter in situ	-																	
	Central venous pressure monitoring	62																	
	Continuous infusion of inotrope, vasodilator or prostaglandin	06																	
	Bolus IV fluids (>80 ml/kg/day) in addition to maintenance IV fluids	63																	
	Cardio-pulmonary resuscitation	64																	
	Extracorporeal membrane oxygenation (ECMO)	65																	
	Ventricular assist device (VAD)	65																	
	Aortic balloon pump	65																	
Arrhythmia requiring intravenous anti-arrhythmic therapy	94																		
<b>Renal</b>	Urine catheter in situ	-																	
	Peritoneal dialysis	05																	
	Haemofiltration	16																	
	Haemodialysis	66																	
	Plasma filtration	67																	
	Plasma exchange	67																	
<b>Neuro-logical</b>	ICP-intracranial pressure monitoring	68																	
	Intraventricular catheter or external ventricular drain	69																	
	Status epilepticus requiring treatment with continuous infusion of anti-epileptic drugs	97																	
	Reduced conscious level (GCS ≤ 12) AND hourly (or more frequent) GCS monitoring	95																	
Delirium screening result (record <b>P</b> ositive, <b>N</b> egative, <b>U</b> nable to assess, <b>D</b> id not assess)–																			
<b>Analgesia/sedation</b>	Epidural catheter in situ	85																	
	Continuous intravenous infusion of a sedative agent	96																	
<b>Metabolic</b>	Diabetic ketoacidosis (DKA) requiring continuous infusion of insulin	70																	
<b>Other</b>	Exchange transfusion	04																	
	Intravenous thrombolysis	71																	
	Extracorporeal liver support using molecular absorbent recirculating system (MARS)	72																	
	Patient nursed in single occupancy cubicle (state reason for isolation below)	74																	
<b>High cost drugs</b>	Medical gases Band 1 – nitric oxide	X841																	
	Surfactant	X842																	

Reason for isolation (if patient nursed in single occupancy cubicle)

